



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 01/06/2021 To 01/06/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210601-028		01/06/2021	07:32	JS	Butanona Normal Saline	3MM Whatman Sílica gel	95 0,4		8 83	0	pH (Low/Actual/High)	91,753 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210601-029		01/06/2021	07:37	JS	Butanona Normal Saline	3MM Whatman Sílica gel	128 2		1 49,1	0	pH (Low/Actual/High)	95,311 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210601-032		01/06/2021	07:52	JS	Butanona Normal Saline	3MM Whatman Sílica gel	131 3		2 88	0	pH (Low/Actual/High)	95,20 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20210601-022		01/06/2021	06:51	GF	Citrato de Sódio 0,1M	Sílica gel	29,9		0,1	0	pH (Low/Actual/High)	99,667 %	Pass 4,00 <= 6,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210601-046		01/06/2021	12:45	JS	Citrato de Sódio 0,1M	Sílica gel	25,9		0,3	0	pH (Low/Actual/High)	98,855 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20210601-009	RPH	01/06/2021	03:39	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	1942 20		16 1135	0	pH (Low/Actual/High)	97,451 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210601-031	RPH	01/06/2021	07:49	JS	Acetona Normal Saline	3MM Whatman 3MM Whatman	252 6		2 274	0	pH (Low/Actual/High)	97,07 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210601-041	RPH	01/06/2021	10:55	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman	984 34		15 989	0	pH (Low/Actual/High)	95,175 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210601-042	RPH	01/06/2021	10:56	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman	704 6		1 515	0	pH (Low/Actual/High)	98,707 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
FITATO-99mTc Lot # K-20210601-010		01/06/2021	03:42	PP	Butanona	3MM Whatman	388		7	0	pH (Low/Actual/High)	98,228 %	Pass 5,00 <= 6,00 <= 7,00
						Límpido/Incolor							
FITATO-99mTc Lot # K-20210601-027		01/06/2021	07:30	JS	Butanona	3MM Whatman	400		10	0	pH (Low/Actual/High)	97,561 %	Pass 5,00 <= 7,00 <= 7,00
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210601-012		01/06/2021 03:55 PP	Butanona		3MM	Whatman		494		8	0	98,406 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210601-013		01/06/2021 03:58 PP	Butanona		3MM	Whatman		339		12	0	96,581 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210601-014		01/06/2021 04:00 PP	Butanona		3MM	Whatman		346		14	0	96,111 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210601-015		01/06/2021 04:02 PP	Butanona		3MM	Whatman		241		1	0	99,587 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210601-016		01/06/2021 04:04 PP	Butanona		3MM	Whatman		188		9	0	95,431 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210601-017		01/06/2021 04:05 PP	Butanona		3MM	Whatman		132		1	0	99,248 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210601-018		01/06/2021 04:08 PP	Butanona		3MM	Whatman		127		3	0	97,692 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210601-019		01/06/2021 04:09 PP	Butanona		3MM	Whatman		145		3	0	97,973 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210601-043		01/06/2021 11:09 WG	Butanona		3MM	Whatman		398		2	0	99,50 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210601-044		01/06/2021 11:24 WG	Butanona		3MM	Whatman		239		1	0	99,583 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210601-045		01/06/2021 11:26 WG	Butanona		3MM	Whatman		160,1		3,7	0	97,741 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210601-047		01/06/2021 14:44 JS	Butanona		3MM	Whatman		120		1	0	99,174 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MDP-99mTc Lot # K-20210601-006		01/06/2021 03:29 PP	Acetona		3MM	Whatman		1212		6	0	98,359 %	Pass	
			Normal Saline		3MM	Whatman		19		1636	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20210601-008		01/06/2021 03:31 PP	Acetona Normal Saline		3MM Whatman 3MM Whatman			1632 3		10 2027	0	pH (Low/Actual/High)	99,243 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210601-007		01/06/2021 03:31 PP	Acetona Normal Saline		3MM Whatman 3MM Whatman			1561 20		130 1113	0	pH (Low/Actual/High)	90,547 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210601-023		01/06/2021 07:13 GF	Acetona Normal Saline		3MM Whatman 3MM Whatman			689 9		6 607	0	pH (Low/Actual/High)	97,676 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210601-026		01/06/2021 07:27 JS	Acetona Normal Saline		3MM Whatman 3MM Whatman			755 5		3 818	0	pH (Low/Actual/High)	98,997 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210601-030		01/06/2021 07:47 JS	Acetona Normal Saline		3MM Whatman 3MM Whatman			1280 2		3 788	0	pH (Low/Actual/High)	99,513 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210601-034		01/06/2021 08:45 PP	Acetona Normal Saline		3MM Whatman 3MM Whatman			1514 7		10 196	0	pH (Low/Actual/High)	95,896 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20210601-001		01/06/2021 02:17 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			215 14		7 253	0	pH (Low/Actual/High)	91,603 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210601-002		01/06/2021 02:25 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1706 3		29 567	0	pH (Low/Actual/High)	97,802 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210601-003		01/06/2021 02:53 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1215 14		11 386	0	pH (Low/Actual/High)	95,603 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210601-004		01/06/2021 02:55 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			2038 2		6 3005	0	pH (Low/Actual/High)	99,64 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210601-005		01/06/2021 03:00 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1966 2		45 2083	0	pH (Low/Actual/High)	97,666 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210601-011		01/06/2021 03:53 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			450 29		7 3089	0	pH (Low/Actual/High)	97,538 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210601-020		01/06/2021 06:39 GF	Normal Saline Metanol		Sílica gel 3MM Whatman			1161 22		14 1263	0	pH (Low/Actual/High)	97,096 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210601-021		01/06/2021 06:40	GF	Normal Saline Metanol	Sílica gel 3MM Whatman			1001 11		22 827	0	pH (Low/Actual/High)	96,537 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210601-033		01/06/2021 08:06	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			1416 1		15 207	0	pH (Low/Actual/High)	98,471 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210601-036		01/06/2021 09:56	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			754 10		13 1620	0	pH (Low/Actual/High)	97,692 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20210601-024		01/06/2021 07:17	JS	Butanona Normal Saline	3MM Whatman 3MM Whatman			383 5		3 533	0	pH (Low/Actual/High)	98,293 %	Pass 5,00 <= 5,00 <= 7,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20210601-025		01/06/2021 07:19	JS	Butanona Normal Saline	3MM Whatman 3MM Whatman			463 2		5 282	0	pH (Low/Actual/High)	98,227 %	Pass 5,00 <= 5,00 <= 7,00
Límpido/Incolor														
PSMA-177Lu Lot # K-20210601-037		01/06/2021 10:18	BB	Citrato de Sódio 0,1M	Sílica gel			1040		5	0	pH (Low/Actual/High)	99,522 %	Pass 4,00 <= 4,50 <= 5,00
Límpido														
PSMA-68Ga Lot # K-20210601-035		01/06/2021 09:37	JS	Acetato de amônio 1M:Metanol	Sílica gel			0,2		24,3	0	pH (Low/Actual/High)	99,184 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210601-001		01/06/2021 01:55	PP	Butanona	3MM Whatman			11		628	0	pH (Low/Actual/High)	98,279 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210601-002		01/06/2021 02:18	PP	Butanona	3MM Whatman			8		478	0	pH (Low/Actual/High)	98,354 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210601-003		01/06/2021 02:49	PP	Butanona	3MM Whatman			1		563	0	pH (Low/Actual/High)	99,823 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210601-004		01/06/2021 02:49	PP	Butanona	3MM Whatman			1		485	0	pH (Low/Actual/High)	99,794 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210601-005		01/06/2021 03:07	PP	Butanona	3MM Whatman			30		1013	0	pH (Low/Actual/High)	97,124 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210601-006		01/06/2021 03:36	PP	Butanona	3MM Whatman			22		821	0	pH (Low/Actual/High)	97,39 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210601-007		01/06/2021 03:36	PP	Butanona		3MM Whatman		24		874	0	97,327 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210601-008		01/06/2021 03:51	PP	Butanona		3MM Whatman		3		321	0	99,074 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210601-009		01/06/2021 06:26	GF	Butanona		3MM Whatman		2		1041	0	99,808 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210601-010		01/06/2021 06:33	GF	Butanona		3MM Whatman		4		835	0	99,523 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210601-012		01/06/2021 07:10	GF	Butanona		3MM Whatman		1		269	0	99,63 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210601-013		01/06/2021 07:25	GF	Butanona		3MM Whatman		8		471	0	98,33 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210601-014		01/06/2021 07:32	JS	Butanona		3MM Whatman		1		119	0	99,167 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210601-015		01/06/2021 07:37	JS	Butanona		3MM Whatman		3		303	0	99,02 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210601-016		01/06/2021 07:45	JS	Butanona		3MM Whatman		1		212	0	99,531 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210601-017		01/06/2021 07:50	JS	Butanona		3MM Whatman		2		263	0	99,245 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210601-018		01/06/2021 08:02	JS	Butanona		3MM Whatman		5		204	0	97,608 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210601-020		01/06/2021 09:52	JS	Butanona		3MM Whatman		5		1814	0	99,725 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210601-021		01/06/2021 10:46	BB	Butanona		3MM Whatman		3		2008	0	99,851 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210601-023		01/06/2021 14:40	JS	Butanona		3MM Whatman		5		422	0		98,829 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
TRODAT-99mTc Lot # K-20210601-038		01/06/2021 10:47	WG	Normal Saline		Sílica gel		145,7		3,2	0		95,113 %	Pass
				Butanona		3MM Whatman		4,4		156,3	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210601-039		01/06/2021 10:53	WG	Normal Saline		Sílica gel		163,9		3,7	0		95,646 %	Pass
				Butanona		3MM Whatman		5		228	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210601-040		01/06/2021 10:54	WG	Normal Saline		Sílica gel		152		5	0		93,459 %	Pass
				Butanona		3MM Whatman		2,9		83,5	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor