



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 02/06/2021 To 02/06/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210602-011		02/06/2021	04:14	PP	Butanona Normal Saline	3MM Whatman Sílica gel	220 8		1 117	0	pH (Low/Actual/High)	93,148 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20210602-019		02/06/2021	07:40	JS	Butanona Normal Saline	3MM Whatman Sílica gel	163 1		0,3 63	0	pH (Low/Actual/High)	98,254 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20210602-020		02/06/2021	07:41	JS	Butanona Normal Saline	3MM Whatman Sílica gel	111 1		0,8 53	0	pH (Low/Actual/High)	97,433 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20210602-021		02/06/2021	07:42	JS	Butanona Normal Saline	3MM Whatman Sílica gel	131 2		1 103	0	pH (Low/Actual/High)	97,338 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20210602-022		02/06/2021	07:44	JS	Butanona Normal Saline	3MM Whatman Sílica gel	146 2		2 95	0	pH (Low/Actual/High)	96,587 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20210602-032		02/06/2021	10:17	JS	Butanona Normal Saline	3MM Whatman Sílica gel	72 3		2 86	0	pH (Low/Actual/High)	93,927 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20210602-015		02/06/2021	06:55	GF	Citrato de Sódio 0,1M	Sílica gel	14,6		0,7	0	pH (Low/Actual/High)	95,425 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210602-026		02/06/2021	08:03	JS	Citrato de Sódio 0,1M	Sílica gel	25,9		0,2	0	pH (Low/Actual/High)	99,234 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210602-028		02/06/2021	09:51	JS	Citrato de Sódio 0,1M	Sílica gel	44,9		0,2	0	pH (Low/Actual/High)	99,557 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor													
DTPA-99mTc Lot # K-20210602-007	RPH	02/06/2021	03:48	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	534 18		2 401	0	pH (Low/Actual/High)	95,331 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor													
DTPA-99mTc Lot # K-20210602-031	RPH	02/06/2021	10:15	JS	Acetona Normal Saline	3MM Whatman 3MM Whatman	642 1		34 336	0	pH (Low/Actual/High)	94,674 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20210602-006		02/06/2021 03:45 PP	Butanona		3MM	Whatman		421		1	0	99,763 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00	
											Límpido/Incolor			
FITATO-99mTc Lot # K-20210602-024		02/06/2021 07:54 JS	Butanona		3MM	Whatman		175		3	0	98,315 %	Pass	
											pH (Low/Actual/High)	5,00 <= 7,00	<= 7,00	
											Límpido/Incolor			
MAA-99mTc Lot # K-20210602-008		02/06/2021 03:50 PP	Butanona		3MM	Whatman		216		6	0	97,297 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210602-035		02/06/2021 10:52 JS	Butanona		3MM	Whatman		198		2	0	99,00 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210602-036		02/06/2021 10:54 JS	Butanona		3MM	Whatman		242		3	0	98,776 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MDP-99mTc Lot # K-20210602-010		02/06/2021 03:57 PP	Acetona		3MM	Whatman		1967		6	0	94,781 %	Pass	
			Normal Saline		3MM	Whatman		78		1509	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20210602-013		02/06/2021 04:21 PP	Acetona		3MM	Whatman		2141		3	0	98,456 %	Pass	
			Normal Saline		3MM	Whatman		45		3160	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20210602-018		02/06/2021 07:34 JS	Acetona		3MM	Whatman		677		1	0	99,462 %	Pass	
			Normal Saline		3MM	Whatman		6		1530	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20210602-023		02/06/2021 07:50 JS	Acetona		3MM	Whatman		1150		3	0	99,472 %	Pass	
			Normal Saline		3MM	Whatman		3		1118	pH (Low/Actual/High)	4,00 <= 7,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20210602-034		02/06/2021 10:33 JS	Acetona		3MM	Whatman		1103		1	0	95,923 %	Pass	
			Normal Saline		3MM	Whatman		12		289	pH (Low/Actual/High)	4,00 <= 7,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20210602-037		02/06/2021 10:56 JS	Acetona		3MM	Whatman		662		1	0	99,288 %	Pass	
			Normal Saline		3MM	Whatman		6		1064	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20210602-038		02/06/2021 12:23 JS	Acetona		3MM	Whatman		285		3	0	97,878 %	Pass	
			Normal Saline		3MM	Whatman		5		458	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
											Límpido/Incolor			
MIBI-99mTc Lot # K-20210602-002		02/06/2021 02:54 PP	Normal Saline		Sílica gel			1127		22	0	97,876 %	Pass	
			Metanol		3MM	Whatman		6		2860	pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210602-001		02/06/2021 02:55 BB	Normal Saline Metanol		Silica gel 3MM Whatman			2334 52		34 3350	0	pH (Low/Actual/High)	97,036 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210602-004		02/06/2021 02:55 PP	Normal Saline Metanol		Silica gel 3MM Whatman			1982 92		22 2308	0	pH (Low/Actual/High)	95,069 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210602-003		02/06/2021 02:56 PP	Normal Saline Metanol		Silica gel 3MM Whatman			2258 60		42 3838	0	pH (Low/Actual/High)	96,635 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210602-005		02/06/2021 03:30 PP	Normal Saline Metanol		Silica gel 3MM Whatman			915 23		14 2593	0	pH (Low/Actual/High)	97,614 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210602-009		02/06/2021 03:53 PP	Normal Saline Metanol		Silica gel 3MM Whatman			2493 79		30 3952	0	pH (Low/Actual/High)	96,851 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210602-012		02/06/2021 04:17 PP	Normal Saline Metanol		Silica gel 3MM Whatman			5638 15		61 880	0	pH (Low/Actual/High)	97,254 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210602-014		02/06/2021 04:21 PP	Normal Saline Metanol		Silica gel 3MM Whatman			1939 22		33 1608	0	pH (Low/Actual/High)	96,977 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210602-016		02/06/2021 07:06 GF	Normal Saline Metanol		Silica gel 3MM Whatman			623 5		6 515	0	pH (Low/Actual/High)	98,085 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210602-017		02/06/2021 07:08 GF	Normal Saline Metanol		Silica gel 3MM Whatman			307 1		3 747	0	pH (Low/Actual/High)	98,899 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210602-025		02/06/2021 07:56 JS	Normal Saline Metanol		Silica gel 3MM Whatman			737 33		13 1046	0	pH (Low/Actual/High)	95,208 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210602-029		02/06/2021 10:08 JS	Normal Saline Metanol		Silica gel 3MM Whatman			501 7		33 941	0	pH (Low/Actual/High)	93,082 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210602-030		02/06/2021 10:11 JS	Normal Saline Metanol		Silica gel 3MM Whatman			679 14		11 1897	0	pH (Low/Actual/High)	97,673 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210602-033		02/06/2021 10:30 JS	Normal Saline Metanol		Silica gel 3MM Whatman			1079 54		32 1707	0	pH (Low/Actual/High)	94,053 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PSMA-68Ga Lot # K-20210602-039		02/06/2021 12:44	JS	Acetato de amônio 1M:Metanol	Sílica gel			0,3		54,8	0		99,456 %	Pass
												pH (Low/Actual/High)	4,00 <= 5,00	<= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-001		02/06/2021 02:41	PP	Butanona		3MM Whatman		29		3795	0		99,242 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-002		02/06/2021 02:49	PP	Butanona		3MM Whatman		11		566	0		98,094 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-004		02/06/2021 02:49	PP	Butanona		3MM Whatman		8		514	0		98,467 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-003		02/06/2021 02:50	PP	Butanona		3MM Whatman		3		1324	0		99,774 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-005		02/06/2021 03:27	PP	Butanona		3MM Whatman		12		567	0		97,927 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-006		02/06/2021 03:42	PP	Butanona		3MM Whatman		18		659	0		97,341 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-007		02/06/2021 03:46	PP	Butanona		3MM Whatman		15		626	0		97,66 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-008		02/06/2021 03:52	PP	Butanona		3MM Whatman		1		341	0		99,708 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-009		02/06/2021 03:54	PP	Butanona		3MM Whatman		14		303	0		95,584 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-010		02/06/2021 04:14	PP	Butanona		3MM Whatman		6		258	0		97,727 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-011		02/06/2021 04:18	PP	Butanona		3MM Whatman		8		292	0		97,333 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-013		02/06/2021 07:03	GF	Butanona		3MM Whatman		0		9	0		100,00 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210602-014		02/06/2021 07:05	GF	Butanona		3MM Whatman		1		143	0		99,306 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-015		02/06/2021 07:30	GF	Butanona		3MM Whatman		1		1189	0		99,916 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-016		02/06/2021 07:36	BB	Butanona		3MM Whatman		0,9		132,9	0		99,327 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-017		02/06/2021 07:47	BB	Butanona		3MM Whatman		0,1		101,5	0		99,902 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-018		02/06/2021 07:52	JS	Butanona		3MM Whatman		1		87	0		98,864 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-020		02/06/2021 09:50	JS	Butanona		3MM Whatman		1		90	0		98,901 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-022		02/06/2021 10:05	JS	Butanona		3MM Whatman		2		246	0		99,194 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-023		02/06/2021 10:09	JS	Butanona		3MM Whatman		5		567	0		99,126 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-024		02/06/2021 10:24	JS	Butanona		3MM Whatman		3		409	0		99,272 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-025		02/06/2021 10:31	JS	Butanona		3MM Whatman		3		112	0		97,391 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-026		02/06/2021 10:50	JS	Butanona		3MM Whatman		23		1234	0		98,17 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210602-027		02/06/2021 12:21	JS	Butanona		3MM Whatman		5		895	0		99,444 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor