



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 15/06/2021 To 15/06/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210615-015		15/06/2021	04:01	PP	Butanona Normal Saline	3MM Whatman Sílica gel	227 15		10 253	0	pH (Low/Actual/High)	90,184 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210615-026		15/06/2021	07:35	BB	Butanona Normal Saline	3MM Whatman Sílica gel	382 4		4 391	0	pH (Low/Actual/High)	97,951 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210615-027		15/06/2021	07:40	PP	Butanona Normal Saline	3MM Whatman Sílica gel	289 9		6 124	0	pH (Low/Actual/High)	91,199 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210615-046		15/06/2021	11:21	JS	Butanona Normal Saline	3MM Whatman Sílica gel	223 4		2 91,3	0	pH (Low/Actual/High)	94,914 %	Pass
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20210615-021		15/06/2021	06:54	GF	Citrato de Sódio 0,1M	Sílica gel	12,64		0,66	0	pH (Low/Actual/High)	95,038 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210615-029		15/06/2021	07:51	JS	Citrato de Sódio 0,1M	Sílica gel	23,2		0,2	0	pH (Low/Actual/High)	99,145 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210615-047		15/06/2021	13:04	JS	Citrato de Sódio 0,1M	Sílica gel	47,8		0,9	0	pH (Low/Actual/High)	98,152 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210615-048		15/06/2021	15:52	JS	Citrato de Sódio 0,1M	Sílica gel	32,6		0,3	0	pH (Low/Actual/High)	99,088 %	Pass
Límpido e Incolor													
DTPA-99mTc Lot # K-20210615-007	RPH	15/06/2021	03:06	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	599 25		1 535	0	pH (Low/Actual/High)	95,369 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210615-010	RPH	15/06/2021	03:45	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	2230 31		64 590	0	pH (Low/Actual/High)	92,218 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210615-028	RPH	15/06/2021	07:47	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	989 34		3 358	0	pH (Low/Actual/High)	91,024 %	Pass
Límpido/Incolor													

Product:	Manuf:	Calibration	D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20210615-035	RPH	15/06/2021	09:55	WG	Acetona Normal Saline	3MM	Whatman		283 3		2 444	0		98,627	% Pass 3,80 <= 6,00 <= 7,50
													Límpido/Incolor		
FITATO-99mTc Lot # K-20210615-006		15/06/2021	03:02	PP	Butanona	3MM	Whatman		753		8	0		98,949	% Pass 5,00 <= 7,00 <= 7,00
													Límpido/Incolor		
FITATO-99mTc Lot # K-20210615-032		15/06/2021	08:31	WG	Butanona	3MM	Whatman		732		4	0		99,457	% Pass 5,00 <= 6,00 <= 7,00
													Límpido/Incolor		
MAA-99mTc Lot # K-20210615-011		15/06/2021	03:53	PP	Butanona	3MM	Whatman		423		3	0		99,296	% Pass 3,00 <= 6,00 <= 6,00
													Turvo/Incolor		
MAA-99mTc Lot # K-20210615-012		15/06/2021	03:55	PP	Butanona	3MM	Whatman		193		3	0		98,469	% Pass 3,00 <= 6,00 <= 6,00
													Turvo/Incolor		
MAA-99mTc Lot # K-20210615-013		15/06/2021	03:57	PP	Butanona	3MM	Whatman		413		1	0		99,758	% Pass 3,00 <= 6,00 <= 6,00
													Turvo/Incolor		
MAA-99mTc Lot # K-20210615-014		15/06/2021	03:59	PP	Butanona	3MM	Whatman		47		1	0		97,917	% Pass 3,00 <= 6,00 <= 6,00
													Turvo/Incolor		
MAA-99mTc Lot # K-20210615-017		15/06/2021	04:06	PP	Butanona	3MM	Whatman		92		2	0		97,872	% Pass 3,00 <= 6,00 <= 6,00
													Turvo/Incolor		
MAA-99mTc Lot # K-20210615-018		15/06/2021	04:08	PP	Butanona	3MM	Whatman		432		1	0		99,769	% Pass 3,00 <= 6,00 <= 6,00
													Turvo/Incolor		
MAA-99mTc Lot # K-20210615-030		15/06/2021	08:03	PP	Butanona	3MM	Whatman		54,47		0,7	0		98,731	% Pass 3,00 <= 3,00 <= 6,00
													Turvo/Incolor		
MAA-99mTc Lot # K-20210615-042		15/06/2021	10:53	JS	Butanona	3MM	Whatman		56,9		0,8	0		98,614	% Pass 3,00 <= 5,00 <= 6,00
													Turvo/Incolor		
MAA-99mTc Lot # K-20210615-043		15/06/2021	10:54	JS	Butanona	3MM	Whatman		23,6		0,8	0		96,721	% Pass 3,00 <= 5,00 <= 6,00
													Turvo/Incolor		
MAA-99mTc Lot # K-20210615-044		15/06/2021	10:56	JS	Butanona	3MM	Whatman		19,5		0,6	0		97,015	% Pass 3,00 <= 5,00 <= 6,00
													Turvo/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210615-045		15/06/2021 10:57	JS	Butanona		3MM Whatman		21,9		0,5	0	97,768	% Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00		
MDP-99mTc Lot # K-20210615-008		15/06/2021 03:24	PP	Acetona		3MM Whatman		2012		24	0	98,035	% Pass	
				Normal Saline		3MM Whatman		14		1766	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210615-009		15/06/2021 03:26	PP	Acetona		3MM Whatman		2720		4	0	99,63	% Pass	
				Normal Saline		3MM Whatman		3		1342	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210615-023		15/06/2021 07:07	GF	Acetona		3MM Whatman		745		1	0	98,799	% Pass	
				Normal Saline		3MM Whatman		11		1020	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210615-024		15/06/2021 07:22	GF	Acetona		3MM Whatman		530		0	0	99,24	% Pass	
				Normal Saline		3MM Whatman		5		653	pH (Low/Actual/High)	4,00 <= 5,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210615-031		15/06/2021 08:14	PP	Acetona		3MM Whatman		2083		8	0	95,90	% Pass	
				Normal Saline		3MM Whatman		52		1347	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210615-001		15/06/2021 02:10	PP	Normal Saline		Sílica gel		2399		52	0	97,848	% Pass	
				Metanol		3MM Whatman		1		3307	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210615-002		15/06/2021 02:16	PP	Normal Saline		Sílica gel		1833		31	0	98,172	% Pass	
				Metanol		3MM Whatman		4		2420	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210615-003		15/06/2021 02:18	PP	Normal Saline		Sílica gel		1662		40	0	97,278	% Pass	
				Metanol		3MM Whatman		8		2145	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210615-004		15/06/2021 02:54	PP	Normal Saline		Sílica gel		1826		34	0	96,851	% Pass	
				Metanol		3MM Whatman		29		2167	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210615-005		15/06/2021 02:55	PP	Normal Saline		Sílica gel		724		12	0	96,616	% Pass	
				Metanol		3MM Whatman		53		2969	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210615-016		15/06/2021 04:04	PP	Normal Saline		Sílica gel		1065		25	0	95,142	% Pass	
				Metanol		3MM Whatman		90		3419	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210615-019		15/06/2021 04:11	PP	Normal Saline		Sílica gel		1291		14	0	98,782	% Pass	
				Metanol		3MM Whatman		2		1372	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210615-020	15/06/2021	06:48	GF	Normal Saline Metanol	Sílica gel 3MM Whatman			1013 6		5 1184	0		99,005 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
												Límpido/Incolor		
MIBI-99mTc Lot # K-20210615-025	15/06/2021	07:33	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			965 58		24 2540	0		95,341 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
												Límpido/Incolor		
MIBI-99mTc Lot # K-20210615-033	15/06/2021	09:47	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			1458 22		59 1756	0		94,873 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
												Límpido/Incolor		
MIBI-99mTc Lot # K-20210615-036	15/06/2021	10:09	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			963 40		37 1508	0		93,716 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
												Límpido/Incolor		
MIBI-99mTc Lot # K-20210615-037	15/06/2021	10:19	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			1137 20		14 1343	0		97,316 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
												Límpido/Incolor		
PIRO-99mTc Lot # K-20210615-022	15/06/2021	07:05	PP	Butanona Normal Saline	3MM Whatman 3MM Whatman			249 1		1 167	0		99,005 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 7,00	
												Límpido/Incolor		
PSMA-68Ga Lot # K-20210615-034	15/06/2021	09:47	JS	Acetato de amônio	Sílica gel			0,2		21,3	0		99,07 %	Pass
												pH (Low/Actual/High)	4,00 <= 5,00 <= 8,00	
												Límpido e Incolor		
Tecnécio-99m Lot # E-20210615-001	15/06/2021	02:02	PP	Butanona	3MM Whatman			82		4231	0		98,099 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
												Límpido e Incolor		
Tecnécio-99m Lot # E-20210615-002	15/06/2021	02:11	PP	Butanona	3MM Whatman			81		4761	0		98,327 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
												Límpido e Incolor		
Tecnécio-99m Lot # E-20210615-003	15/06/2021	02:50	PP	Butanona	3MM Whatman			17		559	0		97,049 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
												Límpido e Incolor		
Tecnécio-99m Lot # E-20210615-004	15/06/2021	02:51	PP	Butanona	3MM Whatman			3		1446	0		99,793 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
												Límpido e Incolor		
Tecnécio-99m Lot # E-20210615-005	15/06/2021	03:21	PP	Butanona	3MM Whatman			24		1218	0		98,068 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
												Límpido e Incolor		
Tecnécio-99m Lot # E-20210615-006	15/06/2021	03:51	PP	Butanona	3MM Whatman			4		835	0		99,523 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
												Límpido e Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210615-007	15/06/2021	04:02	PP	Butanona	3MM	Whatman		3		514	0		99,42 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210615-008	15/06/2021	06:45	GF	Butanona	3MM	Whatman		1		407	0		99,755 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210615-010	15/06/2021	07:02	GF	Butanona	3MM	Whatman		1		803	0		99,876 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210615-011	15/06/2021	07:13	GF	Butanona	3MM	Whatman		4		221	0		98,222 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210615-012	15/06/2021	07:29	GF	Butanona	3MM	Whatman		9		1018	0		99,124 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210615-014	15/06/2021	08:12	PP	Butanona	3MM	Whatman		1		2933	0		99,966 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210615-015	15/06/2021	08:29	PP	Butanona	3MM	Whatman		23		1201	0		98,121 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210615-016	15/06/2021	09:45	WG	Butanona	3MM	Whatman		3,5		175,8	0		98,048 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210615-018	15/06/2021	10:06	WG	Butanona	3MM	Whatman		3		392	0		99,241 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210615-019	15/06/2021	10:14	WG	Butanona	3MM	Whatman		3		262	0		98,868 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210615-020	15/06/2021	10:38	WG	Butanona	3MM	Whatman		21		1242	0		98,337 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210615-021	15/06/2021	11:19	JS	Butanona	3MM	Whatman		19		855	0		97,826 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
TRODAT-99mTc Lot # K-20210615-038	15/06/2021	10:46	JS	Normal Saline	Sílica gel			216		7	0		95,451 %	Pass
				Butanona	3MM	Whatman		1,6		111,9		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc Lot # K-20210615-039	15/06/2021	10:47	JS	Normal Saline	Silica gel			184,7		3,6	0	96,835 %	Pass	
				Butanona	3MM Whatman			1,8		141,8	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20210615-040	15/06/2021	10:48	JS	Normal Saline	Silica gel			80,8		1	0	98,055 %	Pass	
				Butanona	3MM Whatman			2		275	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20210615-041	15/06/2021	10:49	JS	Normal Saline	Silica gel			88,9		1,1	0	96,575 %	Pass	
				Butanona	3MM Whatman			2,7		119,9	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			