



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 17/06/2021 To 17/06/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210617-025		17/06/2021	08:01	FN	Butanona Normal Saline	3MM Whatman Sílica gel	46,3 3,2		0,5 39,4	0	pH (Low/Actual/High)	91,42 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210617-026		17/06/2021	08:02	FN	Butanona Normal Saline	3MM Whatman Sílica gel	198 4		3 190	0	pH (Low/Actual/High)	96,446 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210617-035		17/06/2021	10:30	WG	Butanona Normal Saline	3MM Whatman Sílica gel	170,4 5		3,3 79,2	0	pH (Low/Actual/High)	92,162 %	Pass
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20210617-017		17/06/2021	06:52	JS	Citrato de Sódio 0,1M	Sílica gel	36,2		0,8	0	pH (Low/Actual/High)	97,838 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210617-024		17/06/2021	07:48	JS	Citrato de Sódio 0,1M	Sílica gel	25,9		0,3	0	pH (Low/Actual/High)	98,855 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210617-053		17/06/2021	12:53	JS	Citrato de Sódio 0,1M	Sílica gel	32,6		0,8	0	pH (Low/Actual/High)	97,605 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210617-054		17/06/2021	13:40	JS	Citrato de Sódio 0,1M	Sílica gel	25,6		0,6	0	pH (Low/Actual/High)	97,71 %	Pass
Límpido e Incolor													
DTPA-99mTc Lot # K-20210617-011	RPH	17/06/2021	03:54	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	1019 40		1 1418	0	pH (Low/Actual/High)	97,158 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210617-015	RPH	17/06/2021	04:27	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	1348 31		1 650	0	pH (Low/Actual/High)	95,374 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210617-023	RPH	17/06/2021	07:47	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	251 10		2 276	0	pH (Low/Actual/High)	95,713 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210617-039	RPH	17/06/2021	10:52	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman	368 2		4 371	0	pH (Low/Actual/High)	98,389 %	Pass
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20210617-004		17/06/2021 03:24 PP	Butanona		3MM	Whatman		752		17	0	97,789 %		Pass
							Límpido/Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 7,00		
FITATO-99mTc Lot # K-20210617-029		17/06/2021 08:10 FN	Butanona		3MM	Whatman		686		1	0	99,854 %		Pass
							Límpido/Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 7,00		
MAA-99mTc Lot # K-20210617-005		17/06/2021 03:27 PP	Butanona		3MM	Whatman		323		1	0	99,691 %		Pass
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
MAA-99mTc Lot # K-20210617-006		17/06/2021 03:31 PP	Butanona		3MM	Whatman		293		2	0	99,322 %		Pass
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
MAA-99mTc Lot # K-20210617-012		17/06/2021 04:06 PP	Butanona		3MM	Whatman		126		1	0	99,213 %		Pass
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
MAA-99mTc Lot # K-20210617-013		17/06/2021 04:08 PP	Butanona		3MM	Whatman		90		1	0	98,901 %		Pass
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
MAA-99mTc Lot # K-20210617-022		17/06/2021 07:41 FN	Butanona		3MM	Whatman		63,7		1,1	0	98,302 %		Pass
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
MAA-99mTc Lot # K-20210617-027		17/06/2021 08:07 FN	Butanona		3MM	Whatman		156		1	0	99,363 %		Pass
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
MAA-99mTc Lot # K-20210617-028		17/06/2021 08:08 FN	Butanona		3MM	Whatman		333		2	0	99,403 %		Pass
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
MAA-99mTc Lot # K-20210617-043		17/06/2021 11:02 WG	Butanona		3MM	Whatman		299		2	0	99,336 %		Pass
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
MAA-99mTc Lot # K-20210617-044		17/06/2021 11:03 WG	Butanona		3MM	Whatman		125,8		1,1	0	99,133 %		Pass
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
MAA-99mTc Lot # K-20210617-046		17/06/2021 11:13 WG	Butanona		3MM	Whatman		175,6		0,5	0	99,716 %		Pass
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
MAA-99mTc Lot # K-20210617-050		17/06/2021 12:11 JS	Butanona		3MM	Whatman		90		1	0	98,901 %		Pass
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210617-055		17/06/2021 14:27	WG	Butanona		3MM Whatman		181,4		4,8	0	97,422 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
MDP-99mTc Lot # K-20210617-009		17/06/2021 03:49	PP	Acetona		3MM Whatman		783		3	0	95,704 %	Pass	
				Normal Saline		3MM Whatman		60		1473	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210617-010		17/06/2021 03:52	PP	Acetona		3MM Whatman		925		1	0	97,67 %	Pass	
				Normal Saline		3MM Whatman		16		704	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210617-014		17/06/2021 04:22	PP	Acetona		3MM Whatman		514		12	0	97,017 %	Pass	
				Normal Saline		3MM Whatman		2		283	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210617-016		17/06/2021 04:31	PP	Acetona		3MM Whatman		1757		36	0	95,877 %	Pass	
				Normal Saline		3MM Whatman		26		1203	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210617-021		17/06/2021 07:36	FN	Acetona		3MM Whatman		569		1	0	99,658 %	Pass	
				Normal Saline		3MM Whatman		1		598	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210617-045		17/06/2021 11:06	WG	Acetona		3MM Whatman		330		1	0	99,38 %	Pass	
				Normal Saline		3MM Whatman		2		627	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210617-001		17/06/2021 01:56	PP	Normal Saline		Sílica gel		1745		33	0	97,117 %	Pass	
				Metanol		3MM Whatman		21		2024	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210617-002		17/06/2021 02:51	PP	Normal Saline		Sílica gel		1949		27	0	98,308 %	Pass	
				Metanol		3MM Whatman		10		3057	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210617-003		17/06/2021 02:54	PP	Normal Saline		Sílica gel		1265		30	0	96,92 %	Pass	
				Metanol		3MM Whatman		13		1689	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210617-007		17/06/2021 03:35	PP	Normal Saline		Sílica gel		1533		34	0	97,261 %	Pass	
				Metanol		3MM Whatman		13		2272	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210617-008		17/06/2021 03:38	PP	Normal Saline		Sílica gel		1659		26	0	98,017 %	Pass	
				Metanol		3MM Whatman		7		1585	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210617-018		17/06/2021 07:05	FN	Normal Saline		Sílica gel		435		10	0	97,183 %	Pass	
				Metanol		3MM Whatman		2		349	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210617-019	17/06/2021	07:06	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			449 2		5 505	0	pH (Low/Actual/High)	98,504 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210617-020	17/06/2021	07:21	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			167 1		2 122	0	pH (Low/Actual/High)	98,004 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210617-030	17/06/2021	08:13	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			607 4		2 590	0	pH (Low/Actual/High)	98,998 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210617-031	17/06/2021	08:30	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			1118 22		12 1043	0	pH (Low/Actual/High)	96,872 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210617-033	17/06/2021	10:09	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			955 24		30 924	0	pH (Low/Actual/High)	94,423 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210617-034	17/06/2021	10:19	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			495 6		4 538	0	pH (Low/Actual/High)	98,095 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210617-036	17/06/2021	10:33	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			447 4		4 369	0	pH (Low/Actual/High)	98,041 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210617-048	17/06/2021	11:23	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			164,9 7		2 199	0	pH (Low/Actual/High)	95,404 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210617-049	17/06/2021	11:23	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			351 8		4 587	0	pH (Low/Actual/High)	97,529 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210617-051	17/06/2021	12:13	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			544 3		7 734	0	pH (Low/Actual/High)	98,323 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210617-052	17/06/2021	12:29	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			340 4		2 483	0	pH (Low/Actual/High)	98,594 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20210617-032	17/06/2021	09:45	JS	Acetato de amônio	Sílica gel			0,5		32,6	0	pH (Low/Actual/High)	98,489 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210617-001	17/06/2021	01:52	PP	Butanona	3MM Whatman			2		921	0	pH (Low/Actual/High)	99,783 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration	D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210617-002	17/06/2021	02:48	PP	Butanona		3MM	Whatman		16	2346		0	99,323 %	Pass	
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210617-003	17/06/2021	02:48	PP	Butanona		3MM	Whatman		8	549		0	98,564 %	Pass	
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210617-004	17/06/2021	03:07	PP	Butanona		3MM	Whatman		4	840		0	99,526 %	Pass	
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210617-005	17/06/2021	03:08	PP	Butanona		3MM	Whatman		22	592		0	96,417 %	Pass	
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210617-006	17/06/2021	03:31	PP	Butanona		3MM	Whatman		20	718		0	97,29 %	Pass	
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210617-007	17/06/2021	03:36	PP	Butanona		3MM	Whatman		13	933		0	98,626 %	Pass	
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210617-008	17/06/2021	03:46	PP	Butanona		3MM	Whatman		18	956		0	98,152 %	Pass	
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210617-009	17/06/2021	03:49	PP	Butanona		3MM	Whatman		18	356		0	95,187 %	Pass	
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210617-010	17/06/2021	04:04	PP	Butanona		3MM	Whatman		30	596		0	95,208 %	Pass	
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210617-011	17/06/2021	04:20	PP	Butanona		3MM	Whatman		8	281		0	97,232 %	Pass	
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210617-012	17/06/2021	04:30	PP	Butanona		3MM	Whatman		23	1179		0	98,087 %	Pass	
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210617-014	17/06/2021	06:58	FN	Butanona		3MM	Whatman		2	216		0	99,083 %	Pass	
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210617-015	17/06/2021	06:59	FN	Butanona		3MM	Whatman		1	310		0	99,678 %	Pass	
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnício-99m Lot # E-20210617-016		17/06/2021 07:12	FN	Butanona		3MM Whatman		2		420	0	99,526 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnício-99m Lot # E-20210617-017		17/06/2021 07:34	FN	Butanona		3MM Whatman		2		453	0	99,56 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnício-99m Lot # E-20210617-018		17/06/2021 07:37	FN	Butanona		3MM Whatman		2		315	0	99,369 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnício-99m Lot # E-20210617-020		17/06/2021 07:55	FN	Butanona		3MM Whatman		2		324	0	99,387 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnício-99m Lot # E-20210617-021		17/06/2021 07:58	FN	Butanona		3MM Whatman		2		522	0	99,618 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnício-99m Lot # E-20210617-022		17/06/2021 08:11	FN	Butanona		3MM Whatman		2		234	0	99,153 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnício-99m Lot # E-20210617-023		17/06/2021 08:26	FN	Butanona		3MM Whatman		1		269	0	99,63 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnício-99m Lot # E-20210617-025		17/06/2021 10:06	WG	Butanona		3MM Whatman		15		1433	0	98,964 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnício-99m Lot # E-20210617-026		17/06/2021 10:17	WG	Butanona		3MM Whatman		11		413	0	97,406 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnício-99m Lot # E-20210617-027		17/06/2021 10:27	WG	Butanona		3MM Whatman		7		966	0	99,281 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnício-99m Lot # E-20210617-028		17/06/2021 10:30	WG	Butanona		3MM Whatman		2		308	0	99,355 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnício-99m Lot # E-20210617-029		17/06/2021 10:34	WG	Butanona		3MM Whatman		1		72	0	98,63 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnício-99m Lot # E-20210617-030		17/06/2021 10:47	WG	Butanona		3MM Whatman		1		387	0	99,742 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnício-99m Lot # E-20210617-031		17/06/2021 10:59	WG	Butanona		3MM Whatman		13		338	0	96,296 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
Tecnício-99m Lot # E-20210617-032		17/06/2021 11:03	WG	Butanona		3MM Whatman		1,2		78,7	0	98,498 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
Tecnício-99m Lot # E-20210617-033		17/06/2021 11:15	WG	Butanona		3MM Whatman		2		208	0	99,048 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
Tecnício-99m Lot # E-20210617-034		17/06/2021 11:18	WG	Butanona		3MM Whatman		3,8		171,1	0	97,827 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
Tecnício-99m Lot # E-20210617-036		17/06/2021 12:07	JS	Butanona		3MM Whatman		3		271	0	98,905 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
Tecnício-99m Lot # E-20210617-035		17/06/2021 12:07	JS	Butanona		3MM Whatman		1,8		174,1	0	98,977 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
Tecnício-99m Lot # E-20210617-037		17/06/2021 12:23	JS	Butanona		3MM Whatman		2		86,5	0	97,74 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
Tecnício-99m Lot # E-20210617-040		17/06/2021 14:19	WG	Butanona		3MM Whatman		19		1452	0	98,708 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
TRODAT-99mTc Lot # K-20210617-037		17/06/2021 10:40	SB	Normal Saline		Sílica gel		71,5		1,1	0	96,663 %	Pass	
				Butanona		3MM Whatman		1,7		91,6	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210617-038		17/06/2021 10:41	SB	Normal Saline		Sílica gel		53,8		1	0	96,527 %	Pass	
				Butanona		3MM Whatman		1,2		71,6	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210617-040		17/06/2021 10:56	WG	Normal Saline		Sílica gel		204		10	0	94,006 %	Pass	
				Butanona		3MM Whatman		3		224	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210617-041		17/06/2021 10:57	WG	Normal Saline		Sílica gel		164,8		2,7	0	97,471 %	Pass	
				Butanona		3MM Whatman		2		216	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210617-042		17/06/2021 11:02	WG	Normal Saline		Sílica gel		130,7		3,2	0	92,039 %	Pass	
				Butanona		3MM Whatman		7,8		132,2	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
							Límpido/Incolor							