



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 18/06/2021 To 18/06/2021

Product:	Manuf:	Calibration D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210618-026		18/06/2021 07:32	FN	Butanona Normal Saline	3MM Whatman Sílica gel	147 7		2 134	0		93,693 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00 <= 3,00	
DMSA-99mTc Lot # K-20210618-025		18/06/2021 07:32	FN	Butanona Normal Saline	3MM Whatman Sílica gel	174 6		1 120	0		94,667 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00 <= 3,00	
DMSA-99mTc Lot # K-20210618-027		18/06/2021 07:33	FN	Butanona Normal Saline	3MM Whatman Sílica gel	141 6		1 126	0		94,75 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00 <= 3,00	
DMSA-99mTc Lot # K-20210618-028		18/06/2021 07:34	FN	Butanona Normal Saline	3MM Whatman Sílica gel	224 8		2 185	0		94,97 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00 <= 3,00	
DMSA-99mTc Lot # K-20210618-032		18/06/2021 08:01	FN	Butanona Normal Saline	3MM Whatman Sílica gel	206 13		1 170	0		92,413 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00 <= 3,00	
DMSA-99mTc Lot # K-20210618-033		18/06/2021 08:02	FN	Butanona Normal Saline	3MM Whatman Sílica gel	157 6		1 141	0		95,285 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00 <= 3,00	
DMSA-99mTc Lot # K-20210618-034		18/06/2021 08:03	FN	Butanona Normal Saline	3MM Whatman Sílica gel	210 8		3 192	0		94,592 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00 <= 3,00	
DMSA-99mTc Lot # K-20210618-038		18/06/2021 10:12	WG	Butanona Normal Saline	3MM Whatman Sílica gel	168,7 9,2		2 211,7	0		94,664 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00 <= 3,00	
DOTATOC-68Ga Lot # K-20210618-042		18/06/2021 13:02	SB	Citrato de Sódio 0,1M	Sílica gel	3		789	0		0,379 %	Fail
					Límpido e Incolor				pH (Low/Actual/High)		4,00 <= 9,00 <= 8,00	
DOTATOC-68Ga Lot # K-20210618-043		18/06/2021 13:39	SB	Citrato de Sódio 0,1M	Sílica gel	21		0,7	0		96,774 %	Pass
					Límpido e Incolor				pH (Low/Actual/High)		4,00 <= 4,00 <= 8,00	
DTPA-99mTc Lot # K-20210618-012	RPH	18/06/2021 03:47	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	1553 2		5 659	0		99,377 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		3,80 <= 6,00 <= 7,50	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20210618-030	RPH	18/06/2021 07:40	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman			381 7		3 364	0	pH (Low/Actual/High)	97,332	% Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
DTPA-99mTc Lot # K-20210618-039	RPH	18/06/2021 10:14	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman			277,1 5,2		1 386,9	0	pH (Low/Actual/High)	98,314	% Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
FITATO-99mTc Lot # K-20210618-009		18/06/2021 03:26	PP	Butanona	3MM Whatman			1354		22	0	pH (Low/Actual/High)	98,401	% Pass 5,00 <= 7,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20210618-029		18/06/2021 07:36	FN	Butanona	3MM Whatman			213		1	0	pH (Low/Actual/High)	99,533	% Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20210618-037		18/06/2021 10:09	WG	Butanona	3MM Whatman			956,6		6,5	0	pH (Low/Actual/High)	99,325	% Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
MAA-99mTc Lot # K-20210618-014		18/06/2021 03:55	PP	Butanona	3MM Whatman			248		5	0	pH (Low/Actual/High)	98,024	% Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20210618-015		18/06/2021 03:57	PP	Butanona	3MM Whatman			372		4	0	pH (Low/Actual/High)	98,936	% Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20210618-016		18/06/2021 03:59	PP	Butanona	3MM Whatman			242		5	0	pH (Low/Actual/High)	97,976	% Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20210618-017		18/06/2021 04:01	PP	Butanona	3MM Whatman			433		2	0	pH (Low/Actual/High)	99,54	% Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20210618-018		18/06/2021 04:04	PP	Butanona	3MM Whatman			413		3	0	pH (Low/Actual/High)	99,279	% Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20210618-040		18/06/2021 10:18	WG	Butanona	3MM Whatman			355		4	0	pH (Low/Actual/High)	98,886	% Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20210618-041		18/06/2021 11:43	WG	Butanona	3MM Whatman			212		4	0	pH (Low/Actual/High)	98,148	% Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MDP-99mTc Lot # K-20210618-004		18/06/2021 02:47	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman			1496 2		2 1292	0	pH (Low/Actual/High)	99,712	% Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20210618-010	18/06/2021	03:41	PP	Acetona Normal Saline	3MM	Whatman		1625 2		35 1896	0	pH (Low/Actual/High)	97,786 %	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20210618-011	18/06/2021	03:44	PP	Acetona Normal Saline	3MM	Whatman		2737 3		64 1375	0	pH (Low/Actual/High)	97,497 %	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20210618-022	18/06/2021	07:16	FN	Acetona Normal Saline	3MM	Whatman		978 2		3 322	0	pH (Low/Actual/High)	99,077 %	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20210618-023	18/06/2021	07:18	FN	Acetona Normal Saline	3MM	Whatman		862 2		2 706	0	pH (Low/Actual/High)	99,486 %	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20210618-024	18/06/2021	07:20	FN	Acetona Normal Saline	3MM	Whatman		1012 3		2 977	0	pH (Low/Actual/High)	99,497 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210618-001	18/06/2021	02:18	PP	Normal Saline Metanol	Sílica gel	3MM	Whatman	1771 31		39 2786	0	pH (Low/Actual/High)	96,745 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210618-002	18/06/2021	02:22	PP	Normal Saline Metanol	Sílica gel	3MM	Whatman	1843 60		51 2699	0	pH (Low/Actual/High)	95,133 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210618-003	18/06/2021	02:22	PP	Normal Saline Metanol	Sílica gel	3MM	Whatman	2853 58		41 3593	0	pH (Low/Actual/High)	96,995 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210618-005	18/06/2021	02:53	PP	Normal Saline Metanol	Sílica gel	3MM	Whatman	1853 2		26 2155	0	pH (Low/Actual/High)	98,524 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210618-006	18/06/2021	02:54	PP	Normal Saline Metanol	Sílica gel	3MM	Whatman	1594 49		30 2599	0	pH (Low/Actual/High)	96,302 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210618-007	18/06/2021	02:55	PP	Normal Saline Metanol	Sílica gel	3MM	Whatman	1197 21		27 3346	0	pH (Low/Actual/High)	97,17 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210618-008	18/06/2021	02:59	PP	Normal Saline Metanol	Sílica gel	3MM	Whatman	4173 30		1 1715	0	pH (Low/Actual/High)	98,257 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210618-013	18/06/2021	03:52	PP	Normal Saline Metanol	Sílica gel	3MM	Whatman	904 29		16 1869	0	pH (Low/Actual/High)	96,733 %	Pass
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210618-019	18/06/2021	06:45 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			222 8		2 1687	0	pH (Low/Actual/High)	98,635 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210618-020	18/06/2021	06:46 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1658 12		2 1623	0	pH (Low/Actual/High)	99,146 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210618-031	18/06/2021	07:42 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			571 5		3 567	0	pH (Low/Actual/High)	98,603 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210618-035	18/06/2021	08:33 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1055 2		14 2133	0	pH (Low/Actual/High)	98,597 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
PSMA-68Ga Lot # K-20210618-021	18/06/2021	06:56 FN	Acetato de amônio		Sílica gel			1,1		47,6	0	pH (Low/Actual/High)	97,741 %	Pass 4,00 <= 7,00 <= 8,00
							Límpido e Incolor							
PSMA-68Ga Lot # K-20210618-036	18/06/2021	09:35 JS	Acetato de amônio		Sílica gel			0,2		21,3	0	pH (Low/Actual/High)	99,07 %	Pass 4,00 <= 5,00 <= 8,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20210618-001	18/06/2021	02:15 PP	Butanona		3MM Whatman			14		1243	0	pH (Low/Actual/High)	98,886 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20210618-002	18/06/2021	02:49 PP	Butanona		3MM Whatman			4		1727	0	pH (Low/Actual/High)	99,769 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20210618-003	18/06/2021	02:50 PP	Butanona		3MM Whatman			2		227	0	pH (Low/Actual/High)	99,127 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20210618-004	18/06/2021	03:37 PP	Butanona		3MM Whatman			34		2042	0	pH (Low/Actual/High)	98,362 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20210618-005	18/06/2021	03:38 PP	Butanona		3MM Whatman			8		220	0	pH (Low/Actual/High)	96,491 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20210618-006	18/06/2021	03:49 PP	Butanona		3MM Whatman			32		857	0	pH (Low/Actual/High)	96,40 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20210618-007	18/06/2021	06:41 FN	Butanona		3MM Whatman			1		405	0	pH (Low/Actual/High)	99,754 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210618-009		18/06/2021 07:13	FN	Butanona		3MM Whatman		2		1829	0			99,891 % Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20210618-010		18/06/2021 07:36	FN	Butanona		3MM Whatman		2		254	0			99,219 % Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20210618-011		18/06/2021 07:57	FN	Butanona		3MM Whatman		3		743	0			99,598 % Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20210618-012		18/06/2021 08:30	PP	Butanona		3MM Whatman		5		421	0			98,826 % Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20210618-014		18/06/2021 10:04	WG	Butanona		3MM Whatman		10		560	0			98,246 % Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	