



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 21/06/2021 To 21/06/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210621-031		21/06/2021	07:56	WG	Butanona Normal Saline	3MM Whatman Sílica gel	116,8 4		0,8 81,4	0	pH (Low/Actual/High)	94,636 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210621-030		21/06/2021	07:56	WG	Butanona Normal Saline	3MM Whatman Sílica gel	156,7 6,3		0,7 118,9	0	pH (Low/Actual/High)	94,523 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210621-042		21/06/2021	10:57	WG	Butanona Normal Saline	3MM Whatman Sílica gel	244 0,5		1 146,9	0	pH (Low/Actual/High)	99,253 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210621-043		21/06/2021	11:00	WG	Butanona Normal Saline	3MM Whatman Sílica gel	173,1 0,7		1,8 148,2	0	pH (Low/Actual/High)	98,501 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20210621-035		21/06/2021	09:50	JS	Citrato de Sódio 0,1M	Sílica gel	23,6		1	0	pH (Low/Actual/High)	95,935 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210621-039		21/06/2021	10:33	JS	Citrato de Sódio 0,1M	Sílica gel	29,3		0,7	0	pH (Low/Actual/High)	97,667 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210621-046		21/06/2021	11:15	JS	Citrato de Sódio 0,1M	Sílica gel	49,8		0,3	0	pH (Low/Actual/High)	99,401 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210621-051		21/06/2021	15:40	JS	Citrato de Sódio 0,1M	Sílica gel	35,9		0,3	0	pH (Low/Actual/High)	99,171 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210621-052		21/06/2021	16:23	JS	Citrato de Sódio 0,1M	Sílica gel	11,7		0,6	0	pH (Low/Actual/High)	95,122 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20210621-018	RPH	21/06/2021	04:03	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	970 43		4 847	0	pH (Low/Actual/High)	94,758 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
FITATO-99mTc Lot # K-20210621-011		21/06/2021	03:19	BB	Butanona	3MM Whatman	347		3	0	pH (Low/Actual/High)	99,143 %	Pass 5,00 <= 6,00 <= 7,00
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20210621-033		21/06/2021 08:17	WG	Butanona		3MM Whatman		210,1		0,9	0	99,573 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00
												Límpido/Incolor		
MAA-99mTc Lot # K-20210621-012		21/06/2021 03:52	PP	Butanona		3MM Whatman		236		1	0	99,578 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-013		21/06/2021 03:54	PP	Butanona		3MM Whatman		100		1	0	99,01 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-014		21/06/2021 03:56	PP	Butanona		3MM Whatman		271		1	0	99,632 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-015		21/06/2021 03:57	PP	Butanona		3MM Whatman		275		2	0	99,278 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-016		21/06/2021 03:59	PP	Butanona		3MM Whatman		3335		4	0	99,88 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-017		21/06/2021 04:01	PP	Butanona		3MM Whatman		490		3	0	99,391 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-019		21/06/2021 04:28	PP	Butanona		3MM Whatman		452		2	0	99,559 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-028		21/06/2021 07:43	WG	Butanona		3MM Whatman		118,3		1	0	99,162 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-036		21/06/2021 10:28	WG	Butanona		3MM Whatman		377		2	0	99,472 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-037		21/06/2021 10:31	WG	Butanona		3MM Whatman		244		3	0	98,785 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-038		21/06/2021 10:33	WG	Butanona		3MM Whatman		186,4		3,5	0	98,157 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-040		21/06/2021 10:50	WG	Butanona		3MM Whatman		161,3		2	0	98,775 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210621-041		21/06/2021 10:53	WG	Butanona		3MM Whatman		193,6		1,3	0	99,333 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-044		21/06/2021 11:03	WG	Butanona		3MM Whatman		409		3	0	99,272 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-045		21/06/2021 11:06	WG	Butanona		3MM Whatman		283		12	0	95,932 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-048		21/06/2021 14:28	WG	Butanona		3MM Whatman		45,1		1	0	97,831 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-049		21/06/2021 14:29	WG	Butanona		3MM Whatman		329		7	0	97,917 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
												Turvo/Incolor		
MAA-99mTc Lot # K-20210621-050		21/06/2021 14:31	WG	Butanona		3MM Whatman		182,7		5	0	97,336 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
												Turvo/Incolor		
MDP-99mTc Lot # K-20210621-007		21/06/2021 03:07	PP	Acetona		3MM Whatman		1447		2	0	99,271 %	Pass	
				Normal Saline		3MM Whatman		7		1178		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
												Límpido/Incolor		
MDP-99mTc Lot # K-20210621-008		21/06/2021 03:09	PP	Acetona		3MM Whatman		1815		4	0	96,629 %	Pass	
				Normal Saline		3MM Whatman		46		1414		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
												Límpido/Incolor		
MDP-99mTc Lot # K-20210621-009		21/06/2021 03:11	PP	Acetona		3MM Whatman		1515		2	0	96,751 %	Pass	
				Normal Saline		3MM Whatman		38		1181		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
												Límpido/Incolor		
MDP-99mTc Lot # K-20210621-023		21/06/2021 07:05	WG	Acetona		3MM Whatman		974		10	0	98,854 %	Pass	
				Normal Saline		3MM Whatman		2		1540		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
												Límpido/Incolor		
MDP-99mTc Lot # K-20210621-024		21/06/2021 07:06	WG	Acetona		3MM Whatman		1041		20	0	97,758 %	Pass	
				Normal Saline		3MM Whatman		6		1675		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
												Límpido/Incolor		
MDP-99mTc Lot # K-20210621-025		21/06/2021 07:07	WG	Acetona		3MM Whatman		1895		1	0	97,767 %	Pass	
				Normal Saline		3MM Whatman		43		1929		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
												Límpido/Incolor		
MDP-99mTc Lot # K-20210621-027		21/06/2021 07:34	WG	Acetona		3MM Whatman		830,2		7,9	0	98,185 %	Pass	
				Normal Saline		3MM Whatman		7		795,3		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
												Límpido/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20210621-034		21/06/2021 08:24	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman			1208 4		12 1368	0		98,725 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
MIBI-99mTc Lot # K-20210621-001		21/06/2021 02:09	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			2197 20		31 3211	0		97,99 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
MIBI-99mTc Lot # K-20210621-002		21/06/2021 02:10	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			1931 66		33 2426	0		95,671 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
MIBI-99mTc Lot # K-20210621-003		21/06/2021 02:17	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			1472 2		71 1953	0		95,296 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
MIBI-99mTc Lot # K-20210621-004		21/06/2021 02:18	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			1838 20		38 1870	0		96,916 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
MIBI-99mTc Lot # K-20210621-005		21/06/2021 02:53	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			1125 11		34 2622	0		96,649 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
MIBI-99mTc Lot # K-20210621-006		21/06/2021 02:54	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			2042 32		58 2404	0		95,924 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
MIBI-99mTc Lot # K-20210621-010		21/06/2021 03:14	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			2200 38		11 1849	0		97,489 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
MIBI-99mTc Lot # K-20210621-021		21/06/2021 06:43	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			1435 19		32 1613	0		96,654 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
MIBI-99mTc Lot # K-20210621-022		21/06/2021 06:44	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			804 2		10 1357	0		98,624 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
MIBI-99mTc Lot # K-20210621-032		21/06/2021 08:12	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			1622 15		93 3870	0		94,191 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
PIRO-99mTc Lot # K-20210621-026		21/06/2021 07:32	WG	Butanona Normal Saline	3MM Whatman 3MM Whatman			452 6		7 494	0		97,275 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 7,00	
PIRO-99mTc Lot # K-20210621-029		21/06/2021 07:54	WG	Butanona Normal Saline	3MM Whatman 3MM Whatman			635 4		7 516	0		98,14 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 7,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PSMA-68Ga Lot # K-20210621-020	21/06/2021	06:41	WG	Acetato de amônio	Sílica gel			0,5	35,3		0	98,603	% Pass	
												pH (Low/Actual/High)	4,00 <= 7,00 <= 8,00	
														Límpido e Incolor
PSMA-68Ga Lot # K-20210621-047	21/06/2021	12:31	JS	Acetato de amônio	Sílica gel			0,2	49,1		0	99,594	% Pass	
												pH (Low/Actual/High)	4,00 <= 5,00 <= 8,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-001	21/06/2021	02:04	PP	Butanona	3MM Whatman			21	5978		0	99,65	% Pass	
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-002	21/06/2021	02:11	PP	Butanona	3MM Whatman			172	4647		0	96,431	% Pass	
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-003	21/06/2021	02:49	PP	Butanona	3MM Whatman			9	1896		0	99,528	% Pass	
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-004	21/06/2021	03:05	PP	Butanona	3MM Whatman			6	549		0	98,919	% Pass	
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-005	21/06/2021	03:50	PP	Butanona	3MM Whatman			2	1022		0	99,805	% Pass	
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-006	21/06/2021	04:26	PP	Butanona	3MM Whatman			31	1083		0	97,217	% Pass	
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-007	21/06/2021	05:54	SB	Butanona	3MM Whatman			1	1881		0	99,947	% Pass	
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-008	21/06/2021	06:38	WG	Butanona	3MM Whatman			11	1473		0	99,259	% Pass	
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-010	21/06/2021	06:59	WG	Butanona	3MM Whatman			23	2224		0	98,976	% Pass	
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-011	21/06/2021	07:36	WG	Butanona	3MM Whatman			0,5	33,2		0	98,516	% Pass	
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-012	21/06/2021	07:40	WG	Butanona	3MM Whatman			6	1272		0	99,531	% Pass	
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210621-013		21/06/2021 08:09	WG	Butanona		3MM Whatman		7		1473	0		99,527 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-015		21/06/2021 10:23	WG	Butanona		3MM Whatman		10		1025	0		99,034 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-017		21/06/2021 10:55	WG	Butanona		3MM Whatman		14		734	0		98,128 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-019		21/06/2021 12:04	JS	Butanona		3MM Whatman		1		3450	0		99,971 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210621-021		21/06/2021 14:25	WG	Butanona		3MM Whatman		5		501	0		99,012 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor