



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 28/06/2021 To 28/06/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210628-026		28/06/2021	07:33	PP	Butanona Normal Saline	3MM Whatman Sílica gel	5303 107		3 5089	0	pH (Low/Actual/High)	97,884 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210628-027		28/06/2021	07:36	PP	Butanona Normal Saline	3MM Whatman Sílica gel	5665 91		29 5397	0	pH (Low/Actual/High)	97,833 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210628-040		28/06/2021	10:36	JS	Butanona Normal Saline	3MM Whatman Sílica gel	142,5 0,9		2 89,2	0	pH (Low/Actual/High)	97,617 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210628-041		28/06/2021	10:40	JS	Butanona Normal Saline	3MM Whatman Sílica gel	110,5 5		1 195	0	pH (Low/Actual/High)	96,603 %	Pass
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20210628-036		28/06/2021	09:54	BB	Citrato de Sódio 0,1M	Sílica gel	29,6		0,2	0	pH (Low/Actual/High)	99,329 %	Pass
Límpido e Incolor													
DTPA-99mTc Lot # K-20210628-008	RPH	28/06/2021	03:19	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	735 6		1 951	0	pH (Low/Actual/High)	99,237 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210628-013	RPH	28/06/2021	03:54	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	507 22		1 430	0	pH (Low/Actual/High)	94,936 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210628-032	RPH	28/06/2021	08:59	JS	Acetona Normal Saline	3MM Whatman 3MM Whatman	393 25		2 365	0	pH (Low/Actual/High)	93,083 %	Pass
Límpido/Incolor													
FITATO-99mTc Lot # K-20210628-012		28/06/2021	03:52	PP	Butanona	3MM Whatman	689		2	0	pH (Low/Actual/High)	99,711 %	Pass
Límpido/Incolor													
FITATO-99mTc Lot # K-20210628-031		28/06/2021	08:14	PP	Butanona	3MM Whatman	758		4	0	pH (Low/Actual/High)	99,475 %	Pass
Límpido/Incolor													
MAA-99mTc Lot # K-20210628-014		28/06/2021	03:57	PP	Butanona	3MM Whatman	160		2	0	pH (Low/Actual/High)	98,765 %	Pass
Turvo/Incolor													

Product:	Manuf:	Calibration	D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210628-015		28/06/2021	03:58	PP	Butanona		3MM	Whatman	344		7	0	98,006 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210628-016		28/06/2021	04:00	PP	Butanona		3MM	Whatman	258		10	0	96,269 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210628-017		28/06/2021	04:04	PP	Butanona		3MM	Whatman	79		3	0	96,341 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210628-018		28/06/2021	04:05	PP	Butanona		3MM	Whatman	80		3	0	96,386 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210628-019		28/06/2021	04:08	PP	Butanona		3MM	Whatman	52		2	0	96,296 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210628-034		28/06/2021	09:39	JS	Butanona		3MM	Whatman	190		4	0	97,938 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210628-035		28/06/2021	09:43	JS	Butanona		3MM	Whatman	141		1	0	99,296 %	Pass	
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210628-039		28/06/2021	10:14	JS	Butanona		3MM	Whatman	99		3	0	97,059 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210628-043		28/06/2021	12:51	JS	Butanona		3MM	Whatman	131,4		2,8	0	97,914 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210628-044		28/06/2021	15:28	JS	Butanona		3MM	Whatman	144		5	0	96,644 %	Pass	
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210628-045		28/06/2021	15:31	JS	Butanona		3MM	Whatman	92,2		0,9	0	99,033 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210628-046		28/06/2021	15:33	JS	Butanona		3MM	Whatman	153,6		1,3	0	99,161 %	Pass	
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210628-047		28/06/2021	15:34	JS	Butanona		3MM	Whatman	263		7	0	97,407 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210628-048		28/06/2021 15:52	JS	Butanona		3MM Whatman		135		1,2	0	99,119 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00		
MAA-99mTc Lot # K-20210628-049		28/06/2021 15:53	JS	Butanona		3MM Whatman		256		2	0	99,225 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00		
MAA-99mTc Lot # K-20210628-050		28/06/2021 15:54	JS	Butanona		3MM Whatman		259		1,5	0	99,424 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00		
MDP-99mTc Lot # K-20210628-009		28/06/2021 03:23	PP	Acetona		3MM Whatman		1548		1	0	99,165 %	Pass	
				Normal Saline		3MM Whatman		14		1802	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210628-010		28/06/2021 03:25	PP	Acetona		3MM Whatman		1838		33	0	96,852 %	Pass	
				Normal Saline		3MM Whatman		16		1140	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210628-011		28/06/2021 03:28	PP	Acetona		3MM Whatman		1496		20	0	98,051 %	Pass	
				Normal Saline		3MM Whatman		7		1104	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210628-020		28/06/2021 04:10	PP	Acetona		3MM Whatman		2348		140	0	93,081 %	Pass	
				Normal Saline		3MM Whatman		17		1299	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210628-025		28/06/2021 07:19	PP	Acetona		3MM Whatman		6085		1	0	99,267 %	Pass	
				Normal Saline		3MM Whatman		50		6931	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210628-029		28/06/2021 07:41	PP	Acetona		3MM Whatman		2319		41	0	97,223 %	Pass	
				Normal Saline		3MM Whatman		17		1618	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210628-030		28/06/2021 07:48	PP	Acetona		3MM Whatman		1805		52	0	95,614 %	Pass	
				Normal Saline		3MM Whatman		24		1489	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210628-033		28/06/2021 09:38	JS	Acetona		3MM Whatman		888		5	0	97,98 %	Pass	
				Normal Saline		3MM Whatman		14		945	pH (Low/Actual/High)	4,00 <= 5,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210628-037		28/06/2021 10:04	JS	Acetona		3MM Whatman		631		3	0	98,956 %	Pass	
				Normal Saline		3MM Whatman		3		523	pH (Low/Actual/High)	4,00 <= 5,00 <= 7,80		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210628-001		28/06/2021 02:18	PP	Normal Saline		Sílica gel		2676		64	0	95,354 %	Pass	
				Metanol		3MM Whatman		86		3637	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210628-002	28/06/2021	02:20	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			2795 3		62 2905	0	pH (Low/Actual/High)	97,727 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210628-003	28/06/2021	02:21	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			5129 107		46 3584	0	pH (Low/Actual/High)	96,212 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210628-004	28/06/2021	03:10	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			1590 11		32 3913	0	pH (Low/Actual/High)	97,747 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210628-005	28/06/2021	03:10	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			2866 79		59 2788	0	pH (Low/Actual/High)	95,227 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210628-006	28/06/2021	03:15	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			4632 45		170 3104	0	pH (Low/Actual/High)	95,031 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210628-007	28/06/2021	03:16	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			3091 75		89 3852	0	pH (Low/Actual/High)	95,291 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210628-022	28/06/2021	07:04	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			2354 69		56 2762	0	pH (Low/Actual/High)	95,239 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210628-023	28/06/2021	07:05	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			3780 24		85 3485	0	pH (Low/Actual/High)	97,117 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210628-024	28/06/2021	07:16	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			2633 12		54 2448	0	pH (Low/Actual/High)	97,503 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210628-038	28/06/2021	10:11	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			767 11		24 797	0	pH (Low/Actual/High)	95,604 %	Pass
Límpido/Incolor														
PIRO-99mTc Lot # K-20210628-028	28/06/2021	07:38	PP	Butanona Normal Saline	3MM Whatman 3MM Whatman			5802 2		6 5647	0	pH (Low/Actual/High)	99,861 %	Pass
Límpido/Incolor														
PSMA-68Ga Lot # K-20210628-021	28/06/2021	06:50	PP	Acetato de amônio	Sílica gel			0,8		34	0	pH (Low/Actual/High)	97,701 %	Pass
Límpido e Incolor														
PSMA-68Ga Lot # K-20210628-042	28/06/2021	12:42	JS	Acetato de amônio	Sílica gel			0,4		23,8	0	pH (Low/Actual/High)	98,347 %	Pass
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnício-99m Lot # E-20210628-001		28/06/2021 02:12	PP	Butanona		3MM Whatman		35		5026	0	99,308 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210628-002		28/06/2021 02:13	PP	Butanona		3MM Whatman		40		2949	0	98,662 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210628-003		28/06/2021 03:03	PP	Butanona		3MM Whatman		98		2104	0	95,55 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210628-004		28/06/2021 03:13	PP	Butanona		3MM Whatman		10		1972	0	99,495 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210628-005		28/06/2021 03:49	PP	Butanona		3MM Whatman		3		543	0	99,451 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210628-007		28/06/2021 07:02	PP	Butanona		3MM Whatman		1		1958	0	99,949 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210628-008		28/06/2021 07:14	PP	Butanona		3MM Whatman		72		5326	0	98,666 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210628-009		28/06/2021 07:31	PP	Butanona		3MM Whatman		54		4099	0	98,70 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210628-010		28/06/2021 09:05	JS	Butanona		3MM Whatman		6		2049	0	99,708 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210628-012		28/06/2021 10:02	JS	Butanona		3MM Whatman		7		3861	0	99,819 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210628-013		28/06/2021 11:01	SB	Butanona		3MM Whatman		2		1292	0	99,845 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210628-015		28/06/2021 15:26	JS	Butanona		3MM Whatman		8		990	0	99,198 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	