



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 13/07/2021 To 13/07/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210713-016		13/07/2021	04:14	FN	Butanona Normal Saline	3MM Whatman Sílica gel	113,5 8,1		1,2 96,8	0	pH (Low/Actual/High)	91,232 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210713-028		13/07/2021	07:34	FN	Butanona Normal Saline	3MM Whatman Sílica gel	130,2 4,3		2,7 90,5	0	pH (Low/Actual/High)	93,433 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210713-029		13/07/2021	07:35	FN	Butanona Normal Saline	3MM Whatman Sílica gel	172,6 6,2		1,3 152,6	0	pH (Low/Actual/High)	95,348 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210713-033		13/07/2021	08:03	FN	Butanona Normal Saline	3MM Whatman Sílica gel	99,9 2,5		1,5 88,3	0	pH (Low/Actual/High)	95,767 %	Pass
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20210713-024		13/07/2021	06:58	FN	Citrato de Sódio 0,1M	Sílica gel	45,78		2	0	pH (Low/Actual/High)	95,814 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210713-045		13/07/2021	13:00	JS	Citrato de Sódio 0,1M	Sílica gel	29,3		0,2	0	pH (Low/Actual/High)	99,322 %	Pass
Límpido e Incolor													
DTPA-99mTc Lot # K-20210713-006	RPH	13/07/2021	03:12	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	377 12		3 298	0	pH (Low/Actual/High)	95,34 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210713-020	RPH	13/07/2021	04:22	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	383 8		1 592	0	pH (Low/Actual/High)	98,406 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210713-026	RPH	13/07/2021	07:11	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	546 14		12 501	0	pH (Low/Actual/High)	95,131 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210713-031	RPH	13/07/2021	07:52	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	615 22		1 670	0	pH (Low/Actual/High)	96,658 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210713-037	RPH	13/07/2021	10:20	JS	Acetona Normal Saline	3MM Whatman 3MM Whatman	468 5		3 637	0	pH (Low/Actual/High)	98,584 %	Pass
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20210713-008		13/07/2021 03:32	FN	Butanona		3MM Whatman		256		2	0	99,225 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 7,00		
											Límpido/Incolor			
FITATO-99mTc Lot # K-20210713-030		13/07/2021 07:46	FN	Butanona		3MM Whatman		416		3	0	99,284 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 7,00		
											Límpido/Incolor			
MAA-99mTc Lot # K-20210713-009		13/07/2021 03:51	FN	Butanona		3MM Whatman		218		1	0	99,543 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00		
											Turvo/Incolor			
MAA-99mTc Lot # K-20210713-010		13/07/2021 03:53	FN	Butanona		3MM Whatman		176,5		2,3	0	98,714 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
											Turvo/Incolor			
MAA-99mTc Lot # K-20210713-011		13/07/2021 03:54	FN	Butanona		3MM Whatman		125,1		1,3	0	98,972 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
											Turvo/Incolor			
MAA-99mTc Lot # K-20210713-012		13/07/2021 03:57	FN	Butanona		3MM Whatman		181,9		2,1	0	98,859 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
											Turvo/Incolor			
MAA-99mTc Lot # K-20210713-013		13/07/2021 03:59	FN	Butanona		3MM Whatman		120,4		2,1	0	98,286 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
											Turvo/Incolor			
MAA-99mTc Lot # K-20210713-014		13/07/2021 04:11	FN	Butanona		3MM Whatman		169		4	0	97,688 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00		
											Turvo/Incolor			
MAA-99mTc Lot # K-20210713-015		13/07/2021 04:13	FN	Butanona		3MM Whatman		169,8		3,2	0	98,15 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00		
											Turvo/Incolor			
MAA-99mTc Lot # K-20210713-017		13/07/2021 04:16	FN	Butanona		3MM Whatman		344		4	0	98,851 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00		
											Turvo/Incolor			
MAA-99mTc Lot # K-20210713-018		13/07/2021 04:18	FN	Butanona		3MM Whatman		71,9		1,2	0	98,358 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00		
											Turvo/Incolor			
MAA-99mTc Lot # K-20210713-019		13/07/2021 04:20	FN	Butanona		3MM Whatman		64,8		1,3	0	98,033 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00		
											Turvo/Incolor			
MAA-99mTc Lot # K-20210713-038		13/07/2021 10:22	WG	Butanona		3MM Whatman		199,8		1,2	0	99,403 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00		
											Turvo/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210713-039		13/07/2021 10:25	WG	Butanona		3MM Whatman		440		3	0	99,323 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210713-040		13/07/2021 10:29	WG	Butanona		3MM Whatman		88,1		2,2	0	97,564 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210713-041		13/07/2021 10:31	WG	Butanona		3MM Whatman		163,2		2	0	98,789 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210713-042		13/07/2021 10:36	WG	Butanona		3MM Whatman		287		2	0	99,308 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210713-043		13/07/2021 10:39	JS	Butanona		3MM Whatman		56		2	0	96,552 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20210713-007		13/07/2021 03:29	FN	Acetona		3MM Whatman		991		2	0	99,421 %	Pass	
				Normal Saline		3MM Whatman		4		1056		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210713-021		13/07/2021 04:24	FN	Acetona		3MM Whatman		551		2	0	99,515 %	Pass	
				Normal Saline		3MM Whatman		1		813		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210713-027		13/07/2021 07:24	FN	Acetona		3MM Whatman		1192		12	0	98,421 %	Pass	
				Normal Saline		3MM Whatman		6		1024		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210713-032		13/07/2021 07:56	FN	Acetona		3MM Whatman		1026		10	0	98,926 %	Pass	
				Normal Saline		3MM Whatman		1		919		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MIBI-99mTc Lot # K-20210713-001		13/07/2021 02:15	FN	Normal Saline		Sílica gel		200		2	0	98,133 %	Pass	
				Metanol		3MM Whatman		2		226		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210713-002		13/07/2021 02:16	FN	Normal Saline		Sílica gel		1033		16	0	98,018 %	Pass	
				Metanol		3MM Whatman		1		218		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210713-003		13/07/2021 02:56	FN	Normal Saline		Sílica gel		1109		20	0	97,434 %	Pass	
				Metanol		3MM Whatman		10		1248		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210713-004		13/07/2021 02:59	FN	Normal Saline		Sílica gel		1773		20	0	98,521 %	Pass	
				Metanol		3MM Whatman		6		1644		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210713-005	13/07/2021	03:08	FN	Normal Saline Metanol	Silica gel 3MM Whatman			202 3		3 217	0	pH (Low/Actual/High)	97,173 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210713-022	13/07/2021	06:52	FN	Normal Saline Metanol	Silica gel 3MM Whatman			1950 1		30 248	0	pH (Low/Actual/High)	98,083 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210713-023	13/07/2021	06:55	FN	Normal Saline Metanol	Silica gel 3MM Whatman			1213 6		22 1393	0	pH (Low/Actual/High)	97,79 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210713-035	13/07/2021	09:57	WG	Normal Saline Metanol	Silica gel 3MM Whatman			1296 18		41 1626	0	pH (Low/Actual/High)	95,839 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210713-044	13/07/2021	10:44	JS	Normal Saline Metanol	Silica gel 3MM Whatman			536 5		13 513	0	pH (Low/Actual/High)	96,667 %	Pass
Límpido/Incolor														
PIRO-99mTc Lot # K-20210713-025	13/07/2021	07:07	FN	Butanona Normal Saline	3MM Whatman 3MM Whatman			312 1		6 341	0	pH (Low/Actual/High)	97,821 %	Pass
Límpido/Incolor														
PSMA-68Ga Lot # K-20210713-034	13/07/2021	09:53	JS	Acetato de amônio	Silica gel			0,8		37	0	pH (Low/Actual/High)	97,884 %	Pass
Límpido e Incolor														
Tecnécio-99m Lot # E-20210713-001	13/07/2021	02:01	FN	Butanona	3MM Whatman			1		351	0	pH (Low/Actual/High)	99,716 %	Pass
Límpido e Incolor														
Tecnécio-99m Lot # E-20210713-002	13/07/2021	02:10	FN	Butanona	3MM Whatman			1		211	0	pH (Low/Actual/High)	99,528 %	Pass
Límpido e Incolor														
Tecnécio-99m Lot # E-20210713-003	13/07/2021	02:53	FN	Butanona	3MM Whatman			1		1035	0	pH (Low/Actual/High)	99,903 %	Pass
Límpido e Incolor														
Tecnécio-99m Lot # E-20210713-004	13/07/2021	02:53	FN	Butanona	3MM Whatman			2		1267	0	pH (Low/Actual/High)	99,842 %	Pass
Límpido e Incolor														
Tecnécio-99m Lot # E-20210713-005	13/07/2021	03:10	FN	Butanona	3MM Whatman			2		446	0	pH (Low/Actual/High)	99,554 %	Pass
Límpido e Incolor														
Tecnécio-99m Lot # E-20210713-006	13/07/2021	03:27	FN	Butanona	3MM Whatman			1		297	0	pH (Low/Actual/High)	99,664 %	Pass
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnício-99m Lot # E-20210713-007		13/07/2021 06:47	FN	Butanona		3MM Whatman		3		1362	0		99,78 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210713-008		13/07/2021 06:51	FN	Butanona		3MM Whatman		1		337	0		99,704 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210713-010		13/07/2021 07:03	FN	Butanona		3MM Whatman		2		1647	0		99,879 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnício-99m Lot # E-20210713-011		13/07/2021 07:17	FN	Butanona		3MM Whatman		2		352	0		99,435 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210713-012		13/07/2021 07:21	FN	Butanona		3MM Whatman		2		354	0		99,438 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210713-013		13/07/2021 07:49	FN	Butanona		3MM Whatman		2		1255	0		99,841 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnício-99m Lot # E-20210713-015		13/07/2021 09:54	JS	Butanona		3MM Whatman		21		1882	0		98,896 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnício-99m Lot # E-20210713-016		13/07/2021 10:14	WG	Butanona		3MM Whatman		8		2331	0		99,658 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnício-99m Lot # E-20210713-018		13/07/2021 13:16	SB	Butanona		3MM Whatman		10		926	0		98,932 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
TRODAT-99mTc Lot # K-20210713-036		13/07/2021 10:15	JS	Normal Saline		Sílica gel		71		1,8	0		95,005 %	Pass
				Butanona		3MM Whatman		2,2		85	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							