



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 15/07/2021 To 15/07/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210715-025		15/07/2021	07:50	FN	Butanona Normal Saline	3MM Whatman Sílica gel	158,1 4		1,2 106,8	0	pH (Low/Actual/High)	95,637 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210715-027		15/07/2021	08:11	FN	Butanona Normal Saline	3MM Whatman Sílica gel	176,2 12,2		2,1 137,3	0	pH (Low/Actual/High)	90,662 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210715-042		15/07/2021	10:52	JS	Butanona Normal Saline	3MM Whatman Sílica gel	96,3 2		1,2 250	0	pH (Low/Actual/High)	97,976 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATATE-68Ga Lot # K-20210715-015		15/07/2021	06:51	MP	Citrato de Sódio 0,1M Metanol/Acetato de Amonio 1	Sílica gel Sílica gel	36,4 1		0 45,7	0	pH (Low/Actual/High)	97,859 %	Pass 4,00 <= 4,50 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210715-016		15/07/2021	07:04	FN	Citrato de Sódio 0,1M	Sílica gel	41,8		1	0	pH (Low/Actual/High)	97,664 %	Pass 4,00 <= 6,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210715-055		15/07/2021	13:11	BB	Citrato de Sódio 0,1M	Sílica gel	20,3		0,3	0	pH (Low/Actual/High)	98,544 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20210715-005	RPH	15/07/2021	03:17	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	260 5		3 292	0	pH (Low/Actual/High)	97,176 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210715-012	RPH	15/07/2021	04:03	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	539 12		2 470	0	pH (Low/Actual/High)	97,141 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210715-048	RPH	15/07/2021	11:03	JS	Acetona Normal Saline	3MM Whatman 3MM Whatman	385 10		3 749	0	pH (Low/Actual/High)	97,909 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
FITATO-99mTc Lot # K-20210715-007		15/07/2021	03:24	FN	Butanona	3MM Whatman	364		1	0	pH (Low/Actual/High)	99,726 %	Pass 5,00 <= 6,00 <= 7,00
						Límpido/Incolor							
FITATO-99mTc Lot # K-20210715-022		15/07/2021	07:31	FN	Butanona	3MM Whatman	414		1	0	pH (Low/Actual/High)	99,759 %	Pass 5,00 <= 5,00 <= 7,00
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210715-008		15/07/2021 03:49 FN	Butanona		3MM	Whatman		169,4		1,2	0		99,297 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210715-009		15/07/2021 03:51 FN	Butanona		3MM	Whatman		102,2		1,3	0		98,744 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210715-010		15/07/2021 03:52 FN	Butanona		3MM	Whatman		120,4		1,4	0		98,851 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210715-023		15/07/2021 07:45 FN	Butanona		3MM	Whatman		133,8		2,5	0		98,166 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210715-024		15/07/2021 07:48 FN	Butanona		3MM	Whatman		100,4		4,1	0		96,077 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210715-036		15/07/2021 10:24 JS	Butanona		3MM	Whatman		491		2	0		99,594 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MDP-99mTc Lot # K-20210715-004		15/07/2021 03:15 FN	Acetona		3MM	Whatman		314		1	0		99,372 %	Pass
			Normal Saline		3MM	Whatman		3		963		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20210715-006		15/07/2021 03:20 FN	Acetona		3MM	Whatman		248		3	0		97,788 %	Pass
			Normal Saline		3MM	Whatman		3		292		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20210715-011		15/07/2021 03:58 FN	Acetona		3MM	Whatman		543		3	0		99,00 %	Pass
			Normal Saline		3MM	Whatman		2		442		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20210715-020		15/07/2021 07:16 FN	Acetona		3MM	Whatman		160,6		1	0		98,266 %	Pass
			Normal Saline		3MM	Whatman		3		266		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20210715-021		15/07/2021 07:19 FN	Acetona		3MM	Whatman		696		1	0		98,404 %	Pass
			Normal Saline		3MM	Whatman		6		407		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20210715-029		15/07/2021 08:41 WG	Acetona		3MM	Whatman		379		2	0		98,797 %	Pass
			Normal Saline		3MM	Whatman		2		293		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20210715-045		15/07/2021 10:56 JS	Acetona		3MM	Whatman		361		1	0		99,477 %	Pass
			Normal Saline		3MM	Whatman		1		404		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210715-001		15/07/2021 02:48 FN	Normal Saline Metanol		Silica gel 3MM Whatman			1325 2		3 208	0	pH (Low/Actual/High)	98,822 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210715-002		15/07/2021 02:50 FN	Normal Saline Metanol		Silica gel 3MM Whatman			1072 5		17 1629	0	pH (Low/Actual/High)	98,133 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210715-003		15/07/2021 03:08 FN	Normal Saline Metanol		Silica gel 3MM Whatman			402 10		3 529	0	pH (Low/Actual/High)	97,404 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210715-013		15/07/2021 04:08 FN	Normal Saline Metanol		Silica gel 3MM Whatman			1623 12		23 1857	0	pH (Low/Actual/High)	97,961 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210715-014		15/07/2021 04:19 FN	Normal Saline Metanol		Silica gel 3MM Whatman			1773 2		22 204	0	pH (Low/Actual/High)	97,803 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210715-017		15/07/2021 07:03 FN	Normal Saline Metanol		Silica gel 3MM Whatman			116,2 12		1 808	0	pH (Low/Actual/High)	97,683 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210715-018		15/07/2021 07:08 FN	Normal Saline Metanol		Silica gel 3MM Whatman			502 3		12 512	0	pH (Low/Actual/High)	97,083 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210715-019		15/07/2021 07:11 FN	Normal Saline Metanol		Silica gel 3MM Whatman			639 3		5 622	0	pH (Low/Actual/High)	98,744 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210715-026		15/07/2021 07:53 FN	Normal Saline Metanol		Silica gel 3MM Whatman			538 10		2 777	0	pH (Low/Actual/High)	98,359 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210715-028		15/07/2021 08:09 FN	Normal Saline Metanol		Silica gel 3MM Whatman			425 2		6 491	0	pH (Low/Actual/High)	98,202 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210715-030		15/07/2021 09:42 JS	Normal Saline Metanol		Silica gel 3MM Whatman			233 1		14 244	0	pH (Low/Actual/High)	93,924 %	Pass 5,00 <= 5,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210715-031		15/07/2021 09:47 JS	Normal Saline Metanol		Silica gel 3MM Whatman			975 1		10 427	0	pH (Low/Actual/High)	98,751 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210715-033		15/07/2021 10:04 JS	Normal Saline Metanol		Silica gel 3MM Whatman			722 9		4 1185	0	pH (Low/Actual/High)	98,695 %	Pass 5,00 <= 5,00 <= 6,00
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210715-034	15/07/2021	10:16 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			162 2		3 527	0	pH (Low/Actual/High)	97,804 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210715-035	15/07/2021	10:20 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			303 4		2 1092	0	pH (Low/Actual/High)	98,979 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210715-049	15/07/2021	11:13 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			282 2		5 400	0	pH (Low/Actual/High)	97,76 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210715-050	15/07/2021	11:21 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			147 1		3 283	0	pH (Low/Actual/High)	97,648 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210715-051	15/07/2021	11:23 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			287 2		1 187	0	pH (Low/Actual/High)	98,595 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210715-052	15/07/2021	11:36 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			189 2		3 285	0	pH (Low/Actual/High)	97,741 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210715-053	15/07/2021	11:38 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			401 1		3 132	0	pH (Low/Actual/High)	98,506 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210715-054	15/07/2021	12:06 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			133,7 4		1,3 225	0	pH (Low/Actual/High)	97,29 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
Octreo-99mTc Lot # K-20210715-046	15/07/2021	10:55 JS	Butanona Citrato de Sódio 0,1M		Sílica gel Sílica gel			148,7 61,9		0,8 0,8	0	pH (Low/Actual/High)	95,248 %	Pass 5,00 <= 7,00 <= 7,00
Límpido/Incolor														
Metanol/ Acetato Amônio 1M Sílica gel 3 99														
PSMA-68Ga Lot # K-20210715-032	15/07/2021	09:53 JS	Acetato de amônio 1M:Metanol		Sílica gel			0,3		21,5	0	pH (Low/Actual/High)	98,624 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210715-001	15/07/2021	02:21 FN	Butanona		3MM Whatman			2		163	0	pH (Low/Actual/High)	98,788 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210715-002	15/07/2021	02:43 FN	Butanona		3MM Whatman			3		445	0	pH (Low/Actual/High)	99,33 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210715-003	15/07/2021	03:05 FN	Butanona		3MM Whatman			2		509	0	pH (Low/Actual/High)	99,609 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210715-004		15/07/2021 03:12 FN	Butanona		3MM	Whatman		2		295	0		99,327 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210715-005		15/07/2021 03:18 FN	Butanona		3MM	Whatman		1		332	0		99,70 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210715-006		15/07/2021 03:47 FN	Butanona		3MM	Whatman		2		275	0		99,278 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210715-007		15/07/2021 03:55 FN	Butanona		3MM	Whatman		3		816	0		99,634 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210715-008		15/07/2021 04:05 FN	Butanona		3MM	Whatman		2		664	0		99,70 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210715-009		15/07/2021 04:16 FN	Butanona		3MM	Whatman		2		672	0		99,703 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210715-011		15/07/2021 06:47 FN	Butanona		3MM	Whatman		1,2		149,5	0		99,204 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210715-013		15/07/2021 07:05 FN	Butanona		3MM	Whatman		2		465	0		99,572 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210715-014		15/07/2021 07:09 FN	Butanona		3MM	Whatman		1		415	0		99,76 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210715-015		15/07/2021 07:15 FN	Butanona		3MM	Whatman		1		100,1	0		99,011 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210715-016		15/07/2021 07:17 FN	Butanona		3MM	Whatman		2		138,7	0		98,579 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210715-017		15/07/2021 07:24 FN	Butanona		3MM	Whatman		2		535	0		99,628 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210715-018		15/07/2021 07:32 FN	Butanona		3MM	Whatman		2		235	0		99,156 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210715-019		15/07/2021 07:51	FN	Butanona		3MM Whatman		2		215	0	99,078 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210715-020		15/07/2021 08:05	FN	Butanona		3MM Whatman		2		342	0	99,419 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210715-021		15/07/2021 08:40	FN	Butanona		3MM Whatman		1		187,3	0	99,469 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210715-022		15/07/2021 09:36	JS	Butanona		3MM Whatman		2		1043	0	99,809 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210715-023		15/07/2021 09:44	JS	Butanona		3MM Whatman		5		1573	0	99,683 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210715-024		15/07/2021 09:45	JS	Butanona		3MM Whatman		1		170	0	99,415 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210715-026		15/07/2021 10:13	JS	Butanona		3MM Whatman		1		53,1	0	98,152 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210715-027		15/07/2021 10:15	JS	Butanona		3MM Whatman		1		456	0	99,781 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210715-028		15/07/2021 10:17	JS	Butanona		3MM Whatman		0,4		25,5	0	98,456 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210715-029		15/07/2021 10:29	JS	Butanona		3MM Whatman		1,2		203	0	99,412 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210715-030		15/07/2021 10:35	JS	Butanona		3MM Whatman		2		242	0	99,18 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210715-031		15/07/2021 10:49	JS	Butanona		3MM Whatman		0,3		37,1	0	99,198 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210715-032		15/07/2021 10:53	JS	Butanona		3MM Whatman		1		179	0	99,444 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210715-033	15/07/2021	11:07	JS	Butanona		3MM Whatman		0,1		29,2	0		99,659 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210715-034	15/07/2021	11:17	JS	Butanona		3MM Whatman		4		478	0		99,17 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210715-035	15/07/2021	11:17	JS	Butanona		3MM Whatman		0,6		83	0		99,282 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210715-036	15/07/2021	11:33	JS	Butanona		3MM Whatman		4		345	0		98,854 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210715-037	15/07/2021	11:33	JS	Butanona		3MM Whatman		4		722	0		99,449 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210715-038	15/07/2021	12:03	JS	Butanona		3MM Whatman		2,5		95	0		97,436 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210715-039	15/07/2021	12:08	JS	Butanona		3MM Whatman		3		428	0		99,304 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
TRODAT-99mTc Lot # K-20210715-037	15/07/2021	10:38	JS	Normal Saline		Sílica gel		175		0,9	0		99,07 %	Pass
				Butanona		3MM Whatman		0,5		119		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210715-038	15/07/2021	10:39	JS	Normal Saline		Sílica gel		139		4	0		96,674 %	Pass
				Butanona		3MM Whatman		0,5		94		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210715-039	15/07/2021	10:40	JS	Normal Saline		Sílica gel		130,9		3	0		97,142 %	Pass
				Butanona		3MM Whatman		1,2		193		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210715-040	15/07/2021	10:41	JS	Normal Saline		Sílica gel		130		0,4	0		98,554 %	Pass
				Butanona		3MM Whatman		1		86,81		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210715-041	15/07/2021	10:52	JS	Normal Saline		Sílica gel		89,9		1,7	0		97,692 %	Pass
				Butanona		3MM Whatman		1		220		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210715-044	15/07/2021	10:53	JS	Normal Saline		Sílica gel		97		1	0		97,646 %	Pass
				Butanona		3MM Whatman		2		148		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc		15/07/2021 10:53	JS	Normal Saline	Silica gel			96,4		1,9	0		96,124 %	Pass
Lot # K-20210715-043				Butanona	3MM Whatman			1,5		75,7	pH (Low/Actual/High)		6,50 <= 7,00 <= 8,50	
								Límpido/Incolor						