



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 16/07/2021 To 16/07/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210716-030		16/07/2021	07:32	PP	Butanona Normal Saline	3MM Whatman Sílica gel	295 22		1 263	0	pH (Low/Actual/High)	91,943 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210716-031		16/07/2021	07:35	PP	Butanona Normal Saline	3MM Whatman Sílica gel	257 6		4 104	0	pH (Low/Actual/High)	93,013 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210716-032		16/07/2021	07:48	PP	Butanona Normal Saline	3MM Whatman Sílica gel	135 9		3 154	0	pH (Low/Actual/High)	92,305 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210716-033		16/07/2021	07:49	PP	Butanona Normal Saline	3MM Whatman Sílica gel	260 11		2 123	0	pH (Low/Actual/High)	91,028 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210716-034		16/07/2021	08:03	PP	Butanona Normal Saline	3MM Whatman Sílica gel	382 10		2 170	0	pH (Low/Actual/High)	93,924 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210716-040		16/07/2021	08:18	PP	Butanona Normal Saline	3MM Whatman Sílica gel	217 9		2 112	0	pH (Low/Actual/High)	91,649 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210716-046		16/07/2021	10:37	JS	Butanona Normal Saline	3MM Whatman Sílica gel	178 2		2 132	0	pH (Low/Actual/High)	97,396 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20210716-048		16/07/2021	12:57	JS	Citrato de Sódio 0,1M	Sílica gel	24,2		0,1	0	pH (Low/Actual/High)	99,588 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20210716-006	RPH	16/07/2021	03:22	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	297 3		5 145,5	0	pH (Low/Actual/High)	96,324 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210716-028	RPH	16/07/2021	07:24	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	406 21		4 327	0	pH (Low/Actual/High)	92,99 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210716-044	RPH	16/07/2021	10:26	JS	Acetona Normal Saline	3MM Whatman 3MM Whatman	470 12		2 357	0	pH (Low/Actual/High)	96,324 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration	D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20210716-014	16/07/2021	04:02	FN	Butanona		3MM	Whatman		270		2	0		99,265 %	Pass
								Límpido/Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00	
FITATO-99mTc Lot # K-20210716-037	16/07/2021	08:08	PP	Butanona		3MM	Whatman		530		3	0		99,437 %	Pass
								Límpido/Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00	
MAA-99mTc Lot # K-20210716-010	16/07/2021	03:53	FN	Butanona		3MM	Whatman		95,8		1,2	0		98,763 %	Pass
								Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210716-011	16/07/2021	03:54	FN	Butanona		3MM	Whatman		120,4		1,2	0		99,013 %	Pass
								Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210716-012	16/07/2021	03:56	FN	Butanona		3MM	Whatman		162,1		2,1	0		98,721 %	Pass
								Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210716-013	16/07/2021	03:58	FN	Butanona		3MM	Whatman		114,3		1,5	0		98,705 %	Pass
								Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210716-015	16/07/2021	04:04	FN	Butanona		3MM	Whatman		141,7		2,2	0		98,471 %	Pass
								Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210716-016	16/07/2021	04:06	FN	Butanona		3MM	Whatman		222		2	0		99,107 %	Pass
								Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210716-018	16/07/2021	04:22	FN	Butanona		3MM	Whatman		184,5		2	0		98,928 %	Pass
								Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210716-019	16/07/2021	04:23	FN	Butanona		3MM	Whatman		103,4		2,2	0		97,917 %	Pass
								Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210716-020	16/07/2021	04:26	FN	Butanona		3MM	Whatman		96,5		3	0		96,985 %	Pass
								Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210716-035	16/07/2021	08:06	PP	Butanona		3MM	Whatman		116		1	0		99,145 %	Pass
								Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210716-038	16/07/2021	08:13	PP	Butanona		3MM	Whatman		196		1	0		99,492 %	Pass
								Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210716-045		16/07/2021 10:31 JS	Butanona		3MM	Whatman		364		3	0	99,183 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00		
MDP-99mTc Lot # K-20210716-007		16/07/2021 03:28 FN	Acetona		3MM	Whatman		1965		20	0	95,977 %	Pass	
			Normal Saline		3MM	Whatman		12		386	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210716-022		16/07/2021 06:11 WG	Acetona		3MM	Whatman		560		13	0	97,165 %	Pass	
			Normal Saline		3MM	Whatman		4		702	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210716-027		16/07/2021 07:17 PP	Acetona		3MM	Whatman		114		1	0	94,898 %	Pass	
			Normal Saline		3MM	Whatman		8		181	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210716-043		16/07/2021 10:11 WG	Acetona		3MM	Whatman		617		7	0	96,344 %	Pass	
			Normal Saline		3MM	Whatman		11		423	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20210716-047		16/07/2021 11:17 JS	Acetona		3MM	Whatman		213		3	0	98,035 %	Pass	
			Normal Saline		3MM	Whatman		2		345	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210716-001		16/07/2021 02:26 FN	Normal Saline		Sílica gel			233		2	0	98,547 %	Pass	
			Metanol		3MM	Whatman		10		1651	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210716-002		16/07/2021 02:28 FN	Normal Saline		Sílica gel			1268		4	0	99,052 %	Pass	
			Metanol		3MM	Whatman		12		1883	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210716-003		16/07/2021 02:29 FN	Normal Saline		Sílica gel			221		3	0	97,835 %	Pass	
			Metanol		3MM	Whatman		15		1801	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210716-004		16/07/2021 03:13 FN	Normal Saline		Sílica gel			812		6	0	97,492 %	Pass	
			Metanol		3MM	Whatman		14		775	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210716-005		16/07/2021 03:14 FN	Normal Saline		Sílica gel			969		5	0	96,754 %	Pass	
			Metanol		3MM	Whatman		20		712	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210716-008		16/07/2021 03:37 FN	Normal Saline		Sílica gel			1237		13	0	98,647 %	Pass	
			Metanol		3MM	Whatman		3		954	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210716-009		16/07/2021 03:37 FN	Normal Saline		Sílica gel			629		10	0	98,151 %	Pass	
			Metanol		3MM	Whatman		2		702	pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210716-017	16/07/2021	04:18 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			579 5		12 649	0	pH (Low/Actual/High)	97,205 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210716-021	16/07/2021	04:47 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1187 13		10 1458	0	pH (Low/Actual/High)	98,281 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210716-024	16/07/2021	07:02 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			2076 23		30 2974	0	pH (Low/Actual/High)	97,808 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210716-025	16/07/2021	07:04 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			950 6		12 1506	0	pH (Low/Actual/High)	98,356 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210716-026	16/07/2021	07:14 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			599 5		5 581	0	pH (Low/Actual/High)	98,319 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210716-029	16/07/2021	07:28 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			606 3		8 623	0	pH (Low/Actual/High)	98,218 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210716-036	16/07/2021	08:08 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			215 1		1 404	0	pH (Low/Actual/High)	99,29 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210716-039	16/07/2021	08:14 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			426 2		3 389	0	pH (Low/Actual/High)	98,789 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210716-042	16/07/2021	10:06 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			1171 2		20 1499	0	pH (Low/Actual/High)	98,187 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20210716-023	16/07/2021	06:48 PP	Acetato de amônio 1M:Metanol		Sílica gel			0,5		35,7	0	pH (Low/Actual/High)	98,619 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20210716-041	16/07/2021	09:51 JS	Acetato de amônio 1M:Metanol		Sílica gel			0,5		46,5	0	pH (Low/Actual/High)	98,936 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210716-001	16/07/2021	02:15 FN	Butanona		3MM Whatman			2		235	0	pH (Low/Actual/High)	99,156 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210716-002	16/07/2021	02:40 FN	Butanona		3MM Whatman			1		211	0	pH (Low/Actual/High)	99,528 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210716-003		16/07/2021 03:08	FN	Butanona		3MM Whatman		1		290	0		99,656 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210716-004		16/07/2021 03:11	FN	Butanona		3MM Whatman		2		427	0		99,534 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210716-005		16/07/2021 03:25	FN	Butanona		3MM Whatman		2		215	0		99,078 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210716-006		16/07/2021 03:32	FN	Butanona		3MM Whatman		1		242	0		99,588 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210716-007		16/07/2021 03:34	FN	Butanona		3MM Whatman		1		345	0		99,711 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210716-008		16/07/2021 03:50	FN	Butanona		3MM Whatman		1		299	0		99,667 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210716-009		16/07/2021 03:59	FN	Butanona		3MM Whatman		2		309	0		99,357 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210716-010		16/07/2021 04:16	FN	Butanona		3MM Whatman		1		370	0		99,73 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210716-011		16/07/2021 04:46	FN	Butanona		3MM Whatman		2		374	0		99,468 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210716-012		16/07/2021 06:08	WG	Butanona		3MM Whatman		8		354	0		97,79 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210716-015		16/07/2021 07:00	PP	Butanona		3MM Whatman		25		1755	0		98,596 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210716-014		16/07/2021 07:00	PP	Butanona		3MM Whatman		1		365	0		99,727 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210716-016		16/07/2021 07:11	PP	Butanona		3MM Whatman		1		163	0		99,39 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210716-017		16/07/2021 07:15	PP	Butanona		3MM Whatman		2		48	0	96,00 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210716-018		16/07/2021 07:22	PP	Butanona		3MM Whatman		12		240	0	95,238 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210716-019		16/07/2021 07:25	PP	Butanona		3MM Whatman		3		101	0	97,115 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210716-020		16/07/2021 07:31	PP	Butanona		3MM Whatman		3		226	0	98,69 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210716-021		16/07/2021 07:45	PP	Butanona		3MM Whatman		1		46	0	97,872 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210716-022		16/07/2021 08:01	PP	Butanona		3MM Whatman		10		956	0	98,965 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210716-023		16/07/2021 08:04	PP	Butanona		3MM Whatman		3		397	0	99,25 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210716-024		16/07/2021 08:14	PP	Butanona		3MM Whatman		1		301	0	99,669 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210716-026		16/07/2021 10:04	JS	Butanona		3MM Whatman		4		555	0	99,284 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20210716-027		16/07/2021 10:07	JS	Butanona		3MM Whatman		2		86	0	97,727 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20210716-028		16/07/2021 10:19	JS	Butanona		3MM Whatman		2		696	0	99,713 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210716-029		16/07/2021 10:33	JS	Butanona		3MM Whatman		3		747	0	99,60 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20210716-030		16/07/2021 11:16	JS	Butanona		3MM Whatman		1		687	0	99,855 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	