



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 20/07/2021 To 20/07/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210720-012		20/07/2021	04:07	FN	Butanona Normal Saline	3MM Whatman Sílica gel	137,6 7,3		1,3 106,5	0	pH (Low/Actual/High)	92,649 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20210720-024		20/07/2021	07:36	FN	Butanona Normal Saline	3MM Whatman Sílica gel	196,7 8,2		2,3 130,6	0	pH (Low/Actual/High)	92,936 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20210720-025		20/07/2021	07:39	FN	Butanona Normal Saline	3MM Whatman Sílica gel	141,8 6,2		1,6 105,1	0	pH (Low/Actual/High)	93,314 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20210720-042		20/07/2021	10:49	JS	Butanona Normal Saline	3MM Whatman Sílica gel	67,9 1,2		1 56,8	0	pH (Low/Actual/High)	96,48 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20210720-020		20/07/2021	07:03	BB	Citrato de Sódio 0,1M	Sílica gel	34,2		0,2	0	pH (Low/Actual/High)	99,419 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210720-048		20/07/2021	12:57	JS	Citrato de Sódio 0,1M	Sílica gel	49,7		0,3	0	pH (Low/Actual/High)	99,40 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor													
DTPA-99mTc Lot # K-20210720-016	RPH	20/07/2021	04:21	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	228 10		2 252	0	pH (Low/Actual/High)	95,314 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor													
DTPA-99mTc Lot # K-20210720-026	RPH	20/07/2021	08:01	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	737 20		4 509	0	pH (Low/Actual/High)	95,679 %	Pass 3,80 <= 5,00 <= 7,50
Límpido/Incolor													
DTPA-99mTc Lot # K-20210720-043	RPH	20/07/2021	10:51	JS	Acetona Normal Saline	3MM Whatman 3MM Whatman	550 2		14 231	0	pH (Low/Actual/High)	96,659 %	Pass 3,80 <= 5,00 <= 7,50
Límpido/Incolor													
FITATO-99mTc Lot # K-20210720-005		20/07/2021	03:20	FN	Butanona	3MM Whatman	468		2	0	pH (Low/Actual/High)	99,574 %	Pass 5,00 <= 7,00 <= 7,00
Límpido/Incolor													
FITATO-99mTc Lot # K-20210720-023		20/07/2021	07:31	FN	Butanona	3MM Whatman	211		1	0	pH (Low/Actual/High)	99,528 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210720-007		20/07/2021 03:55 FN	Butanona		3MM	Whatman		191,1		2,4	0		98,76 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210720-008		20/07/2021 03:57 FN	Butanona		3MM	Whatman		185,6		2,2	0		98,829 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210720-009		20/07/2021 03:59 FN	Butanona		3MM	Whatman		173,4		2,6	0		98,523 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210720-010		20/07/2021 04:00 FN	Butanona		3MM	Whatman		201		3	0		98,529 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210720-011		20/07/2021 04:02 FN	Butanona		3MM	Whatman		153,9		3,4	0		97,839 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210720-013		20/07/2021 04:14 FN	Butanona		3MM	Whatman		167,3		2,2	0		98,702 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210720-014		20/07/2021 04:16 FN	Butanona		3MM	Whatman		51,6		1,3	0		97,543 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210720-015		20/07/2021 04:18 FN	Butanona		3MM	Whatman		105,1		1,1	0		98,964 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210720-022		20/07/2021 07:27 FN	Butanona		3MM	Whatman		71,1		0,5	0		99,302 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210720-035		20/07/2021 10:26 JS	Butanona		3MM	Whatman		142		2	0		98,611 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210720-036		20/07/2021 10:27 JS	Butanona		3MM	Whatman		169,3		1,7	0		99,006 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210720-037		20/07/2021 10:29 JS	Butanona		3MM	Whatman		405		4	0		99,022 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210720-038		20/07/2021 10:36 JS	Butanona		3MM	Whatman		216		2	0		99,083 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210720-039		20/07/2021 10:40 JS	Butanona		3MM	Whatman		245		4	0		98,394 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210720-040		20/07/2021 10:42 JS	Butanona		3MM	Whatman		65,4		1,7	0		97,466 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210720-041		20/07/2021 10:46 JS	Butanona		3MM	Whatman		226		1	0		99,559 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210720-045		20/07/2021 11:06 JS	Butanona		3MM	Whatman		60		0,8	0		98,684 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210720-047		20/07/2021 11:40 JS	Butanona		3MM	Whatman		67		3	0		95,714 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MDP-99mTc Lot # K-20210720-004		20/07/2021 03:03 FN	Acetona		3MM	Whatman		960		2	0		99,588 %	Pass
			Normal Saline		3MM	Whatman		2		978		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20210720-021		20/07/2021 07:24 FN	Acetona		3MM	Whatman		843,1		1	0		99,583 %	Pass
			Normal Saline		3MM	Whatman		2		667		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20210720-027		20/07/2021 08:27 FN	Acetona		3MM	Whatman		683		1	0		97,921 %	Pass
			Normal Saline		3MM	Whatman		12		609		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20210720-046		20/07/2021 11:09 JS	Acetona		3MM	Whatman		457		3	0		98,553 %	Pass
			Normal Saline		3MM	Whatman		1		124,8		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
												Límpido/Incolor		
MIBI-99mTc Lot # K-20210720-001		20/07/2021 02:52 FN	Normal Saline		Sílica gel			219		2	0		98,607 %	Pass
			Metanol		3MM	Whatman		1		204		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
												Límpido/Incolor		
MIBI-99mTc Lot # K-20210720-002		20/07/2021 02:55 FN	Normal Saline		Sílica gel			1875		25	0		98,242 %	Pass
			Metanol		3MM	Whatman		1		225		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
												Límpido/Incolor		
MIBI-99mTc Lot # K-20210720-003		20/07/2021 02:56 FN	Normal Saline		Sílica gel			1641		20	0		98,016 %	Pass
			Metanol		3MM	Whatman		12		1526		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
												Límpido/Incolor		
MIBI-99mTc Lot # K-20210720-006		20/07/2021 03:48 FN	Normal Saline		Sílica gel			1801		11	0		98,791 %	Pass
			Metanol		3MM	Whatman		12		1983		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
												Límpido/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210720-017	20/07/2021	04:25 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1294 20		1 1596	0	pH (Low/Actual/High)	98,685 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210720-018	20/07/2021	06:51 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1810 2		12 209	0	pH (Low/Actual/High)	98,394 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210720-019	20/07/2021	06:59 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1067 5		20 1845	0	pH (Low/Actual/High)	97,89 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210720-028	20/07/2021	09:28 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			902 12		20 839	0	pH (Low/Actual/High)	96,421 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210720-029	20/07/2021	09:37 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1834 12		20 1754	0	pH (Low/Actual/High)	98,242 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210720-031	20/07/2021	10:05 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			763 12		3 784	0	pH (Low/Actual/High)	98,101 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210720-044	20/07/2021	10:56 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			456 1		5 234	0	pH (Low/Actual/High)	98,49 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20210720-030	20/07/2021	09:54 FN	Acetato de amônio 1M:Metanol		Sílica gel			0,2		24,4	0	pH (Low/Actual/High)	99,187 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20210720-049	20/07/2021	15:48 JS	Acetato de amônio 1M:Metanol		Sílica gel			0,2		46,3	0	pH (Low/Actual/High)	99,57 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210720-001	20/07/2021	02:50 FN	Butanona		3MM Whatman			2		530	0	pH (Low/Actual/High)	99,624 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210720-002	20/07/2021	02:51 FN	Butanona		3MM Whatman			1		928	0	pH (Low/Actual/High)	99,892 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210720-003	20/07/2021	02:52 FN	Butanona		3MM Whatman			1		483	0	pH (Low/Actual/High)	99,793 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210720-004	20/07/2021	03:00 FN	Butanona		3MM Whatman			2		439	0	pH (Low/Actual/High)	99,546 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210720-005		20/07/2021 03:17 FN	Butanona		3MM	Whatman		2		549	0		99,637 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210720-006		20/07/2021 03:41 FN	Butanona		3MM	Whatman		2		165	0		98,802 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210720-007		20/07/2021 03:53 FN	Butanona		3MM	Whatman		2		772	0		99,742 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210720-008		20/07/2021 04:18 FN	Butanona		3MM	Whatman		3		335	0		99,112 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210720-009		20/07/2021 04:22 FN	Butanona		3MM	Whatman		3		489	0		99,39 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210720-010		20/07/2021 06:48 FN	Butanona		3MM	Whatman		2		640	0		99,688 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210720-011		20/07/2021 06:56 FN	Butanona		3MM	Whatman		2		1554	0		99,871 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210720-013		20/07/2021 07:19 FN	Butanona		3MM	Whatman		2		356	0		99,441 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210720-014		20/07/2021 07:28 FN	Butanona		3MM	Whatman		1		394	0		99,747 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20210720-015		20/07/2021 07:33 FN	Butanona		3MM	Whatman		2		350	0		99,432 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210720-016		20/07/2021 07:59 FN	Butanona		3MM	Whatman		2		431	0		99,538 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210720-017		20/07/2021 09:25 FN	Butanona		3MM	Whatman		1		281	0		99,645 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210720-018		20/07/2021 09:30 FN	Butanona		3MM	Whatman		1		330	0		99,698 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210720-020		20/07/2021 10:02	FN	Butanona		3MM Whatman		2		386	0		99,485 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210720-021		20/07/2021 10:08	JS	Butanona		3MM Whatman		4		779	0		99,489 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210720-022		20/07/2021 10:53	JS	Butanona		3MM Whatman		1		353	0		99,718 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210720-023		20/07/2021 11:03	JS	Butanona		3MM Whatman		3		719	0		99,584 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
TRODAT-99mTc Lot # K-20210720-032		20/07/2021 10:15	JS	Normal Saline		Sílica gel		72		2	0		96,262 %	Pass
				Butanona		3MM Whatman		0,9		86	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210720-033		20/07/2021 10:16	JS	Normal Saline		Sílica gel		32		1,4	0		94,142 %	Pass
				Butanona		3MM Whatman		1		59	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210720-034		20/07/2021 10:20	JS	Normal Saline		Sílica gel		122		3	0		95,91 %	Pass
				Butanona		3MM Whatman		6		349	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor