



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 21/07/2021 To 21/07/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210721-019		21/07/2021	07:50	PP	Butanona Normal Saline	3MM Whatman Sílica gel	297 6,2		5 135,2	0	pH (Low/Actual/High)	93,96 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210721-020		21/07/2021	07:51	PP	Butanona Normal Saline	3MM Whatman Sílica gel	150 5,2		3 148,2	0	pH (Low/Actual/High)	94,649 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210721-021		21/07/2021	07:52	PP	Butanona Normal Saline	3MM Whatman Sílica gel	218 8,5		2 113,4	0	pH (Low/Actual/High)	92,118 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210721-040		21/07/2021	10:45	JS	Butanona Normal Saline	3MM Whatman Sílica gel	242 1		1 219	0	pH (Low/Actual/High)	99,134 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210721-041		21/07/2021	10:47	JS	Butanona Normal Saline	3MM Whatman Sílica gel	181 0,8		2 137	0	pH (Low/Actual/High)	98,327 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20210721-015		21/07/2021	07:05	BB	Citrato de Sódio 0,1M	Sílica gel	12,1		0,2	0	pH (Low/Actual/High)	98,374 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210721-025		21/07/2021	08:04	PP	Citrato de Sódio 0,1M	Sílica gel	37,7		0,1	0	pH (Low/Actual/High)	99,735 %	Pass 4,00 <= 6,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210721-032		21/07/2021	10:02	JS	Citrato de Sódio 0,1M	Sílica gel	45,9		0,2	0	pH (Low/Actual/High)	99,566 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210721-043		21/07/2021	10:55	JS	Citrato de Sódio 0,1M	Sílica gel	19,9		0,2	0	pH (Low/Actual/High)	99,005 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210721-051		21/07/2021	16:07	JS	Citrato de Sódio 0,1M	Sílica gel	26,3		0,3	0	pH (Low/Actual/High)	98,872 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20210721-009	RPH	21/07/2021	03:57	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	423 6		20 411	0	pH (Low/Actual/High)	94,046 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20210721-028	RPH	21/07/2021 08:14	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman			256 7		3 300	0	pH (Low/Actual/High)	96,562 %	Pass 3,80 <= 6,00 <= 7,50
							Límpido/Incolor							
DTPA-99mTc Lot # K-20210721-042	RPH	21/07/2021 10:48	JS	Acetona Normal Saline	3MM Whatman 3MM Whatman			590 1		1 542	0	pH (Low/Actual/High)	99,647 %	Pass 3,80 <= 6,00 <= 7,50
							Límpido/Incolor							
FITATO-99mTc Lot # K-20210721-006		21/07/2021 03:36	FN	Butanona	3MM Whatman			359		2	0	pH (Low/Actual/High)	99,446 %	Pass 5,00 <= 6,00 <= 7,00
							Límpido/Incolor							
FITATO-99mTc Lot # K-20210721-022		21/07/2021 07:54	PP	Butanona	3MM Whatman			372		1	0	pH (Low/Actual/High)	99,732 %	Pass 5,00 <= 6,00 <= 7,00
							Límpido/Incolor							
MAA-99mTc Lot # K-20210721-007		21/07/2021 03:36	FN	Butanona	3MM Whatman			154,9		2,1	0	pH (Low/Actual/High)	98,662 %	Pass 3,00 <= 6,00 <= 6,00
							Turvo/Incolor							
MAA-99mTc Lot # K-20210721-008		21/07/2021 03:40	FN	Butanona	3MM Whatman			98,1		2,3	0	pH (Low/Actual/High)	97,709 %	Pass 3,00 <= 5,00 <= 6,00
							Turvo/Incolor							
MAA-99mTc Lot # K-20210721-026		21/07/2021 08:09	PP	Butanona	3MM Whatman			237		3	0	pH (Low/Actual/High)	98,75 %	Pass 3,00 <= 6,00 <= 6,00
							Turvo/Incolor							
MAA-99mTc Lot # K-20210721-027		21/07/2021 08:11	PP	Butanona	3MM Whatman			185		7	0	pH (Low/Actual/High)	96,354 %	Pass 3,00 <= 6,00 <= 6,00
							Turvo/Incolor							
MAA-99mTc Lot # K-20210721-035		21/07/2021 10:37	JS	Butanona	3MM Whatman			158		2	0	pH (Low/Actual/High)	98,75 %	Pass 3,00 <= 5,00 <= 6,00
							Turvo/Incolor							
MAA-99mTc Lot # K-20210721-036		21/07/2021 10:39	JS	Butanona	3MM Whatman			121		2	0	pH (Low/Actual/High)	98,374 %	Pass 3,00 <= 5,00 <= 6,00
							Turvo/Incolor							
MAA-99mTc Lot # K-20210721-037		21/07/2021 10:39	JS	Butanona	3MM Whatman			111		2	0	pH (Low/Actual/High)	98,23 %	Pass 3,00 <= 5,00 <= 6,00
							Turvo/Incolor							
MAA-99mTc Lot # K-20210721-038		21/07/2021 10:41	JS	Butanona	3MM Whatman			115		0,9	0	pH (Low/Actual/High)	99,223 %	Pass 3,00 <= 5,00 <= 6,00
							Turvo/Incolor							
MAA-99mTc Lot # K-20210721-039		21/07/2021 10:42	JS	Butanona	3MM Whatman			198		1,4	0	pH (Low/Actual/High)	99,298 %	Pass 3,00 <= 5,00 <= 6,00
							Turvo/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210721-044		21/07/2021 11:07	WG	Butanona		3MM Whatman		223		3	0	98,673 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20210721-012		21/07/2021 04:20	FN	Acetona		3MM Whatman		603		2	0	99,516 %	Pass	
				Normal Saline		3MM Whatman		1		652		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210721-013		21/07/2021 04:27	FN	Acetona		3MM Whatman		698		1	0	98,077 %	Pass	
				Normal Saline		3MM Whatman		12		662		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210721-023		21/07/2021 07:59	PP	Acetona		3MM Whatman		971		3	0	98,552 %	Pass	
				Normal Saline		3MM Whatman		11		954		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210721-029		21/07/2021 08:16	PP	Acetona		3MM Whatman		548		3	0	97,473 %	Pass	
				Normal Saline		3MM Whatman		7		346		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210721-034		21/07/2021 10:21	JS	Acetona		3MM Whatman		675		1	0	99,726 %	Pass	
				Normal Saline		3MM Whatman		1		794		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210721-045		21/07/2021 11:10	WG	Acetona		3MM Whatman		528		6	0	97,881 %	Pass	
				Normal Saline		3MM Whatman		4		398		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210721-049		21/07/2021 11:55	FN	Acetona		3MM Whatman		867		6	0	99,162 %	Pass	
				Normal Saline		3MM Whatman		1		664		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MIBI-99mTc Lot # K-20210721-001		21/07/2021 02:22	FN	Normal Saline		Sílica gel		1473		20	0	97,939 %	Pass	
				Metanol		3MM Whatman		12		1651		pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210721-002		21/07/2021 02:23	FN	Normal Saline		Sílica gel		1296		20	0	98,222 %	Pass	
				Metanol		3MM Whatman		4		1542		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210721-003		21/07/2021 03:20	FN	Normal Saline		Sílica gel		1411		20	0	97,821 %	Pass	
				Metanol		3MM Whatman		12		1524		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210721-004		21/07/2021 03:21	FN	Normal Saline		Sílica gel		928		20	0	96,94 %	Pass	
				Metanol		3MM Whatman		12		1251		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210721-005		21/07/2021 03:32	FN	Normal Saline		Sílica gel		1614		20	0	98,646 %	Pass	
				Metanol		3MM Whatman		2		1535		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210721-010		21/07/2021 04:03 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1557 2		20 1448	0 pH (Low/Actual/High)	98,594 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210721-011		21/07/2021 04:09 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1110 2		13 915	0 pH (Low/Actual/High)	98,624 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210721-014		21/07/2021 06:58 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1405 18		25 1982	0 pH (Low/Actual/High)	97,352 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210721-016		21/07/2021 07:15 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			977 6		10 953	0 pH (Low/Actual/High)	98,361 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210721-018		21/07/2021 07:41 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1301 4		5 990	0 pH (Low/Actual/High)	99,215 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210721-024		21/07/2021 08:03 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1105 41		20 1260	0 pH (Low/Actual/High)	95,071 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210721-030		21/07/2021 09:53 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			856 3		10 503	0 pH (Low/Actual/High)	98,252 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210721-031		21/07/2021 09:58 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			709 2		20 632	0 pH (Low/Actual/High)	96,941 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210721-033		21/07/2021 10:14 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			373 14		11 350	0 pH (Low/Actual/High)	93,289 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210721-046		21/07/2021 11:31 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			429 1		2 437	0 pH (Low/Actual/High)	99,308 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210721-047		21/07/2021 11:37 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			890 3		6 607	0 pH (Low/Actual/High)	98,839 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210721-048		21/07/2021 11:49 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			453 3		2 488	0 pH (Low/Actual/High)	98,949 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20210721-017		21/07/2021 07:24 PP	Butanona Normal Saline		3MM Whatman 3MM Whatman			340 11		3 244	0 pH (Low/Actual/High)	94,812 %	Pass	5,00 <= 6,00 <= 7,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PSMA-68Ga Lot # K-20210721-050	21/07/2021	13:17	JS	Acetato de amônio 1M:Metanol	Sílica gel			0,2		23,6	0		99,16 %	Pass
												pH (Low/Actual/High)	4,00 <= 5,00	<= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-001	21/07/2021	02:17	FN	Butanona		3MM Whatman		1		344	0		99,71 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-002	21/07/2021	02:17	FN	Butanona		3MM Whatman		1		377	0		99,735 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-003	21/07/2021	03:16	FN	Butanona		3MM Whatman		2		197	0		98,995 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-004	21/07/2021	03:16	FN	Butanona		3MM Whatman		2		595	0		99,665 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-005	21/07/2021	03:30	FN	Butanona		3MM Whatman		1		227	0		99,561 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-006	21/07/2021	03:34	FN	Butanona		3MM Whatman		1		453	0		99,78 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-007	21/07/2021	03:55	FN	Butanona		3MM Whatman		2		427	0		99,534 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-008	21/07/2021	04:00	FN	Butanona		3MM Whatman		2		277	0		99,283 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-009	21/07/2021	04:06	FN	Butanona		3MM Whatman		2		304	0		99,346 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-010	21/07/2021	04:16	FN	Butanona		3MM Whatman		2		106	0		98,148 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-011	21/07/2021	04:25	FN	Butanona		3MM Whatman		2		519	0		99,616 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-012	21/07/2021	06:55	PP	Butanona		3MM Whatman		1		489	0		99,796 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210721-014		21/07/2021 07:12	PP	Butanona		3MM Whatman		60		1473	0	96,086 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-015		21/07/2021 07:21	PP	Butanona		3MM Whatman		37		1885	0	98,075 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-016		21/07/2021 07:36	PP	Butanona		3MM Whatman		1		467	0	99,786 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-017		21/07/2021 07:46	PP	Butanona		3MM Whatman		1		97	0	98,98 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-018		21/07/2021 07:54	PP	Butanona		3MM Whatman		4		401	0	99,012 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-019		21/07/2021 08:01	PP	Butanona		3MM Whatman		1		69	0	98,571 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-021		21/07/2021 08:07	PP	Butanona		3MM Whatman		0,1		91,4	0	99,891 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-022		21/07/2021 09:50	JS	Butanona		3MM Whatman		2		256	0	99,225 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-023		21/07/2021 09:55	JS	Butanona		3MM Whatman		1		352	0	99,717 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-025		21/07/2021 10:11	JS	Butanona		3MM Whatman		2		99,7	0	98,033 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-026		21/07/2021 10:18	JS	Butanona		3MM Whatman		7		368	0	98,133 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-028		21/07/2021 10:31	JS	Butanona		3MM Whatman		2		729	0	99,726 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-027		21/07/2021 10:31	JS	Butanona		3MM Whatman		1		395	0	99,747 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210721-030		21/07/2021 11:05	JS	Butanona		3MM Whatman		3		200	0		98,522 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-031		21/07/2021 11:25	WG	Butanona		3MM Whatman		2		826	0		99,758 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-032		21/07/2021 11:29	WG	Butanona		3MM Whatman		1		738	0		99,865 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-033		21/07/2021 11:29	FN	Butanona		3MM Whatman		2		287	0		99,308 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-034		21/07/2021 11:45	FN	Butanona		3MM Whatman		1		163,4	0		99,392 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-035		21/07/2021 11:47	FN	Butanona		3MM Whatman		1		497	0		99,799 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210721-036		21/07/2021 11:52	FN	Butanona		3MM Whatman		1		196	0		99,492 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor