



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10
 R: Maestro Cardim, 769 - São Paulo/SP
 Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 22/07/2021 To 22/07/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210722-023		22/07/2021	07:37	FN	Butanona Normal Saline	3MM Whatman Sílica gel	256 12		2 234	0	pH (Low/Actual/High)	94,347 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210722-025		22/07/2021	07:43	FN	Butanona Normal Saline	3MM Whatman Sílica gel	154,2 6,1		0,3 122,1	0	pH (Low/Actual/High)	95,048 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210722-026		22/07/2021	07:45	FN	Butanona Normal Saline	3MM Whatman Sílica gel	190,2 7		0,1 176,1	0	pH (Low/Actual/High)	96,124 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210722-027		22/07/2021	08:03	FN	Butanona Normal Saline	3MM Whatman Sílica gel	128,6 6		1,7 107,7	0	pH (Low/Actual/High)	93,418 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210722-039		22/07/2021	10:43	FN	Butanona Normal Saline	3MM Whatman Sílica gel	175,8 1		1,2 205	0	pH (Low/Actual/High)	98,837 %	Pass
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20210722-016		22/07/2021	07:01	FN	Citrato de Sódio 0,1M	Sílica gel	30,5		0,4	0	pH (Low/Actual/High)	98,706 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210722-052		22/07/2021	13:03	JS	Citrato de Sódio 0,1M	Sílica gel	23,9		0,2	0	pH (Low/Actual/High)	99,17 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210722-054		22/07/2021	16:05	JS	Citrato de Sódio 0,1M	Sílica gel	23,5		0,2	0	pH (Low/Actual/High)	99,156 %	Pass
Límpido e Incolor													
DTPA-99mTc Lot # K-20210722-004	RPH	22/07/2021	03:25	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	298 2		6 313	0	pH (Low/Actual/High)	97,391 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210722-021	RPH	22/07/2021	07:30	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	423 12		13 348	0	pH (Low/Actual/High)	93,685 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210722-038	RPH	22/07/2021	10:38	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	396 6		8 398	0	pH (Low/Actual/High)	96,535 %	Pass
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20210722-006	22/07/2021	03:39 FN	Butanona		3MM	Whatman		798		1	0	99,875 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00	
											Límpido/Incolor			
FITATO-99mTc Lot # K-20210722-022	22/07/2021	07:33 FN	Butanona		3MM	Whatman		802		1	0	99,875 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00	
											Límpido/Incolor			
MAA-99mTc Lot # K-20210722-007	22/07/2021	03:42 FN	Butanona		3MM	Whatman		191,5		2,3	0	98,813 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210722-008	22/07/2021	03:54 FN	Butanona		3MM	Whatman		135,3		3,1	0	97,76 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210722-009	22/07/2021	03:57 FN	Butanona		3MM	Whatman		121,2		2,2	0	98,217 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210722-010	22/07/2021	03:59 FN	Butanona		3MM	Whatman		85,3		0,3	0	99,65 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210722-011	22/07/2021	04:02 FN	Butanona		3MM	Whatman		199		2	0	99,005 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210722-024	22/07/2021	07:40 FN	Butanona		3MM	Whatman		117,8		1,1	0	99,075 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210722-029	22/07/2021	08:27 FN	Butanona		3MM	Whatman		54,7		1,2	0	97,853 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210722-041	22/07/2021	10:52 FN	Butanona		3MM	Whatman		134,9		1,2	0	99,118 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210722-042	22/07/2021	10:57 FN	Butanona		3MM	Whatman		178,3		1,3	0	99,276 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210722-043	22/07/2021	11:02 WG	Butanona		3MM	Whatman		123,5		2,2	0	98,25 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210722-044	22/07/2021	11:05 WG	Butanona		3MM	Whatman		208		2	0	99,048 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210722-047		22/07/2021 11:19	WG	Butanona		3MM Whatman		197,4		4,2	0		97,917 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20210722-012		22/07/2021 04:07	FN	Acetona		3MM Whatman		1012		1	0		96,258 %	Pass
				Normal Saline		3MM Whatman		20		529		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210722-014		22/07/2021 04:13	FN	Acetona		3MM Whatman		1300		12	0		98,838 %	Pass
				Normal Saline		3MM Whatman		3		1208		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210722-015		22/07/2021 04:16	FN	Acetona		3MM Whatman		823		22	0		97,215 %	Pass
				Normal Saline		3MM Whatman		2		1102		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210722-019		22/07/2021 07:20	FN	Acetona		3MM Whatman		738		2	0		98,966 %	Pass
				Normal Saline		3MM Whatman		5		650		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210722-048		22/07/2021 11:35	WG	Acetona		3MM Whatman		659		1	0		98,985 %	Pass
				Normal Saline		3MM Whatman		4		459		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210722-049		22/07/2021 11:42	WG	Acetona		3MM Whatman		849		11	0		97,926 %	Pass
				Normal Saline		3MM Whatman		6		749		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MIBI-99mTc Lot # K-20210722-001		22/07/2021 03:03	FN	Normal Saline		Sílica gel		1155		20	0		98,158 %	Pass
				Metanol		3MM Whatman		2		1431		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210722-002		22/07/2021 03:03	FN	Normal Saline		Sílica gel		1010		20	0		97,726 %	Pass
				Metanol		3MM Whatman		4		1201		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210722-003		22/07/2021 03:10	FN	Normal Saline		Sílica gel		670		10	0		97,86 %	Pass
				Metanol		3MM Whatman		5		742		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210722-005		22/07/2021 03:34	FN	Normal Saline		Sílica gel		883		12	0		98,505 %	Pass
				Metanol		3MM Whatman		1		648		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210722-013		22/07/2021 04:10	FN	Normal Saline		Sílica gel		704		10	0		97,018 %	Pass
				Metanol		3MM Whatman		12		747		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210722-017		22/07/2021 07:08	FN	Normal Saline		Sílica gel		671		12	0		97,702 %	Pass
				Metanol		3MM Whatman		6		1102		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210722-018	22/07/2021	07:10 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1293 5		20 1074	0	pH (Low/Actual/High)	98,013 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210722-028	22/07/2021	08:15 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			538 4		10 690	0	pH (Low/Actual/High)	97,599 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210722-035	22/07/2021	10:30 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1089 8		5 1096	0	pH (Low/Actual/High)	98,818 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210722-040	22/07/2021	10:48 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			583 4		8 720	0	pH (Low/Actual/High)	98,094 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210722-045	22/07/2021	11:09 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			199 3		6 335	0	pH (Low/Actual/High)	96,186 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210722-046	22/07/2021	11:12 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			642 1		4 728	0	pH (Low/Actual/High)	99,244 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210722-050	22/07/2021	12:31 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			278 5,4		8 180,3	0	pH (Low/Actual/High)	94,295 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210722-051	22/07/2021	12:55 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			225 3		1 250	0	pH (Low/Actual/High)	98,372 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210722-053	22/07/2021	15:25 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			187,5 2		0,3 307	0	pH (Low/Actual/High)	99,193 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
PIRO-99mTc Lot # K-20210722-020	22/07/2021	07:26 FN	Butanona Normal Saline		3MM Whatman 3MM Whatman			727 12		2 468	0	pH (Low/Actual/High)	97,226 %	Pass 5,00 <= 6,00 <= 7,00
							Límpido/Incolor							
PSMA-68Ga Lot # K-20210722-030	22/07/2021	09:57 JS	Acetato de amônio 1M:Metanol		Sílica gel			0,2		23,9	0	pH (Low/Actual/High)	99,17 %	Pass 4,00 <= 5,00 <= 8,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20210722-001	22/07/2021	03:00 FN	Butanona		3MM Whatman			1		289	0	pH (Low/Actual/High)	99,655 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20210722-002	22/07/2021	03:00 FN	Butanona		3MM Whatman			2		208	0	pH (Low/Actual/High)	99,048 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210722-003	22/07/2021	03:05	FN	Butanona		3MM Whatman		1		485	0	99,794 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210722-004	22/07/2021	03:07	FN	Butanona		3MM Whatman		1		552	0	99,819 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210722-005	22/07/2021	03:23	FN	Butanona		3MM Whatman		1		365	0	99,727 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210722-006	22/07/2021	03:30	FN	Butanona		3MM Whatman		2		238	0	99,167 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210722-007	22/07/2021	03:37	FN	Butanona		3MM Whatman		1		362	0	99,725 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210722-008	22/07/2021	03:52	FN	Butanona		3MM Whatman		1		445	0	99,776 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210722-009	22/07/2021	04:01	FN	Butanona		3MM Whatman		2		214	0	99,074 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210722-010	22/07/2021	04:08	FN	Butanona		3MM Whatman		2		305	0	99,349 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210722-011	22/07/2021	04:11	FN	Butanona		3MM Whatman		1		229	0	99,565 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210722-013	22/07/2021	07:04	FN	Butanona		3MM Whatman		1		347	0	99,713 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210722-014	22/07/2021	07:08	FN	Butanona		3MM Whatman		1		300	0	99,668 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210722-015	22/07/2021	07:17	FN	Butanona		3MM Whatman		1		265	0	99,624 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210722-016	22/07/2021	07:21	FN	Butanona		3MM Whatman		1		149	0	99,333 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210722-017		22/07/2021 07:41 FN	Butanona		3MM	Whatman		2		251	0		99,209 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210722-018		22/07/2021 08:13 FN	Butanona		3MM	Whatman		1,1		97,9	0		98,889 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210722-020		22/07/2021 10:16 FN	Butanona		3MM	Whatman		1		165	0		99,398 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210722-021		22/07/2021 10:18 FN	Butanona		3MM	Whatman		2		480	0		99,585 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210722-022		22/07/2021 10:19 FN	Butanona		3MM	Whatman		2		779	0		99,744 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210722-023		22/07/2021 10:43 FN	Butanona		3MM	Whatman		2		237	0		99,163 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210722-024		22/07/2021 10:45 FN	Butanona		3MM	Whatman		2		161	0		98,773 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210722-025		22/07/2021 11:06 FN	Butanona		3MM	Whatman		2		128	0		98,462 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210722-026		22/07/2021 11:10 FN	Butanona		3MM	Whatman		1		243	0		99,59 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210722-027		22/07/2021 11:16 WG	Butanona		3MM	Whatman		6		407	0		98,547 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210722-028		22/07/2021 11:32 WG	Butanona		3MM	Whatman		1		328	0		99,696 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210722-029		22/07/2021 11:39 WG	Butanona		3MM	Whatman		6		380	0		98,446 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210722-030		22/07/2021 12:00 JS	Butanona		3MM	Whatman		9		353	0		97,514 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210722-031		22/07/2021 12:28	WG	Butanona		3MM Whatman		1		260	0	99,617 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210722-032		22/07/2021 12:38	WG	Butanona		3MM Whatman		1		321	0	99,689 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210722-033		22/07/2021 12:52	JS	Butanona		3MM Whatman		5		265	0	98,148 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210722-035		22/07/2021 15:11	WG	Butanona		3MM Whatman		1		306	0	99,674 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
TRODAT-99mTc Lot # K-20210722-031		22/07/2021 10:26	WG	Normal Saline		Sílica gel		174,3		1,3	0	97,817 %	Pass	
				Butanona		3MM Whatman		2,4		163,9	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210722-032		22/07/2021 10:27	WG	Normal Saline		Sílica gel		112,6		2	0	97,152 %	Pass	
				Butanona		3MM Whatman		1		89,7	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210722-033		22/07/2021 10:28	WG	Normal Saline		Sílica gel		166,8		4	0	95,027 %	Pass	
				Butanona		3MM Whatman		5		185	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210722-034		22/07/2021 10:29	WG	Normal Saline		Sílica gel		179,8		5	0	96,735 %	Pass	
				Butanona		3MM Whatman		0,8		142,2	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210722-036		22/07/2021 10:31	WG	Normal Saline		Sílica gel		262		4	0	98,145 %	Pass	
				Butanona		3MM Whatman		1		284	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210722-037		22/07/2021 10:32	WG	Normal Saline		Sílica gel		124,2		4	0	95,492 %	Pass	
				Butanona		3MM Whatman		1,7		120,8	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor