



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 27/07/2021 To 27/07/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210727-010		27/07/2021	04:25	FN	Butanona Normal Saline	3MM Whatman Sílica gel	153,1 3		1,5 121,8	0 pH (Low/Actual/High)		96,626 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210727-028		27/07/2021	07:33	JS	Butanona Normal Saline	3MM Whatman Sílica gel	161,7 6,5		1,5 126,4	0 pH (Low/Actual/High)		94,19 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210727-029		27/07/2021	07:51	JS	Butanona Normal Saline	3MM Whatman Sílica gel	122 1,3		1,8 86,6	0 pH (Low/Actual/High)		97,067 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20210727-022		27/07/2021	07:02	JS	Citrato de Sódio 0,1M	Sílica gel	41,5		0,2	0 pH (Low/Actual/High)		99,52 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210727-057		27/07/2021	12:54	PL	Citrato de Sódio 0,1M	Sílica gel	17		0	0 pH (Low/Actual/High)		100,00 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20210727-009	RPH	27/07/2021	03:33	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	69,1 0,6		4 75,1	0 pH (Low/Actual/High)		93,735 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210727-013	RPH	27/07/2021	04:40	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	480 12		1 465	0 pH (Low/Actual/High)		97,276 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210727-027	RPH	27/07/2021	07:25	JS	Acetona Normal Saline	3MM Whatman 3MM Whatman	858 15		24 325	0 pH (Low/Actual/High)		92,867 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210727-041	RPH	27/07/2021	09:25	LG	Acetona Normal Saline	3MM Whatman 3MM Whatman	100,1 6		1,5 161	0 pH (Low/Actual/High)		94,931 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
FITATO-99mTc Lot # K-20210727-008		27/07/2021	03:31	FN	Butanona	3MM Whatman	217		2	0 pH (Low/Actual/High)		99,087 %	Pass 5,00 <= 6,00 <= 7,00
						Límpido/Incolor							
FITATO-99mTc Lot # K-20210727-026		27/07/2021	07:23	JS	Butanona	3MM Whatman	406		3	0 pH (Low/Actual/High)		99,267 %	Pass 5,00 <= 6,00 <= 7,00
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210727-014		27/07/2021 04:42 FN	Butanona		3MM	Whatman		56,4		1,2	0	97,917 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210727-015		27/07/2021 04:43 FN	Butanona		3MM	Whatman		185,1		2,2	0	98,825 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210727-016		27/07/2021 04:46 FN	Butanona		3MM	Whatman		224		2	0	99,115 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210727-017		27/07/2021 04:47 FN	Butanona		3MM	Whatman		165,7		2	0	98,807 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210727-018		27/07/2021 04:48 FN	Butanona		3MM	Whatman		160		2	0	98,765 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210727-019		27/07/2021 04:51 FN	Butanona		3MM	Whatman		66,9		1,3	0	98,094 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210727-020		27/07/2021 04:54 FN	Butanona		3MM	Whatman		164,4		3	0	98,208 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210727-030		27/07/2021 07:52 JS	Butanona		3MM	Whatman		110,7		2,9	0	97,447 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210727-031		27/07/2021 08:40 LG	Butanona		3MM	Whatman		147,5		0,5	0	99,662 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210727-032		27/07/2021 08:43 LG	Butanona		3MM	Whatman		194		4	0	97,98 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210727-033		27/07/2021 08:46 LG	Butanona		3MM	Whatman		61		3	0	95,313 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210727-034		27/07/2021 08:49 LG	Butanona		3MM	Whatman		111		1	0	99,107 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210727-035		27/07/2021 08:53 LG	Butanona		3MM	Whatman		117		1	0	99,153 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210727-048		27/07/2021 10:31	WG	Butanona		3MM Whatman		369		3	0	99,194 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210727-049		27/07/2021 10:34	WG	Butanona		3MM Whatman		302		1	0	99,67 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210727-050		27/07/2021 10:36	WG	Butanona		3MM Whatman		127,7		1,6	0	98,763 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210727-051		27/07/2021 10:38	WG	Butanona		3MM Whatman		228		3	0	98,701 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210727-052		27/07/2021 11:03	WG	Butanona		3MM Whatman		212		1	0	99,531 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210727-053		27/07/2021 11:38	WG	Butanona		3MM Whatman		480		5	0	98,969 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210727-054		27/07/2021 11:38	WG	Butanona		3MM Whatman		171,9		2	0	98,85 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210727-055		27/07/2021 11:45	WG	Butanona		3MM Whatman		598		6	0	99,007 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MDP-99mTc Lot # K-20210727-007		27/07/2021 03:28	FN	Acetona		3MM Whatman		928		2	0	97,902 %	Pass	
				Normal Saline		3MM Whatman		5	260,5		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20210727-012		27/07/2021 04:28	FN	Acetona		3MM Whatman		163,4		1	0	97,699 %	Pass	
				Normal Saline		3MM Whatman		12	697		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20210727-023		27/07/2021 07:01	JS	Acetona		3MM Whatman		730		7	0	98,466 %	Pass	
				Normal Saline		3MM Whatman		7	1191		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20210727-039		27/07/2021 09:14	LG	Acetona		3MM Whatman		375		3	0	94,46 %	Pass	
				Normal Saline		3MM Whatman		29	582		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
											Límpido/Incolor			
MIBI-99mTc Lot # K-20210727-001		27/07/2021 01:35	FN	Normal Saline		Sílica gel		230		5	0	96,448 %	Pass	
				Metanol		3MM Whatman		5	346		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210727-002		27/07/2021 01:36 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			128,5 12		1,2 254	0	pH (Low/Actual/High)	94,564 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210727-003		27/07/2021 01:47 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			143 2,3		5 157,7	0	pH (Low/Actual/High)	95,184 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210727-004		27/07/2021 02:43 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			994 12		20 1412	0	pH (Low/Actual/High)	97,185 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210727-006		27/07/2021 02:44 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			216 12		2 1641	0	pH (Low/Actual/High)	98,357 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210727-005		27/07/2021 02:44 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1434 12		20 1436	0	pH (Low/Actual/High)	97,796 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210727-021		27/07/2021 07:01 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			568 22		14 1009	0	pH (Low/Actual/High)	95,461 %	Pass 5,00 <= 5,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210727-024		27/07/2021 07:17 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			228 2		1 275	0	pH (Low/Actual/High)	98,841 %	Pass 5,00 <= 5,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210727-036		27/07/2021 08:54 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			317 4		8 946	0	pH (Low/Actual/High)	97,117 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210727-037		27/07/2021 09:07 LG	Normal Saline Metanol		Sílica gel 3MM Whatman			573 12		8 1112	0	pH (Low/Actual/High)	97,555 %	Pass 5,00 <= 5,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210727-043		27/07/2021 10:12 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			1257 2		5 274	0	pH (Low/Actual/High)	98,879 %	Pass 5,00 <= 5,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210727-047		27/07/2021 10:23 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			551 8		11 603	0	pH (Low/Actual/High)	96,733 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210727-056		27/07/2021 12:00 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			1141 26		9 1732	0	pH (Low/Actual/High)	97,738 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
PIRO-99mTc Lot # K-20210727-011		27/07/2021 04:27 FN	Butanona Normal Saline		3MM Whatman 3MM Whatman			317 5		1 597	0	pH (Low/Actual/High)	98,855 %	Pass 5,00 <= 6,00 <= 7,00
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PIRO-99mTc Lot # K-20210727-025	27/07/2021	07:20	JS	Butanona Normal Saline	3MM	Whatman		238 5		1 123	0	pH (Low/Actual/High)	95,675 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20210727-038	27/07/2021	09:13	LG	Butanona Normal Saline	3MM	Whatman		311 0,9		6 160,9	0	pH (Low/Actual/High)	97,551 %	Pass 5,00 <= 5,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20210727-042	27/07/2021	09:52	LG	Acetato de amônio 1M:Metanol	Sílica gel			0,1		16,3	0	pH (Low/Actual/High)	99,39 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20210727-058	27/07/2021	15:56	JS	Acetato de amônio 1M:Metanol	Sílica gel			0,4		28,2	0	pH (Low/Actual/High)	98,601 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210727-001	27/07/2021	01:31	FN	Butanona	3MM	Whatman		1		337	0	pH (Low/Actual/High)	99,704 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210727-002	27/07/2021	01:31	FN	Butanona	3MM	Whatman		2		176	0	pH (Low/Actual/High)	98,876 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210727-003	27/07/2021	01:44	FN	Butanona	3MM	Whatman		1		264	0	pH (Low/Actual/High)	99,623 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210727-004	27/07/2021	02:38	FN	Butanona	3MM	Whatman		2		1408	0	pH (Low/Actual/High)	99,858 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210727-005	27/07/2021	02:38	FN	Butanona	3MM	Whatman		2		617	0	pH (Low/Actual/High)	99,677 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210727-006	27/07/2021	03:26	FN	Butanona	3MM	Whatman		1		325	0	pH (Low/Actual/High)	99,693 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210727-007	27/07/2021	06:58	JS	Butanona	3MM	Whatman		7		233	0	pH (Low/Actual/High)	97,083 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210727-009	27/07/2021	07:14	JS	Butanona	3MM	Whatman		5		643	0	pH (Low/Actual/High)	99,228 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210727-010	27/07/2021	08:49	LG	Butanona	3MM	Whatman		19		2851	0	pH (Low/Actual/High)	99,338 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210727-011		27/07/2021 09:04	LG	Butanona		3MM Whatman		3,1		96,6	0		96,891 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210727-013		27/07/2021 10:09	LG	Butanona		3MM Whatman		1		116,5	0		99,149 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210727-014		27/07/2021 10:14	JS	Butanona		3MM Whatman		3		1717	0		99,826 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210727-015		27/07/2021 11:32	WG	Butanona		3MM Whatman		91		1987	0		95,621 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
TRODAT-99mTc Lot # K-20210727-044		27/07/2021 10:21	WG	Normal Saline		Sílica gel		76,9		1,4	0		94,263 %	Pass
				Butanona		3MM Whatman		4		97,3	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210727-045		27/07/2021 10:22	WG	Normal Saline		Sílica gel		91,2		0,3	0		98,719 %	Pass
				Butanona		3MM Whatman		1,3		135,1	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210727-046		27/07/2021 10:23	WG	Normal Saline		Sílica gel		86,8		1,5	0		97,067 %	Pass
				Butanona		3MM Whatman		1,9		152	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor