



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 29/07/2021 To 29/07/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210729-014		29/07/2021	04:08	FN	Butanona Normal Saline	3MM Whatman Sílica gel	247 12		2 149,8	0	pH (Low/Actual/High)	91,78 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210729-023		29/07/2021	07:34	FN	Butanona Normal Saline	3MM Whatman Sílica gel	272 6		3 164,4	0	pH (Low/Actual/High)	95,388 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210729-024		29/07/2021	07:36	FN	Butanona Normal Saline	3MM Whatman Sílica gel	442 6		5 119,5	0	pH (Low/Actual/High)	94,101 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210729-025		29/07/2021	07:38	FN	Butanona Normal Saline	3MM Whatman Sílica gel	185,4 5		1,2 167,3	0	pH (Low/Actual/High)	96,455 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210729-027		29/07/2021	08:02	FN	Butanona Normal Saline	3MM Whatman Sílica gel	232 12		1 169,6	0	pH (Low/Actual/High)	92,963 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210729-047		29/07/2021	11:13	WG	Butanona Normal Saline	3MM Whatman Sílica gel	196 1,2		1,9 170	0	pH (Low/Actual/High)	98,339 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20210729-017		29/07/2021	07:02	FN	Citrato de Sódio 0,1M	Sílica gel	26,6		0,2	0	pH (Low/Actual/High)	99,254 %	Pass 4,00 <= 6,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210729-052		29/07/2021	12:49	JS	Citrato de Sódio 0,1M	Sílica gel	23,4		0,1	0	pH (Low/Actual/High)	99,574 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210729-053		29/07/2021	15:47	JS	Citrato de Sódio 0,1M	Sílica gel	10,2		0	0	pH (Low/Actual/High)	100,00 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20210729-005	RPH	29/07/2021	03:10	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	545 2		2 595	0	pH (Low/Actual/High)	99,299 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210729-022	RPH	29/07/2021	07:26	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	1320 5		2 156	0	pH (Low/Actual/High)	96,743 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20210729-030	RPH	29/07/2021 09:25	JS	Acetona Normal Saline	3MM	Whatman		274 20		2 273	0	pH (Low/Actual/High)	92,449 %	Pass 3,00 <= 6,00 <= 7,50
Límpido/Incolor														
FITATO-99mTc Lot # K-20210729-006		29/07/2021 03:14	FN	Butanona	3MM	Whatman		746		1	0	pH (Low/Actual/High)	99,866 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20210729-032		29/07/2021 10:08	WG	Butanona	3MM	Whatman		485		5	0	pH (Low/Actual/High)	98,98 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
MAA-99mTc Lot # K-20210729-011		29/07/2021 03:45	FN	Butanona	3MM	Whatman		124,2		1,4	0	pH (Low/Actual/High)	98,885 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20210729-012		29/07/2021 03:48	FN	Butanona	3MM	Whatman		78,9		4	0	pH (Low/Actual/High)	95,175 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20210729-013		29/07/2021 03:51	FN	Butanona	3MM	Whatman		496		2,3	0	pH (Low/Actual/High)	99,538 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20210729-033		29/07/2021 10:11	WG	Butanona	3MM	Whatman		143,9		0,7	0	pH (Low/Actual/High)	99,516 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20210729-035		29/07/2021 10:13	WG	Butanona	3MM	Whatman		231		8	0	pH (Low/Actual/High)	96,653 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20210729-037		29/07/2021 10:15	WG	Butanona	3MM	Whatman		198		2,4	0	pH (Low/Actual/High)	98,802 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20210729-038		29/07/2021 10:17	WG	Butanona	3MM	Whatman		94,3		1,3	0	pH (Low/Actual/High)	98,64 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MDP-99mTc Lot # K-20210729-007		29/07/2021 03:18	FN	Acetona Normal Saline	3MM	Whatman		388 2		1 370	0	pH (Low/Actual/High)	99,205 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210729-008		29/07/2021 03:37	FN	Acetona Normal Saline	3MM	Whatman		476 2		2 1123	0	pH (Low/Actual/High)	99,404 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210729-009		29/07/2021 03:39	FN	Acetona Normal Saline	3MM	Whatman		334 2		2 390	0	pH (Low/Actual/High)	98,895 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20210729-015		29/07/2021 04:15 FN	Acetona Normal Saline		3MM Whatman 3MM Whatman			1078 5		2 1365	0	pH (Low/Actual/High)	99,45 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210729-021		29/07/2021 07:21 FN	Acetona Normal Saline		3MM Whatman 3MM Whatman			1162 4		2 1465	0	pH (Low/Actual/High)	99,556 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210729-029		29/07/2021 09:18 LG	Acetona Normal Saline		3MM Whatman 3MM Whatman			825 0		1 569	0	pH (Low/Actual/High)	99,879 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20210729-001		29/07/2021 02:35 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1255 1		12 214	0	pH (Low/Actual/High)	98,588 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210729-002		29/07/2021 02:39 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			282 2		2 209	0	pH (Low/Actual/High)	98,348 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210729-003		29/07/2021 02:57 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1978 1		20 238	0	pH (Low/Actual/High)	98,581 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210729-004		29/07/2021 02:58 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			201 10		2 1817	0	pH (Low/Actual/High)	98,467 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210729-016		29/07/2021 04:17 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1124 1		10 1353	0	pH (Low/Actual/High)	99,044 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210729-018		29/07/2021 07:01 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1895 1		12 249	0	pH (Low/Actual/High)	98,971 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210729-019		29/07/2021 07:04 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1161 9		12 881	0	pH (Low/Actual/High)	97,966 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210729-020		29/07/2021 07:06 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1009 4		15 1656	0	pH (Low/Actual/High)	98,294 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210729-026		29/07/2021 07:42 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1130 12		6 1466	0	pH (Low/Actual/High)	98,66 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210729-028		29/07/2021 08:21 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			861 5		13 1250	0	pH (Low/Actual/High)	98,114 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210729-034	29/07/2021	10:09	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			227 1		3 264	0	pH (Low/Actual/High)	98,318 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210729-036	29/07/2021	10:11	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			539 13		5 665	0	pH (Low/Actual/High)	97,163 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210729-039	29/07/2021	10:22	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			754 2		5 720	0	pH (Low/Actual/High)	99,064 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210729-040	29/07/2021	10:29	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			582 1		2 699	0	pH (Low/Actual/High)	99,515 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210729-046	29/07/2021	11:08	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			896 5		9 699	0	pH (Low/Actual/High)	98,295 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210729-048	29/07/2021	11:16	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			722 10		4 700	0	pH (Low/Actual/High)	98,041 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210729-049	29/07/2021	11:28	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			622 1		4 687	0	pH (Low/Actual/High)	99,216 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210729-050	29/07/2021	12:09	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			349 3		0,6 264	0	pH (Low/Actual/High)	98,705 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210729-051	29/07/2021	12:13	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			497 7		3 372	0	pH (Low/Actual/High)	97,553 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
PIRO-99mTc Lot # K-20210729-010	29/07/2021	03:43	FN	Butanona Normal Saline	3MM Whatman 3MM Whatman			578 4		1 630	0	pH (Low/Actual/High)	99,196 %	Pass 5,00 <= 6,00 <= 7,00
														Límpido/Incolor
PSMA-68Ga Lot # K-20210729-031	29/07/2021	09:50	WG	Acetato de amônio 1M:Metanol	Sílica gel			0,1		10,1	0	pH (Low/Actual/High)	99,02 %	Pass 4,00 <= 7,00 <= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210729-001	29/07/2021	02:33	FN	Butanona	3MM Whatman			2		624	0	pH (Low/Actual/High)	99,681 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210729-002	29/07/2021	02:34	FN	Butanona	3MM Whatman			2		378	0	pH (Low/Actual/High)	99,474 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210729-004		29/07/2021 02:53 FN	Butanona		3MM	Whatman		0,4		71,4	0		99,443 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210729-003		29/07/2021 02:53 FN	Butanona		3MM	Whatman		1		48,5	0		97,98 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210729-005		29/07/2021 03:15 FN	Butanona		3MM	Whatman		1		956	0		99,896 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210729-006		29/07/2021 03:35 FN	Butanona		3MM	Whatman		2		301	0		99,34 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210729-007		29/07/2021 04:13 FN	Butanona		3MM	Whatman		2		204	0		99,029 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210729-008		29/07/2021 06:46 FN	Butanona		3MM	Whatman		2		501	0		99,602 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210729-009		29/07/2021 06:58 FN	Butanona		3MM	Whatman		2		549	0		99,637 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210729-010		29/07/2021 07:00 FN	Butanona		3MM	Whatman		1		459	0		99,783 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20210729-012		29/07/2021 07:18 FN	Butanona		3MM	Whatman		0,2		19,9	0		99,005 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210729-013		29/07/2021 07:23 FN	Butanona		3MM	Whatman		2		440	0		99,548 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210729-014		29/07/2021 07:32 FN	Butanona		3MM	Whatman		2		310	0		99,359 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210729-015		29/07/2021 07:40 FN	Butanona		3MM	Whatman		1		305	0		99,673 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210729-016		29/07/2021 08:18 FN	Butanona		3MM	Whatman		2		413	0		99,518 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210729-017		29/07/2021 08:54	BB	Butanona		3MM Whatman		7		1344	0		99,482 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210729-019		29/07/2021 10:06	WG	Butanona		3MM Whatman		2		328	0		99,394 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210729-020		29/07/2021 10:06	WG	Butanona		3MM Whatman		25		750	0		96,774 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210729-021		29/07/2021 10:19	WG	Butanona		3MM Whatman		16		428	0		96,396 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210729-022		29/07/2021 10:27	WG	Butanona		3MM Whatman		2,8		199	0		98,612 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210729-023		29/07/2021 10:35	WG	Butanona		3MM Whatman		1		289	0		99,655 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210729-024		29/07/2021 10:47	WG	Butanona		3MM Whatman		8		674	0		98,827 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210729-025		29/07/2021 11:01	WG	Butanona		3MM Whatman		0,1		84,1	0		99,881 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210729-026		29/07/2021 11:12	WG	Butanona		3MM Whatman		1		135,8	0		99,269 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210729-027		29/07/2021 11:24	WG	Butanona		3MM Whatman		1		189,9	0		99,476 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210729-028		29/07/2021 11:25	WG	Butanona		3MM Whatman		8		552	0		98,571 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210729-029		29/07/2021 12:06	WG	Butanona		3MM Whatman		8		187	0		95,897 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210729-030		29/07/2021 12:10	WG	Butanona		3MM Whatman		5		197	0		97,525 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210729-031	29/07/2021	12:22	WG	Butanona	3MM	Whatman		0,9		84,3	0		98,944 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
TRODAT-99mTc Lot # K-20210729-041	29/07/2021	10:53	WG	Normal Saline	Sílica gel			100		2	0		95,60 %	Pass
				Butanona	3MM	Whatman		4		160		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210729-042	29/07/2021	10:54	WG	Normal Saline	Sílica gel			125,1		1,7	0		97,043 %	Pass
				Butanona	3MM	Whatman		2,3		140		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210729-043	29/07/2021	10:55	WG	Normal Saline	Sílica gel			134,6		3,2	0		96,229 %	Pass
				Butanona	3MM	Whatman		1,7		115,6		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210729-044	29/07/2021	10:56	WG	Normal Saline	Sílica gel			117,8		3	0		92,844 %	Pass
				Butanona	3MM	Whatman		10		204		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210729-045	29/07/2021	11:04	WG	Normal Saline	Sílica gel			121,9		0,6	0		99,429 %	Pass
				Butanona	3MM	Whatman		0,1		122,5		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor