



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 30/06/2021 To 30/06/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210630-026		30/06/2021	07:32	GF	Butanona Normal Saline	3MM Whatman Silica gel	104 6,4		0,9 73,6	0	pH (Low/Actual/High)	91,142 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210630-027		30/06/2021	07:34	GF	Butanona Normal Saline	3MM Whatman Silica gel	84 1,8		0,4 76,3	0	pH (Low/Actual/High)	97,221 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210630-028		30/06/2021	07:35	GF	Butanona Normal Saline	3MM Whatman Silica gel	93 2,1		0,5 68,5	0	pH (Low/Actual/High)	96,491 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210630-035		30/06/2021	10:36	JS	Butanona Normal Saline	3MM Whatman Silica gel	224 1,3		1 111	0	pH (Low/Actual/High)	98,398 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210630-012	RPH	30/06/2021	03:48	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	835 16		4 461	0	pH (Low/Actual/High)	96,169 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210630-023	RPH	30/06/2021	07:23	GF	Acetona Normal Saline	3MM Whatman 3MM Whatman	205 4		3 205	0	pH (Low/Actual/High)	96,644 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210630-033	RPH	30/06/2021	10:29	JS	Acetona Normal Saline	3MM Whatman 3MM Whatman	263 6		3 325	0	pH (Low/Actual/High)	97,059 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
FITATO-99mTc Lot # K-20210630-008		30/06/2021	03:15	PP	Butanona	3MM Whatman	958		2	0	pH (Low/Actual/High)	99,792 %	Pass 5,00 <= 6,00 <= 7,00
						Límpido/Incolor							
FITATO-99mTc Lot # K-20210630-024		30/06/2021	07:26	BB	Butanona	3MM Whatman	419		3	0	pH (Low/Actual/High)	99,289 %	Pass 5,00 <= 5,00 <= 7,00
						Límpido/Incolor							
FITATO-99mTc Lot # K-20210630-042		30/06/2021	11:50	WG	Butanona	3MM Whatman	677		7	0	pH (Low/Actual/High)	98,977 %	Pass 5,00 <= 6,00 <= 7,00
						Límpido/Incolor							
MAA-99mTc Lot # K-20210630-014		30/06/2021	04:02	PP	Butanona	3MM Whatman	162		2	0	pH (Low/Actual/High)	98,78 %	Pass 3,00 <= 6,00 <= 6,00
						Turvo/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210630-015		30/06/2021 04:03	PP	Butanona		3MM Whatman		192		7	0	96,482 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210630-016		30/06/2021 04:05	PP	Butanona		3MM Whatman		224		2	0	99,115 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210630-017		30/06/2021 04:08	PP	Butanona		3MM Whatman		209		3	0	98,585 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210630-018		30/06/2021 04:11	PP	Butanona		3MM Whatman		155		3	0	98,101 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210630-029		30/06/2021 08:27	BB	Butanona		3MM Whatman		215		4	0	98,174 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210630-038		30/06/2021 11:06	JS	Butanona		3MM Whatman		120		1	0	99,174 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210630-039		30/06/2021 11:09	JS	Butanona		3MM Whatman		147		3	0	98,00 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210630-040		30/06/2021 11:10	JS	Butanona		3MM Whatman		300		5	0	98,361 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210630-043		30/06/2021 11:56	WG	Butanona		3MM Whatman		155,9		6,3	0	96,116 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MDP-99mTc Lot # K-20210630-007		30/06/2021 03:05	PP	Acetona		3MM Whatman		5273		23	0	98,652 %	Pass	
				Normal Saline		3MM Whatman		34		3686	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210630-011		30/06/2021 03:26	PP	Acetona		3MM Whatman		1435		28	0	95,412 %	Pass	
				Normal Saline		3MM Whatman		20		728	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210630-022		30/06/2021 07:18	GF	Acetona		3MM Whatman		498		3	0	97,883 %	Pass	
				Normal Saline		3MM Whatman		7		454	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210630-025		30/06/2021 07:31	GF	Acetona		3MM Whatman		489		1	0	97,873 %	Pass	
				Normal Saline		3MM Whatman		8		408	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20210630-037		30/06/2021 10:48	JS	Acetona Normal Saline	3MM Whatman 3MM Whatman			283 4		6 2180	0		97,741 %	Pass
												pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
														Límpido/Incolor
MIBI-99mTc Lot # K-20210630-003		30/06/2021 01:46	PP	Normal Saline Metanol	Silica gel 3MM Whatman			3163 20		120 5063	0		95,951 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido/Incolor
MIBI-99mTc Lot # K-20210630-004		30/06/2021 01:47	PP	Normal Saline Metanol	Silica gel 3MM Whatman			6940 36		57 7696	0		98,72 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido/Incolor
MIBI-99mTc Lot # K-20210630-005		30/06/2021 02:56	PP	Normal Saline Metanol	Silica gel 3MM Whatman			3661 10		98 4324	0		97,162 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido/Incolor
MIBI-99mTc Lot # K-20210630-006		30/06/2021 02:57	PP	Normal Saline Metanol	Silica gel 3MM Whatman			4073 12		67 6003	0		98,182 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido/Incolor
MIBI-99mTc Lot # K-20210630-009		30/06/2021 03:22	PP	Normal Saline Metanol	Silica gel 3MM Whatman			9824 71		74 9305	0		98,495 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido/Incolor
MIBI-99mTc Lot # K-20210630-010		30/06/2021 03:22	PP	Normal Saline Metanol	Silica gel 3MM Whatman			7562 1		134 5857	0		98,242 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido/Incolor
MIBI-99mTc Lot # K-20210630-013		30/06/2021 03:58	PP	Normal Saline Metanol	Silica gel 3MM Whatman			2764 10		8 1608	0		99,093 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido/Incolor
MIBI-99mTc Lot # K-20210630-019		30/06/2021 06:56	GF	Normal Saline Metanol	Silica gel 3MM Whatman			1041 4		15 746	0		98,046 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido/Incolor
MIBI-99mTc Lot # K-20210630-020		30/06/2021 07:00	GF	Normal Saline Metanol	Silica gel 3MM Whatman			558 1		12 809	0		97,771 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido/Incolor
MIBI-99mTc Lot # K-20210630-021		30/06/2021 07:05	GF	Normal Saline Metanol	Silica gel 3MM Whatman			435 10		5 465	0		96,758 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido/Incolor
MIBI-99mTc Lot # K-20210630-032		30/06/2021 10:18	JS	Normal Saline Metanol	Silica gel 3MM Whatman			962 2		18 2300	0		98,076 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido/Incolor
MIBI-99mTc Lot # K-20210630-031		30/06/2021 10:18	JS	Normal Saline Metanol	Silica gel 3MM Whatman			1280 2		1 2310	0		99,835 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210630-036	30/06/2021	10:40	WG	Normal Saline Metanol	Silica gel 3MM Whatman			612 12		2 897	0	pH (Low/Actual/High)	98,354 %	Pass
														5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210630-041	30/06/2021	11:32	WG	Normal Saline Metanol	Silica gel 3MM Whatman			573 6		10 421	0	pH (Low/Actual/High)	96,88 %	Pass
														5,00 <= 6,00 <= 6,00
														Límpido/Incolor
PSMA-177Lu Lot # K-20210630-001	30/06/2021	00:59	BB	Citrato de Sódio 0,1M	Silica gel			340		1	0	pH (Low/Actual/High)	99,707 %	Pass
														4,00 <= 4,50 <= 5,00
														Límpido
														QC Notes: HPLC: 99,04%
PSMA-177Lu Lot # K-20210630-002	30/06/2021	01:17	BB	Citrato de Sódio 0,1M	Silica gel			229		2	0	pH (Low/Actual/High)	99,134 %	Pass
														4,00 <= 4,50 <= 5,00
														Límpido
														QC Notes: HPLC: 99,35%
PSMA-68Ga Lot # K-20210630-044	30/06/2021	12:52	JS	Acetato de amônio	Silica gel			0,2		29,3	0	pH (Low/Actual/High)	99,322 %	Pass
														4,00 <= 5,00 <= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210630-001	30/06/2021	01:41	PP	Butanona	3MM Whatman			11		2239	0	pH (Low/Actual/High)	99,511 %	Pass
														5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210630-002	30/06/2021	01:42	PP	Butanona	3MM Whatman			6		640	0	pH (Low/Actual/High)	99,071 %	Pass
														5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210630-003	30/06/2021	02:51	PP	Butanona	3MM Whatman			9		1113	0	pH (Low/Actual/High)	99,198 %	Pass
														5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210630-004	30/06/2021	02:52	PP	Butanona	3MM Whatman			1		2527	0	pH (Low/Actual/High)	99,96 %	Pass
														5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210630-006	30/06/2021	03:17	PP	Butanona	3MM Whatman			10		1181	0	pH (Low/Actual/High)	99,16 %	Pass
														5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210630-005	30/06/2021	03:17	PP	Butanona	3MM Whatman			27		1691	0	pH (Low/Actual/High)	98,428 %	Pass
														5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210630-007	30/06/2021	03:56	PP	Butanona	3MM Whatman			17		1783	0	pH (Low/Actual/High)	99,056 %	Pass
														5,00 <= 6,00 <= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration	D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210630-008		30/06/2021	06:54	GF	Butanona		3MM Whatman		6		582	0		98,98 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210630-009		30/06/2021	06:55	GF	Butanona		3MM Whatman		1		570	0		99,825 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210630-010		30/06/2021	07:03	GF	Butanona		3MM Whatman		1		164	0		99,394 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210630-011		30/06/2021	07:15	GF	Butanona		3MM Whatman		2		106	0		98,148 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20210630-012		30/06/2021	07:24	GF	Butanona		3MM Whatman		2		190	0		98,958 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210630-013		30/06/2021	08:21	BB	Butanona		3MM Whatman		4		370	0		98,93 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210630-015		30/06/2021	10:15	PP	Butanona		3MM Whatman		30		790	0		96,341 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210630-016		30/06/2021	10:15	PP	Butanona		3MM Whatman		5		535	0		99,074 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210630-017		30/06/2021	10:26	JS	Butanona		3MM Whatman		4		513	0		99,226 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20210630-019		30/06/2021	10:45	JS	Butanona		3MM Whatman		1		360	0		99,723 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20210630-020		30/06/2021	11:03	JS	Butanona		3MM Whatman		4		1174	0		99,66 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210630-021		30/06/2021	11:30	JS	Butanona		3MM Whatman		6		456	0		98,701 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210630-022		30/06/2021	11:48	WG	Butanona		3MM Whatman		4		443	0		99,105 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	