



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 30/07/2021 To 30/07/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210730-027		30/07/2021	07:31	WG	Butanona Normal Saline	3MM Whatman Sílica gel	280 4		3 88,3	0 pH (Low/Actual/High)		94,606 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210730-028		30/07/2021	07:32	WG	Butanona Normal Saline	3MM Whatman Sílica gel	123,5 6,6		1,1 136,1	0 pH (Low/Actual/High)		94,492 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210730-029		30/07/2021	07:34	WG	Butanona Normal Saline	3MM Whatman Sílica gel	181,1 8		5 117,7	0 pH (Low/Actual/High)		90,949 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210730-030		30/07/2021	07:35	WG	Butanona Normal Saline	3MM Whatman Sílica gel	237 4,4		2 137,5	0 pH (Low/Actual/High)		96,062 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210730-036		30/07/2021	08:04	WG	Butanona Normal Saline	3MM Whatman Sílica gel	140,9 1,4		1,1 127,2	0 pH (Low/Actual/High)		98,137 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210730-037		30/07/2021	08:07	WG	Butanona Normal Saline	3MM Whatman Sílica gel	123,9 3,4		0,3 89,1	0 pH (Low/Actual/High)		96,083 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210730-045		30/07/2021	10:40	WG	Butanona Normal Saline	3MM Whatman Sílica gel	177,1 3		1,3 99,9	0 pH (Low/Actual/High)		96,356 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210730-046		30/07/2021	10:42	WG	Butanona Normal Saline	3MM Whatman Sílica gel	169,6 4,9		3,3 122,5	0 pH (Low/Actual/High)		94,245 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20210730-053		30/07/2021	12:48	JS	Citrato de Sódio 0,1M	Sílica gel	28,7		0,1	0 pH (Low/Actual/High)		99,653 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20210730-009	RPH	30/07/2021	03:41	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	808 6		12 1163	0 pH (Low/Actual/High)		98,023 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210730-010	RPH	30/07/2021	03:43	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	811 12		10 770	0 pH (Low/Actual/High)		97,247 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration	D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20210730-025	RPH	30/07/2021	07:22	FN	Acetona Normal Saline	3MM	Whatman		838 6		12 939	0	pH (Low/Actual/High)	97,953 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor															
DTPA-99mTc Lot # K-20210730-026	RPH	30/07/2021	07:23	WG	Acetona Normal Saline	3MM	Whatman		576 6		6 649	0	pH (Low/Actual/High)	98,053 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor															
DTPA-99mTc Lot # K-20210730-041	RPH	30/07/2021	09:58	LG	Acetona Normal Saline	3MM	Whatman		243 14		3 485	0	pH (Low/Actual/High)	95,975 %	Pass 3,80 <= 5,00 <= 7,50
Límpido/Incolor															
FITATO-99mTc Lot # K-20210730-008		30/07/2021	03:36	FN	Butanona	3MM	Whatman		582		2	0	pH (Low/Actual/High)	99,658 %	Pass 5,00 <= 5,00 <= 7,00
Límpido/Incolor															
MAA-99mTc Lot # K-20210730-011		30/07/2021	03:46	FN	Butanona	3MM	Whatman		352		3	0	pH (Low/Actual/High)	99,155 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor															
MAA-99mTc Lot # K-20210730-012		30/07/2021	03:47	FN	Butanona	3MM	Whatman		276		5	0	pH (Low/Actual/High)	98,221 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor															
MAA-99mTc Lot # K-20210730-013		30/07/2021	03:50	FN	Butanona	3MM	Whatman		231		4	0	pH (Low/Actual/High)	98,298 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor															
MAA-99mTc Lot # K-20210730-014		30/07/2021	03:52	FN	Butanona	3MM	Whatman		288		3	0	pH (Low/Actual/High)	98,969 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor															
MAA-99mTc Lot # K-20210730-015		30/07/2021	04:13	FN	Butanona	3MM	Whatman		272		4	0	pH (Low/Actual/High)	98,551 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor															
MAA-99mTc Lot # K-20210730-016		30/07/2021	04:14	FN	Butanona	3MM	Whatman		216		4	0	pH (Low/Actual/High)	98,182 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor															
MAA-99mTc Lot # K-20210730-017		30/07/2021	04:15	FN	Butanona	3MM	Whatman		186,1		4,2	0	pH (Low/Actual/High)	97,793 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor															
MAA-99mTc Lot # K-20210730-018		30/07/2021	04:17	FN	Butanona	3MM	Whatman		218		1	0	pH (Low/Actual/High)	99,543 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor															
MAA-99mTc Lot # K-20210730-031		30/07/2021	07:37	FN	Butanona	3MM	Whatman		193,9		2,1	0	pH (Low/Actual/High)	98,929 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor															

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210730-032		30/07/2021 07:40	FN	Butanona		3MM Whatman		296		3	0		98,997 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210730-038		30/07/2021 08:19	WG	Butanona		3MM Whatman		125,2		0,9	0		99,286 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210730-047		30/07/2021 10:44	WG	Butanona		3MM Whatman		66,5		0,4	0		99,402 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210730-048		30/07/2021 10:46	WG	Butanona		3MM Whatman		263		1	0		99,621 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210730-049		30/07/2021 10:48	WG	Butanona		3MM Whatman		407		6	0		98,547 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210730-050		30/07/2021 11:02	WG	Butanona		3MM Whatman		313		1	0		99,682 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210730-051		30/07/2021 11:06	WG	Butanona		3MM Whatman		162,3		0,8	0		99,51 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210730-052		30/07/2021 11:13	WG	Butanona		3MM Whatman		121,2		2,6	0		97,90 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MDP-99mTc Lot # K-20210730-007		30/07/2021 03:31	FN	Acetona		3MM Whatman		1218		1	0		99,423 %	Pass
				Normal Saline		3MM Whatman		6		1205		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20210730-020		30/07/2021 04:23	FN	Acetona		3MM Whatman		940		1	0		99,698 %	Pass
				Normal Saline		3MM Whatman		2		1021		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20210730-033		30/07/2021 07:45	WG	Acetona		3MM Whatman		1544		13	0		98,911 %	Pass
				Normal Saline		3MM Whatman		4		1572		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20210730-035		30/07/2021 08:02	WG	Acetona		3MM Whatman		1409		16	0		96,954 %	Pass
				Normal Saline		3MM Whatman		11		561		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20210730-042		30/07/2021 09:59	LG	Acetona		3MM Whatman		249		0	0		90,769 %	Pass
				Normal Saline		3MM Whatman		24		236		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
												Límpido/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210730-001		30/07/2021 02:08 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1740 6		4 217	0	pH (Low/Actual/High)	97,08 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210730-002		30/07/2021 02:09 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1516 1		20 215	0	pH (Low/Actual/High)	98,235 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210730-003		30/07/2021 02:10 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1972 2		12 211	0	pH (Low/Actual/High)	98,456 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210730-004		30/07/2021 03:05 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1043 20		1 1435	0	pH (Low/Actual/High)	98,53 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210730-005		30/07/2021 03:06 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			214 20		2 1979	0	pH (Low/Actual/High)	98,074 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210730-006		30/07/2021 03:12 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1718 15		20 1589	0	pH (Low/Actual/High)	97,914 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210730-019		30/07/2021 04:20 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1231 5		13 285	0	pH (Low/Actual/High)	97,231 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210730-021		30/07/2021 06:40 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			282 1		5 292	0	pH (Low/Actual/High)	97,917 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210730-022		30/07/2021 06:43 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1736 12		20 1688	0	pH (Low/Actual/High)	98,155 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210730-034		30/07/2021 07:56 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			710 20		4 1453	0	pH (Low/Actual/High)	98,082 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210730-039		30/07/2021 08:36 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			922 13		5 990	0	pH (Low/Actual/High)	98,165 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210730-043		30/07/2021 10:08 LG	Normal Saline Metanol		Sílica gel 3MM Whatman			744 1		12 634	0	pH (Low/Actual/High)	98,255 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210730-044		30/07/2021 10:17 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			1333 34		4 1249	0	pH (Low/Actual/High)	97,051 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PSMA-68Ga Lot # K-20210730-023		30/07/2021 06:53	FN	Acetato de amônio 1M:Metanol	Sílica gel			5,5	192,8		0		97,226 %	Pass
												pH (Low/Actual/High)	4,00 <= 6,00	<= 8,00
														Límpido e Incolor
PSMA-68Ga Lot # K-20210730-040		30/07/2021 09:50	LG	Acetato de amônio 1M:Metanol	Sílica gel			0,7	52,3		0		98,679 %	Pass
												pH (Low/Actual/High)	4,00 <= 5,00	<= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-001		30/07/2021 02:03	FN	Butanona		3MM Whatman		1	1372		0		99,927 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-002		30/07/2021 03:00	FN	Butanona		3MM Whatman		1,2	180,9		0		99,341 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-003		30/07/2021 03:00	FN	Butanona		3MM Whatman		1	854		0		99,883 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-004		30/07/2021 03:07	FN	Butanona		3MM Whatman		1	718		0		99,861 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-005		30/07/2021 03:30	FN	Butanona		3MM Whatman		3	317		0		99,063 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-006		30/07/2021 03:32	FN	Butanona		3MM Whatman		2	524		0		99,62 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-007		30/07/2021 04:18	FN	Butanona		3MM Whatman		2	770		0		99,741 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-008		30/07/2021 06:39	FN	Butanona		3MM Whatman		2	506		0		99,606 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-010		30/07/2021 07:03	FN	Butanona		3MM Whatman		2	1767		0		99,887 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-011		30/07/2021 07:26	WG	Butanona		3MM Whatman		2	161,7		0		98,778 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-012		30/07/2021 07:42	WG	Butanona		3MM Whatman		20	1572		0		98,744 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210730-013		30/07/2021 07:52	WG	Butanona		3MM Whatman		6		457	0		98,704 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-014		30/07/2021 08:00	WG	Butanona		3MM Whatman		6		173,2	0		96,652 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-015		30/07/2021 08:13	WG	Butanona		3MM Whatman		4		1349	0		99,704 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-016		30/07/2021 09:45	LG	Butanona		3MM Whatman		0		674	0		100,00 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-018		30/07/2021 10:06	LG	Butanona		3MM Whatman		1		667	0		99,85 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-019		30/07/2021 10:13	LG	Butanona		3MM Whatman		44		969	0		95,656 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-020		30/07/2021 10:37	WG	Butanona		3MM Whatman		6		1119	0		99,467 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210730-021		30/07/2021 11:07	WG	Butanona		3MM Whatman		1		1236	0		99,919 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
TRODAT-99mTc Lot # K-20210730-024		30/07/2021 07:06	WG	Normal Saline		Silica gel		121,7		0,8	0		98,161 %	Pass
				Butanona		3MM Whatman		2,3		191,6	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor