



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10
 R: Maestro Cardim, 769 - São Paulo/SP
 Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 02/08/2021 To 02/08/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210802-031		02/08/2021	07:46	FN	Butanona	3MM Whatman	196,1		0,4	0	pH (Low/Actual/High)	92,713 %	Pass
					Normal Saline	Silica gel	12		157,4	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20210802-033		02/08/2021	08:02	FN	Butanona	3MM Whatman	283		2	0	pH (Low/Actual/High)	95,82 %	Pass
					Normal Saline	Silica gel	8		222	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20210802-044		02/08/2021	10:51	WG	Butanona	3MM Whatman	197,1		4,6	0	pH (Low/Actual/High)	95,873 %	Pass
					Normal Saline	Silica gel	2		106,3	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20210802-045		02/08/2021	10:53	WG	Butanona	3MM Whatman	121,7		1,8	0	pH (Low/Actual/High)	98,024 %	Pass
					Normal Saline	Silica gel	0,6		115,1	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20210802-046		02/08/2021	10:55	WG	Butanona	3MM Whatman	158,5		2	0	pH (Low/Actual/High)	98,615 %	Pass
					Normal Saline	Silica gel	0,2		143,9	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20210802-037		02/08/2021	10:02	BB	Citrato de Sódio 0,1M	Silica gel	13,1		0,2	0	pH (Low/Actual/High)	98,496 %	Pass
										4,00 <= 5,00		<= 8,00	
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210802-048		02/08/2021	15:51	JS	Citrato de Sódio 0,1M	Silica gel	27,66		0,1	0	pH (Low/Actual/High)	99,64 %	Pass
										4,00 <= 5,00		<= 8,00	
Límpido e Incolor													
DTPA-99mTc Lot # K-20210802-012	RPH	02/08/2021	03:43	FN	Acetona	3MM Whatman	800		23	0	pH (Low/Actual/High)	95,639 %	Pass
					Normal Saline	3MM Whatman	12		754	3,80 <= 5,00		<= 7,50	
Límpido/Incolor													
DTPA-99mTc Lot # K-20210802-013	RPH	02/08/2021	03:45	FN	Acetona	3MM Whatman	394		6	0	pH (Low/Actual/High)	96,918 %	Pass
					Normal Saline	3MM Whatman	5		311	3,80 <= 6,00		<= 7,50	
Límpido/Incolor													
DTPA-99mTc Lot # K-20210802-038	RPH	02/08/2021	10:16	WG	Acetona	3MM Whatman	259,2		1	0	pH (Low/Actual/High)	93,879 %	Pass
					Normal Saline	3MM Whatman	17,2		282,6	3,80 <= 5,00		<= 7,50	
Límpido/Incolor													
FITATO-99mTc Lot # K-20210802-011		02/08/2021	03:20	FN	Butanona	3MM Whatman	436		2	0	pH (Low/Actual/High)	99,543 %	Pass
										5,00 <= 6,00		<= 7,00	
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20210802-036		02/08/2021 09:16	WG	Butanona		3MM Whatman		474,2		3	0		99,371 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00
												Límpido/Incolor		
MAA-99mTc Lot # K-20210802-014		02/08/2021 03:47	FN	Butanona		3MM Whatman		241		1	0		99,587 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210802-015		02/08/2021 03:49	FN	Butanona		3MM Whatman		246		4	0		98,40 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210802-016		02/08/2021 03:50	FN	Butanona		3MM Whatman		297		7	0		97,697 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210802-017		02/08/2021 03:52	FN	Butanona		3MM Whatman		206		2	0		99,038 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210802-018		02/08/2021 04:04	FN	Butanona		3MM Whatman		172,3		1,1	0		99,366 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210802-019		02/08/2021 04:06	FN	Butanona		3MM Whatman		187,8		3	0		98,428 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210802-020		02/08/2021 04:08	FN	Butanona		3MM Whatman		250		3	0		98,814 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210802-026		02/08/2021 07:17	FN	Butanona		3MM Whatman		193,7		3,2	0		98,375 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210802-034		02/08/2021 08:15	FN	Butanona		3MM Whatman		79,7		0,3	0		99,625 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210802-039		02/08/2021 10:38	WG	Butanona		3MM Whatman		297,6		2,2	0		99,266 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210802-040		02/08/2021 10:41	WG	Butanona		3MM Whatman		310,9		2,7	0		99,139 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210802-041		02/08/2021 10:43	WG	Butanona		3MM Whatman		123,5		1,2	0		99,038 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210802-042		02/08/2021 10:46	WG	Butanona		3MM Whatman		76,5		1,6	0	97,951 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210802-043		02/08/2021 10:49	WG	Butanona		3MM Whatman		279,5		6,4	0	97,761 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20210802-008		02/08/2021 03:12	FN	Acetona		3MM Whatman		618		3	0	99,228 %	Pass	
				Normal Saline		3MM Whatman		2		691		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210802-009		02/08/2021 03:14	FN	Acetona		3MM Whatman		517		4	0	98,811 %	Pass	
				Normal Saline		3MM Whatman		2		473		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210802-010		02/08/2021 03:16	FN	Acetona		3MM Whatman		1144		2	0	98,895 %	Pass	
				Normal Saline		3MM Whatman		12		1278		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210802-027		02/08/2021 07:20	FN	Acetona		3MM Whatman		1110		2	0	99,523 %	Pass	
				Normal Saline		3MM Whatman		3		1008		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210802-030		02/08/2021 07:37	FN	Acetona		3MM Whatman		1095		10	0	98,629 %	Pass	
				Normal Saline		3MM Whatman		4		855		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210802-032		02/08/2021 07:49	FN	Acetona		3MM Whatman		1360		1	0	99,433 %	Pass	
				Normal Saline		3MM Whatman		7		1410		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210802-035		02/08/2021 09:10	WG	Acetona		3MM Whatman		832		15	0	97,926 %	Pass	
				Normal Saline		3MM Whatman		3		986		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MIBI-99mTc Lot # K-20210802-001		02/08/2021 02:02	FN	Normal Saline		Sílica gel		1983		20	0	98,389 %	Pass	
				Metanol		3MM Whatman		12		1947		pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210802-002		02/08/2021 02:03	FN	Normal Saline		Sílica gel		200		4	0	96,477 %	Pass	
				Metanol		3MM Whatman		4		252		pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210802-003		02/08/2021 02:04	FN	Normal Saline		Sílica gel		223		5	0	97,14 %	Pass	
				Metanol		3MM Whatman		12		1788		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20210802-004		02/08/2021 02:08	FN	Normal Saline		Sílica gel		1652		12	0	96,996 %	Pass	
				Metanol		3MM Whatman		5		214		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210802-005		02/08/2021 02:52 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1784 12		20 1729	0	pH (Low/Actual/High)	98,202 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210802-006		02/08/2021 02:53 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1567 12		20 1752	0	pH (Low/Actual/High)	98,059 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210802-007		02/08/2021 02:54 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1904 10		20 1901	0	pH (Low/Actual/High)	98,437 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210802-021		02/08/2021 04:16 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1959 12		20 1754	0	pH (Low/Actual/High)	98,31 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210802-022		02/08/2021 06:40 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			204 2		3 221	0	pH (Low/Actual/High)	97,654 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210802-023		02/08/2021 06:42 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1652 1		20 206	0	pH (Low/Actual/High)	98,321 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210802-028		02/08/2021 07:29 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			204 2		3 212	0	pH (Low/Actual/High)	97,616 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210802-029		02/08/2021 07:30 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1984 1		20 211	0	pH (Low/Actual/High)	98,53 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20210802-025		02/08/2021 07:13 FN	Butanona Normal Saline		3MM Whatman 3MM Whatman			481 3		3 465	0	pH (Low/Actual/High)	98,739 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20210802-024		02/08/2021 06:51 BB	Acetato de amônio 1M:Metanol		Sílica gel			0,4		22,3	0	pH (Low/Actual/High)	98,238 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20210802-047		02/08/2021 12:36 JS	Acetato de amônio 1M:Metanol		Sílica gel			0,2		23,4	0	pH (Low/Actual/High)	99,153 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210802-001		02/08/2021 01:50 FN	Butanona		3MM Whatman			1		210	0	pH (Low/Actual/High)	99,526 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210802-002		02/08/2021 01:58 FN	Butanona		3MM Whatman			1		475	0	pH (Low/Actual/High)	99,79 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210802-003		02/08/2021 02:47 FN	Butanona		3MM Whatman			1		803	0		99,876 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210802-004		02/08/2021 02:48 FN	Butanona		3MM Whatman			1		453	0		99,78 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210802-005		02/08/2021 03:41 FN	Butanona		3MM Whatman			1		368	0		99,729 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210802-006		02/08/2021 06:36 FN	Butanona		3MM Whatman			2		1086	0		99,816 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210802-008		02/08/2021 07:18 FN	Butanona		3MM Whatman			1		263	0		99,621 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210802-009		02/08/2021 07:19 FN	Butanona		3MM Whatman			1		751	0		99,867 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210802-010		02/08/2021 07:47 FN	Butanona		3MM Whatman			2		617	0		99,677 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210802-012		02/08/2021 10:30 WG	Butanona		3MM Whatman			13		2646	0		99,511 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			