



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 03/08/2021 To 03/08/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210803-017		03/08/2021	04:01	FN	Butanona Normal Saline	3MM Whatman Sílica gel	239 20		2 225	0	pH (Low/Actual/High)	91,007 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210803-018		03/08/2021	04:02	FN	Butanona Normal Saline	3MM Whatman Sílica gel	139,5 4,4		1,1 140,5	0	pH (Low/Actual/High)	96,181 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210803-034		03/08/2021	07:59	FN	Butanona Normal Saline	3MM Whatman Sílica gel	215 6		2 150,6	0	pH (Low/Actual/High)	95,247 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20210803-035		03/08/2021	08:00	FN	Butanona Normal Saline	3MM Whatman Sílica gel	133,5 5,3		1,4 175,6	0	pH (Low/Actual/High)	96,032 %	Pass
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20210803-033		03/08/2021	07:57	FN	Citrato de Sódio 0,1M	Sílica gel	26,4		0,1	0	pH (Low/Actual/High)	99,623 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210803-060		03/08/2021	12:43	PL	Citrato de Sódio 0,1M	Sílica gel	15,24		0,03	0	pH (Low/Actual/High)	99,804 %	Pass
Límpido e Incolor													
DTPA-99mTc Lot # K-20210803-008	RPH	03/08/2021	03:17	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	418 10		20 312	0	pH (Low/Actual/High)	92,328 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210803-009	RPH	03/08/2021	03:21	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	636 12		10 592	0	pH (Low/Actual/High)	96,465 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210803-027	RPH	03/08/2021	07:35	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	433 12		1 332	0	pH (Low/Actual/High)	96,281 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210803-028	RPH	03/08/2021	07:40	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	507 10		5 450	0	pH (Low/Actual/High)	96,85 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20210803-047	RPH	03/08/2021	10:02	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman	585 10		16 515	0	pH (Low/Actual/High)	95,433 %	Pass
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20210803-005		03/08/2021 02:19	FN	Butanona		3MM	Whatman	495		5	0	99,00 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00	
											Límpido/Incolor			
FITATO-99mTc Lot # K-20210803-041		03/08/2021 09:12	LG	Butanona		3MM	Whatman	450		1	0	99,778 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 7,00	
											Límpido/Incolor			
MAA-99mTc Lot # K-20210803-012		03/08/2021 03:52	FN	Butanona		3MM	Whatman	176,4		3	0	98,328 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210803-013		03/08/2021 03:53	FN	Butanona		3MM	Whatman	168,5		4,2	0	97,568 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210803-014		03/08/2021 03:54	FN	Butanona		3MM	Whatman	220		5	0	97,778 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210803-015		03/08/2021 03:56	FN	Butanona		3MM	Whatman	185,9		5,3	0	97,228 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210803-016		03/08/2021 03:57	FN	Butanona		3MM	Whatman	173,9		4,6	0	97,423 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210803-019		03/08/2021 04:12	FN	Butanona		3MM	Whatman	87,9		2,1	0	97,667 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210803-020		03/08/2021 04:13	FN	Butanona		3MM	Whatman	99,5		1,5	0	98,515 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210803-021		03/08/2021 04:16	FN	Butanona		3MM	Whatman	98,7		2,2	0	97,82 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210803-022		03/08/2021 04:18	FN	Butanona		3MM	Whatman	108,4		1,3	0	98,815 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210803-023		03/08/2021 04:20	FN	Butanona		3MM	Whatman	139,3		1,6	0	98,864 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210803-036		03/08/2021 08:07	FN	Butanona		3MM	Whatman	162,1		2,5	0	98,481 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210803-037		03/08/2021 08:09	FN	Butanona		3MM Whatman		133,9		2,4	0		98,239 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210803-038		03/08/2021 08:12	FN	Butanona		3MM Whatman		149,4		1,3	0		99,137 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210803-039		03/08/2021 08:14	FN	Butanona		3MM Whatman		53,9		1	0		98,179 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210803-042		03/08/2021 09:42	BB	Butanona		3MM Whatman		77,3		1,2	0		98,471 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210803-043		03/08/2021 09:45	BB	Butanona		3MM Whatman		178,6		4,6	0		97,489 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210803-044		03/08/2021 09:47	BB	Butanona		3MM Whatman		132,1		1,4	0		98,951 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210803-046		03/08/2021 09:56	BB	Butanona		3MM Whatman		90,5		1,5	0		98,37 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210803-055		03/08/2021 10:58	WG	Butanona		3MM Whatman		122,5		1,1	0		99,11 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210803-056		03/08/2021 10:59	WG	Butanona		3MM Whatman		66,7		0,7	0		98,961 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210803-057		03/08/2021 11:01	JS	Butanona		3MM Whatman		23,6		0,9	0		96,327 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210803-058		03/08/2021 11:16	WG	Butanona		3MM Whatman		113,1		3,6	0		96,915 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210803-059		03/08/2021 11:17	WG	Butanona		3MM Whatman		172,3		0,9	0		99,48 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MDP-99mTc Lot # K-20210803-007		03/08/2021 03:02	FN	Acetona		3MM Whatman		1289		12	0		98,637 %	Pass
				Normal Saline		3MM Whatman		5		1130		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20210803-011		03/08/2021 03:46 FN	Acetona Normal Saline		3MM Whatman 3MM Whatman			1214 12		2 1054	0 pH (Low/Actual/High)	98,71 %		Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210803-030		03/08/2021 07:47 FN	Acetona Normal Saline		3MM Whatman 3MM Whatman			898 4		2 1116	0 pH (Low/Actual/High)	99,421 %		Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210803-032		03/08/2021 07:51 FN	Acetona Normal Saline		3MM Whatman 3MM Whatman			1056 7		4 898	0 pH (Low/Actual/High)	98,849 %		Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20210803-001		03/08/2021 01:59 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1830 2		20 1700	0 pH (Low/Actual/High)	98,801 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210803-002		03/08/2021 02:01 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1845 12		20 1948	0 pH (Low/Actual/High)	98,315 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210803-003		03/08/2021 02:02 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			226 2		4 203	0 pH (Low/Actual/High)	97,285 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210803-004		03/08/2021 02:07 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			617 3		2 297	0 pH (Low/Actual/High)	98,677 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210803-006		03/08/2021 03:00 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			821 8		13 1794	0 pH (Low/Actual/High)	97,997 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210803-010		03/08/2021 03:43 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			201 2		2 245	0 pH (Low/Actual/High)	98,205 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210803-024		03/08/2021 06:47 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			200 20		5 1854	0 pH (Low/Actual/High)	96,494 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210803-025		03/08/2021 06:48 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			267 2		4 254	0 pH (Low/Actual/High)	97,743 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210803-026		03/08/2021 06:48 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			245 2		6 268	0 pH (Low/Actual/High)	96,869 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210803-040		03/08/2021 09:09 LG	Normal Saline Metanol		Sílica gel 3MM Whatman			941 11		27 1483	0 pH (Low/Actual/High)	96,474 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PIRO-99mTc Lot # K-20210803-029		03/08/2021 07:46 FN	Butanona Normal Saline		3MM Whatman 3MM Whatman			292 1		2 343	0 pH (Low/Actual/High)	99,029 %		Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20210803-031		03/08/2021 07:47 FN	Butanona Normal Saline		3MM Whatman 3MM Whatman			438 5		1 328	0 pH (Low/Actual/High)	98,271 %		Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20210803-045		03/08/2021 09:49 BB	Acetato de amônio 1M:Metanol		Sílica gel			1,5		29,5	0 pH (Low/Actual/High)	95,161 %		Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20210803-061		03/08/2021 15:49 JS	Acetato de amônio 1M:Metanol		Sílica gel			0,9		24,6	0 pH (Low/Actual/High)	96,471 %		Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210803-001		03/08/2021 01:53 FN	Butanona		3MM Whatman			2		917	0 pH (Low/Actual/High)	99,782 %		Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210803-002		03/08/2021 01:53 FN	Butanona		3MM Whatman			1		497	0 pH (Low/Actual/High)	99,799 %		Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210803-003		03/08/2021 02:04 FN	Butanona		3MM Whatman			1		1546	0 pH (Low/Actual/High)	99,935 %		Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210803-004		03/08/2021 02:09 FN	Butanona		3MM Whatman			2		686	0 pH (Low/Actual/High)	99,709 %		Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210803-005		03/08/2021 02:56 FN	Butanona		3MM Whatman			1		504	0 pH (Low/Actual/High)	99,802 %		Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210803-006		03/08/2021 03:41 FN	Butanona		3MM Whatman			2		338	0 pH (Low/Actual/High)	99,412 %		Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210803-007		03/08/2021 03:49 FN	Butanona		3MM Whatman			1		511	0 pH (Low/Actual/High)	99,805 %		Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210803-008		03/08/2021 06:40 FN	Butanona		3MM Whatman			2		394	0 pH (Low/Actual/High)	99,495 %		Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210803-009		03/08/2021 06:44 FN	Butanona		3MM Whatman			1		257	0 pH (Low/Actual/High)	99,612 %		Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210803-010		03/08/2021 07:43	FN	Butanona		3MM Whatman		2		505	0		99,606 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210803-011		03/08/2021 07:45	FN	Butanona		3MM Whatman		2		1869	0		99,893 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210803-013		03/08/2021 08:04	FN	Butanona		3MM Whatman		1		511	0		99,805 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210803-014		03/08/2021 09:07	LG	Butanona		3MM Whatman		4		316	0		98,75 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210803-016		03/08/2021 10:31	WG	Butanona		3MM Whatman		17		3233	0		99,477 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
TRODAT-99mTc Lot # K-20210803-048		03/08/2021 10:33	WG	Normal Saline		Sílica gel		135,5		1,4	0		97,944 %	Pass
				Butanona		3MM Whatman		1,5		143,7	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210803-049		03/08/2021 10:41	WG	Normal Saline		Sílica gel		135,1		1,4	0		95,735 %	Pass
				Butanona		3MM Whatman		5,6		167,3	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210803-050		03/08/2021 10:42	WG	Normal Saline		Sílica gel		123,4		2,8	0		94,227 %	Pass
				Butanona		3MM Whatman		6,5		176,4	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210803-051		03/08/2021 10:43	WG	Normal Saline		Sílica gel		97,7		5,3	0		94,305 %	Pass
				Butanona		3MM Whatman		0,7		126,8	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210803-052		03/08/2021 10:44	WG	Normal Saline		Sílica gel		116,7		0,7	0		97,615 %	Pass
				Butanona		3MM Whatman		2,8		153,7	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210803-053		03/08/2021 10:50	WG	Normal Saline		Sílica gel		115,2		2,7	0		97,559 %	Pass
				Butanona		3MM Whatman		0,2		132,6	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210803-054		03/08/2021 10:51	WG	Normal Saline		Sílica gel		152,5		0,8	0		98,908 %	Pass
				Butanona		3MM Whatman		0,9		157	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor