



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 09/08/2021 To 09/08/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210809-025		09/08/2021	07:35	PP	Butanona Normal Saline	3MM Whatman Sílica gel	269 20		1 229	0	pH (Low/Actual/High)	91,598 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210809-026		09/08/2021	07:37	PP	Butanona Normal Saline	3MM Whatman Sílica gel	190 7		2 193	0	pH (Low/Actual/High)	95,458 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210809-027		09/08/2021	08:01	PP	Butanona Normal Saline	3MM Whatman Sílica gel	216,1 22		1,7 239,9	0	pH (Low/Actual/High)	90,819 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210809-028		09/08/2021	08:03	PP	Butanona Normal Saline	3MM Whatman Sílica gel	187,4 13		2,6 183,4	0	pH (Low/Actual/High)	92,012 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210809-036		09/08/2021	10:33	JS	Butanona Normal Saline	3MM Whatman Sílica gel	161 1,3		1 179,5	0	pH (Low/Actual/High)	98,664 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210809-037		09/08/2021	10:36	JS	Butanona Normal Saline	3MM Whatman Sílica gel	86,5 1,6		1,4 67	0	pH (Low/Actual/High)	96,075 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210809-038		09/08/2021	10:38	JS	Butanona Normal Saline	3MM Whatman Sílica gel	180 2		1,8 139,5	0	pH (Low/Actual/High)	97,596 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20210809-033		09/08/2021	10:04	JS	Citrato de Sódio 0,1M	Sílica gel	13,4		0,3	0	pH (Low/Actual/High)	97,81 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210809-049		09/08/2021	15:52	JS	Citrato de Sódio 0,1M	Sílica gel	23,6		0,1	0	pH (Low/Actual/High)	99,578 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20210809-008	RPH	09/08/2021	03:12	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	427 10		34 667	0	pH (Low/Actual/High)	91,148 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210809-029	RPH	09/08/2021	08:05	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	496 48		1 655	0	pH (Low/Actual/High)	92,971 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20210809-007		09/08/2021 03:07	FN	Butanona		3MM	Whatman	479		6	0	98,763 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00	
											Límpido/Incolor			
FITATO-99mTc Lot # K-20210809-024		09/08/2021 07:30	PP	Butanona		3MM	Whatman	445		4	0	99,109 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00	
											Límpido/Incolor			
FITATO-99mTc Lot # K-20210809-035		09/08/2021 10:32	JS	Butanona		3MM	Whatman	147,2		3	0	98,003 %	Pass	
											pH (Low/Actual/High)	5,00 <= 7,00	<= 7,00	
											Límpido/Incolor			
MAA-99mTc Lot # K-20210809-012		09/08/2021 03:52	FN	Butanona		3MM	Whatman	214		2	0	99,074 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210809-013		09/08/2021 03:53	FN	Butanona		3MM	Whatman	193,1	1,6		0	99,178 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210809-014		09/08/2021 03:55	FN	Butanona		3MM	Whatman	192,8		3	0	98,468 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210809-015		09/08/2021 03:57	FN	Butanona		3MM	Whatman	197,6		2,6	0	98,701 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210809-016		09/08/2021 03:59	FN	Butanona		3MM	Whatman	209		3	0	98,585 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210809-017		09/08/2021 04:00	FN	Butanona		3MM	Whatman	207		3	0	98,571 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210809-030		09/08/2021 08:09	PP	Butanona		3MM	Whatman	120		1	0	99,174 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210809-039		09/08/2021 11:04	JS	Butanona		3MM	Whatman	161		2	0	98,773 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210809-040		09/08/2021 11:07	JS	Butanona		3MM	Whatman	139		1	0	99,286 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20210809-041		09/08/2021 11:10	JS	Butanona		3MM	Whatman	242		2	0	99,18 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210809-042		09/08/2021 11:12 JS	Butanona		3MM	Whatman		211		2	0		99,061 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00	
MAA-99mTc Lot # K-20210809-043		09/08/2021 11:15 JS	Butanona		3MM	Whatman		448		1	0		99,777 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00	
MAA-99mTc Lot # K-20210809-044		09/08/2021 11:20 JS	Butanona		3MM	Whatman		35		0,7	0		98,039 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00	
MAA-99mTc Lot # K-20210809-045		09/08/2021 11:28 JS	Butanona		3MM	Whatman		180		0,8	0		99,558 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
MAA-99mTc Lot # K-20210809-046		09/08/2021 11:32 JS	Butanona		3MM	Whatman		158		3	0		98,137 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00	
MDP-99mTc Lot # K-20210809-009		09/08/2021 03:22 FN	Acetona		3MM	Whatman		1008		4	0		98,658 %	Pass
			Normal Saline		3MM	Whatman		12		1255		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210809-010		09/08/2021 03:23 FN	Acetona		3MM	Whatman		1281		1	0		99,043 %	Pass
			Normal Saline		3MM	Whatman		12		1353		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210809-011		09/08/2021 03:23 FN	Acetona		3MM	Whatman		1414		8	0		98,599 %	Pass
			Normal Saline		3MM	Whatman		10		1183		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210809-022		09/08/2021 07:15 PP	Acetona		3MM	Whatman		1562		2	0		99,066 %	Pass
			Normal Saline		3MM	Whatman		6		738		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210809-023		09/08/2021 07:18 PP	Acetona		3MM	Whatman		1138		4	0		94,711 %	Pass
			Normal Saline		3MM	Whatman		20		385		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210809-034		09/08/2021 10:24 JS	Acetona		3MM	Whatman		698		2	0		99,302 %	Pass
			Normal Saline		3MM	Whatman		2		483		pH (Low/Actual/High)	4,00 <= 5,00 <= 7,80	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210809-001		09/08/2021 02:10 FN	Normal Saline		Sílica gel			1920		34	0		97,723 %	Pass
			Metanol		3MM	Whatman		10		1851		pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210809-002		09/08/2021 02:10 FN	Normal Saline		Sílica gel			1516		21	0		97,79 %	Pass
			Metanol		3MM	Whatman		2		235		pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210809-003		09/08/2021 02:11 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1382 6		22 1714	0	pH (Low/Actual/High)	98,084 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210809-004		09/08/2021 02:16 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			216 1		6 206	0	pH (Low/Actual/High)	96,814 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210809-005		09/08/2021 02:48 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1338 13		30 1414	0	pH (Low/Actual/High)	96,896 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210809-006		09/08/2021 02:49 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			201 3		3 1840	0	pH (Low/Actual/High)	98,367 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210809-018		09/08/2021 06:39 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1245 3		20 2470	0	pH (Low/Actual/High)	98,298 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210809-019		09/08/2021 06:46 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1207 15		37 1912	0	pH (Low/Actual/High)	96,247 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210809-021		09/08/2021 07:12 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1488 30		30 2884	0	pH (Low/Actual/High)	96,994 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210809-031		09/08/2021 09:59 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			1308 19		12 824	0	pH (Low/Actual/High)	96,837 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210809-032		09/08/2021 10:02 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			1527 3		4 1609	0	pH (Low/Actual/High)	99,553 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20210809-048		09/08/2021 14:42 WG	Butanona Normal Saline		3MM Whatman 3MM Whatman			447 2		4 637	0	pH (Low/Actual/High)	98,80 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20210809-020		09/08/2021 06:55 BB	Acetato de amônio 1M:Metanol		Sílica gel			0,3		11,4	0	pH (Low/Actual/High)	97,436 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20210809-047		09/08/2021 12:49 JS	Acetato de amônio 1M:Metanol		Sílica gel			0,3		36,5	0	pH (Low/Actual/High)	99,185 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210809-001		09/08/2021 01:55 FN	Butanona		3MM Whatman			3		300	0	pH (Low/Actual/High)	99,01 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210809-002		09/08/2021 02:05	FN	Butanona		3MM Whatman		2		355	0		99,44 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210809-003		09/08/2021 02:45	FN	Butanona		3MM Whatman		1		1714	0		99,942 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210809-004		09/08/2021 03:18	FN	Butanona		3MM Whatman		2		752	0		99,735 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210809-005		09/08/2021 03:50	FN	Butanona		3MM Whatman		1		1187	0		99,916 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210809-006		09/08/2021 06:34	PP	Butanona		3MM Whatman		11		313	0		96,605 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210809-008		09/08/2021 07:10	PP	Butanona		3MM Whatman		1		330	0		99,698 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210809-009		09/08/2021 07:33	PP	Butanona		3MM Whatman		5		301	0		98,366 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210809-010		09/08/2021 09:50	JS	Butanona		3MM Whatman		1		406	0		99,754 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210809-012		09/08/2021 10:21	JS	Butanona		3MM Whatman		1		608	0		99,836 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210809-014		09/08/2021 14:34	WG	Butanona		3MM Whatman		3		836	0		99,642 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			