



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 12/08/2021 To 12/08/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210812-013		12/08/2021	04:05	FN	Butanona Normal Saline	3MM Whatman Sílica gel	168,9 9		4,3 177,9	0	pH (Low/Actual/High)	92,702 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210812-026		12/08/2021	08:03	PP	Butanona Normal Saline	3MM Whatman Sílica gel	187 7		4 131	0	pH (Low/Actual/High)	92,833 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210812-027		12/08/2021	08:04	PP	Butanona Normal Saline	3MM Whatman Sílica gel	212 10		1 171	0	pH (Low/Actual/High)	94,006 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210812-037		12/08/2021	10:29	WG	Butanona Normal Saline	3MM Whatman Sílica gel	113,3 5		2 166,3	0	pH (Low/Actual/High)	95,347 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20210812-019		12/08/2021	07:02	PP	Citrato de Sódio 0,1M	Sílica gel	29,1		0,3	0	pH (Low/Actual/High)	98,98 %	Pass 4,00 <= 6,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210812-046		12/08/2021	12:44	JS	Citrato de Sódio 0,1M	Sílica gel	15,69		0,2	0	pH (Low/Actual/High)	98,741 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210812-048		12/08/2021	15:48									%	
DTPA-99mTc Lot # K-20210812-007	RPH	12/08/2021	03:38	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	405 13		3 361	0	pH (Low/Actual/High)	95,789 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210812-021	RPH	12/08/2021	07:17	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	268 1		1 213	0	pH (Low/Actual/High)	99,161 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210812-032	RPH	12/08/2021	10:17	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman	277 4,9		1 105,3	0	pH (Low/Actual/High)	95,194 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
FITATO-99mTc Lot # K-20210812-005		12/08/2021	03:30	FN	Butanona	3MM Whatman	217		2	0	pH (Low/Actual/High)	99,087 %	Pass 5,00 <= 6,00 <= 7,00
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20210812-023		12/08/2021 07:31 PP	Butanona		3MM	Whatman		131		1	0		99,242 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00
MAA-99mTc Lot # K-20210812-009		12/08/2021 03:47 FN	Butanona		3MM	Whatman		40,5		1,5	0		96,429 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210812-010		12/08/2021 03:50 FN	Butanona		3MM	Whatman		107,2		2	0		98,168 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210812-011		12/08/2021 03:53 FN	Butanona		3MM	Whatman		45,7		1,2	0		97,441 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210812-012		12/08/2021 03:55 FN	Butanona		3MM	Whatman		60,1		0,4	0		99,339 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210812-014		12/08/2021 04:07 FN	Butanona		3MM	Whatman		144,6		1,4	0		99,041 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210812-015		12/08/2021 04:09 FN	Butanona		3MM	Whatman		96,8		1,2	0		98,776 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210812-016		12/08/2021 04:17 FN	Butanona		3MM	Whatman		122,2		1,1	0		99,108 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210812-017		12/08/2021 04:19 FN	Butanona		3MM	Whatman		88,1		2	0		97,78 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210812-024		12/08/2021 07:34 PP	Butanona		3MM	Whatman		200		3	0		98,522 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210812-033		12/08/2021 10:19 WG	Butanona		3MM	Whatman		165,7		1,9	0		98,866 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210812-034		12/08/2021 10:22 YD	Butanona		3MM	Whatman		123,7		2,8	0		97,787 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
MAA-99mTc Lot # K-20210812-035		12/08/2021 10:24 YD	Butanona		3MM	Whatman		87,4		0,2	0		99,772 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210812-036		12/08/2021 10:26	WG	Butanona		3MM Whatman		455		1	0	99,781 %	Pass	
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210812-047		12/08/2021 15:23	YD	Butanona		3MM Whatman		46		1	0	97,872 %	Pass	
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
MDP-99mTc Lot # K-20210812-003		12/08/2021 02:54	FN	Acetona		3MM Whatman		848		6	0	95,639 %	Pass	
				Normal Saline		3MM Whatman		12		316		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
							Límpido/Incolor							
MDP-99mTc Lot # K-20210812-006		12/08/2021 03:34	FN	Acetona		3MM Whatman		1252		2	0	99,042 %	Pass	
				Normal Saline		3MM Whatman		12		1490		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
							Límpido/Incolor							
MDP-99mTc Lot # K-20210812-018		12/08/2021 04:21	FN	Acetona		3MM Whatman		1307		1	0	97,326 %	Pass	
				Normal Saline		3MM Whatman		6		225		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
							Límpido/Incolor							
MDP-99mTc Lot # K-20210812-022		12/08/2021 07:23	PP	Acetona		3MM Whatman		853		6	0	98,715 %	Pass	
				Normal Saline		3MM Whatman		4		678		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
							Límpido/Incolor							
MDP-99mTc Lot # K-20210812-028		12/08/2021 09:37	YD	Acetona		3MM Whatman		1264		3	0	96,406 %	Pass	
				Normal Saline		3MM Whatman		37		1065		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210812-001		12/08/2021 02:15	FN	Normal Saline		Sílica gel		872		12	0	97,795 %	Pass	
				Metanol		3MM Whatman		6		702		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210812-002		12/08/2021 02:16	FN	Normal Saline		Sílica gel		1253		20	0	97,318 %	Pass	
				Metanol		3MM Whatman		12		1068		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210812-004		12/08/2021 03:20	FN	Normal Saline		Sílica gel		1510		20	0	97,987 %	Pass	
				Metanol		3MM Whatman		9		1266		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210812-008		12/08/2021 03:44	FN	Normal Saline		Sílica gel		1965		20	0	98,557 %	Pass	
				Metanol		3MM Whatman		12		2745		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210812-020		12/08/2021 07:13	PP	Normal Saline		Sílica gel		3267		10	0	97,647 %	Pass	
				Metanol		3MM Whatman		23		1100		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210812-025		12/08/2021 07:53	PP	Normal Saline		Sílica gel		1786		23	0	95,437 %	Pass	
				Metanol		3MM Whatman		45		1322		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210812-030		12/08/2021 10:07	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			1363 23		9 1229	0	pH (Low/Actual/High)	97,507 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210812-031		12/08/2021 10:11	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			1224 44		14 1795	0	pH (Low/Actual/High)	96,477 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210812-045		12/08/2021 10:59	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			374 10		10 500	0	pH (Low/Actual/High)	95,435 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20210812-029		12/08/2021 09:52	BB	Acetato de amônio 1M:Metanol	Sílica gel			0,2		20,8	0	pH (Low/Actual/High)	99,048 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210812-001		12/08/2021 02:02	FN	Butanona	3MM Whatman			2		661	0	pH (Low/Actual/High)	99,698 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210812-002		12/08/2021 02:11	FN	Butanona	3MM Whatman			1		610	0	pH (Low/Actual/High)	99,836 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210812-003		12/08/2021 02:51	FN	Butanona	3MM Whatman			2		613	0	pH (Low/Actual/High)	99,675 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210812-004		12/08/2021 03:19	FN	Butanona	3MM Whatman			1,2		174,4	0	pH (Low/Actual/High)	99,317 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210812-005		12/08/2021 03:33	FN	Butanona	3MM Whatman			2		637	0	pH (Low/Actual/High)	99,687 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210812-006		12/08/2021 03:42	FN	Butanona	3MM Whatman			1		355	0	pH (Low/Actual/High)	99,719 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210812-008		12/08/2021 07:11	PP	Butanona	3MM Whatman			16		599	0	pH (Low/Actual/High)	97,398 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210812-009		12/08/2021 07:15	PP	Butanona	3MM Whatman			10		384	0	pH (Low/Actual/High)	97,462 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210812-010		12/08/2021 07:20	PP	Butanona	3MM Whatman			4		246	0	pH (Low/Actual/High)	98,40 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210812-011		12/08/2021 07:26	PP	Butanona		3MM Whatman		1		442	0	99,774 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210812-012		12/08/2021 07:50	PP	Butanona		3MM Whatman		1		201	0	99,505 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210812-013		12/08/2021 09:31	YD	Butanona		3MM Whatman		3		1426	0	99,79 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20210812-015		12/08/2021 10:00	YD	Butanona		3MM Whatman		1		221	0	99,55 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210812-016		12/08/2021 10:09	YD	Butanona		3MM Whatman		2		463	0	99,57 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210812-017		12/08/2021 10:13	YD	Butanona		3MM Whatman		14		1062	0	98,699 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210812-018		12/08/2021 10:29	WG	Butanona		3MM Whatman		2,3		192,6	0	98,82 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210812-019		12/08/2021 10:38	WG	Butanona		3MM Whatman		2,2		183,6	0	98,816 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210812-020		12/08/2021 10:55	WG	Butanona		3MM Whatman		11		316	0	96,636 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210812-022		12/08/2021 15:04	YD	Butanona		3MM Whatman		1		325	0	99,693 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
TRODAT-99mTc Lot # K-20210812-038		12/08/2021 10:44	WG	Normal Saline		Sílica gel		75,5		2	0	96,501 %	Pass	
				Butanona		3MM Whatman		1,3		140,2	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210812-039		12/08/2021 10:45	WG	Normal Saline		Sílica gel		83,3		3,1	0	94,048 %	Pass	
				Butanona		3MM Whatman		4,3		177,6	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210812-040		12/08/2021 10:46	WG	Normal Saline		Sílica gel		67,8		4	0	93,643 %	Pass	
				Butanona		3MM Whatman		0,9		113,6	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc Lot # K-20210812-041		12/08/2021 10:46	WG	Normal Saline Butanona	Sílica gel 3MM Whatman			81,2 4,2		3 112,2	0 pH (Low/Actual/High)	92,829 %		Pass 6,50 <= 7,00 <= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210812-043		12/08/2021 10:53	WG	Normal Saline Butanona	Sílica gel 3MM Whatman			52,7 3,9		2,3 75,9	0 pH (Low/Actual/High)	90,931 %		Pass 6,50 <= 7,00 <= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20210812-044		12/08/2021 10:54	WG	Normal Saline Butanona	Sílica gel 3MM Whatman			146,7 4		0,3 165,4	0 pH (Low/Actual/High)	97,435 %		Pass 6,50 <= 7,00 <= 8,50
														Límpido/Incolor