



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10
 R: Maestro Cardim, 769 - São Paulo/SP
 Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 18/08/2021 To 18/08/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210818-013		18/08/2021	04:04	PP	Butanona	3MM Whatman	276		2	0		90,86 %	Pass
					Normal Saline	Silica gel	16		174	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20210818-023		18/08/2021	07:32	FN	Butanona	3MM Whatman	219		2	0		95,148 %	Pass
					Normal Saline	Silica gel	9		219	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20210818-024		18/08/2021	07:34	FN	Butanona	3MM Whatman	341		4	0		94,195 %	Pass
					Normal Saline	Silica gel	11,4		234	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20210818-039		18/08/2021	10:44	WG	Butanona	3MM Whatman	82		1	0		97,485 %	Pass
					Normal Saline	Silica gel	0,6		45,2	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20210818-040		18/08/2021	10:45	WG	Butanona	3MM Whatman	138,3		0,5	0		97,058 %	Pass
					Normal Saline	Silica gel	3,7		139,6	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20210818-034		18/08/2021	10:09	WG	Citrato de Sódio 0,1M	Silica gel	55,8		0,9	0		98,413 %	Pass
										pH (Low/Actual/High)	4,00 <= 7,00	<= 8,00	
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210818-055		18/08/2021	15:53	JS	Citrato de Sódio 0,1M	Silica gel	12,5		0,3	0		97,656 %	Pass
										pH (Low/Actual/High)	4,00 <= 5,00	<= 8,00	
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210818-056		18/08/2021	16:45	JS	Citrato de Sódio 0,1M	Silica gel	12,2		0,3	0		97,60 %	Pass
										pH (Low/Actual/High)	4,00 <= 5,00	<= 8,00	
Límpido e Incolor													
DTPA-99mTc Lot # K-20210818-006	RPH	18/08/2021	03:30	PP	Acetona	3MM Whatman	1013		2	0		94,962 %	Pass
					Normal Saline	3MM Whatman	35		688	pH (Low/Actual/High)	3,80 <= 6,00	<= 7,50	
Límpido/Incolor													
DTPA-99mTc Lot # K-20210818-031	RPH	18/08/2021	09:37	WG	Acetona	3MM Whatman	269		2	0		98,358 %	Pass
					Normal Saline	3MM Whatman	3		329	pH (Low/Actual/High)	3,80 <= 6,00	<= 7,50	
Límpido/Incolor													
DTPA-99mTc Lot # K-20210818-036	RPH	18/08/2021	10:29	WG	Acetona	3MM Whatman	539		0,7	0		99,297 %	Pass
					Normal Saline	3MM Whatman	4		694	pH (Low/Actual/High)	3,80 <= 6,00	<= 7,50	
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20210818-007		18/08/2021 03:32 PP	Butanona		3MM	Whatman		1057		4	0		99,623 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 7,00	
FITATO-99mTc Lot # K-20210818-027		18/08/2021 07:43 FN	Butanona		3MM	Whatman		703		3	0		99,575 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 7,00 <= 7,00	
FITATO-99mTc Lot # K-20210818-042		18/08/2021 10:56 WG	Butanona		3MM	Whatman		71,7		1,3	0		98,219 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 7,00	
MAA-99mTc Lot # K-20210818-009		18/08/2021 03:45 PP	Butanona		3MM	Whatman		298		2	0		99,333 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
MAA-99mTc Lot # K-20210818-010		18/08/2021 03:47 PP	Butanona		3MM	Whatman		226		8	0		96,581 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
MAA-99mTc Lot # K-20210818-011		18/08/2021 03:50 PP	Butanona		3MM	Whatman		145		2	0		98,639 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
MAA-99mTc Lot # K-20210818-012		18/08/2021 03:51 PP	Butanona		3MM	Whatman		154		1	0		99,355 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
MAA-99mTc Lot # K-20210818-016		18/08/2021 04:18 PP	Butanona		3MM	Whatman		546		6	0		98,913 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
MAA-99mTc Lot # K-20210818-025		18/08/2021 07:36 FN	Butanona		3MM	Whatman		118,3		1,5	0		98,748 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
MAA-99mTc Lot # K-20210818-026		18/08/2021 07:38 FN	Butanona		3MM	Whatman		70,4		1,4	0		98,05 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
MAA-99mTc Lot # K-20210818-043		18/08/2021 11:12 WG	Butanona		3MM	Whatman		132,7		0,9	0		99,326 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
MAA-99mTc Lot # K-20210818-044		18/08/2021 11:15 WG	Butanona		3MM	Whatman		105,1		0,5	0		99,527 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	
MAA-99mTc Lot # K-20210818-045		18/08/2021 11:17 WG	Butanona		3MM	Whatman		109,7		0,2	0		99,818 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00 <= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210818-046		18/08/2021 11:19	WG	Butanona		3MM Whatman		178,4		2,3	0		98,727 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210818-047		18/08/2021 11:22	WG	Butanona		3MM Whatman		90,8		0,4	0		99,561 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210818-048		18/08/2021 11:28	WG	Butanona		3MM Whatman		183,5		4	0		97,867 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210818-049		18/08/2021 11:32	WG	Butanona		3MM Whatman		229		6	0		97,447 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20210818-050		18/08/2021 11:34	WG	Butanona		3MM Whatman		175,7		1	0		99,434 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20210818-017		18/08/2021 04:26	PP	Acetona		3MM Whatman		917		2	0		96,615 %	Pass
				Normal Saline		3MM Whatman		21		642		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210818-018		18/08/2021 04:39	PP	Acetona		3MM Whatman		783		1	0		95,467 %	Pass
				Normal Saline		3MM Whatman		40		868		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210818-021		18/08/2021 07:15	FN	Acetona		3MM Whatman		201		1	0		96,826 %	Pass
				Normal Saline		3MM Whatman		6		218		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210818-028		18/08/2021 08:07	FN	Acetona		3MM Whatman		973		1	0		99,365 %	Pass
				Normal Saline		3MM Whatman		7		1308		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210818-037		18/08/2021 10:33	WG	Acetona		3MM Whatman		506		11	0		97,625 %	Pass
				Normal Saline		3MM Whatman		2		808		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210818-041		18/08/2021 10:48	WG	Acetona		3MM Whatman		653		8	0		98,564 %	Pass
				Normal Saline		3MM Whatman		1		442		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20210818-051		18/08/2021 11:37	WG	Acetona		3MM Whatman		499		2	0		98,901 %	Pass
				Normal Saline		3MM Whatman		4		568		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MIBI-99mTc Lot # K-20210818-001		18/08/2021 02:02	PP	Normal Saline		Sílica gel		1131		34	0		95,24 %	Pass
				Metanol		3MM Whatman		29		1546		pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210818-002		18/08/2021 02:08 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			2625 6		62 1361	0 pH (Low/Actual/High)	97,254 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210818-003		18/08/2021 02:29 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			2263 26		33 2600	0 pH (Low/Actual/High)	97,573 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210818-004		18/08/2021 03:11 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			2850 18		21 2501	0 pH (Low/Actual/High)	98,554 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210818-008		18/08/2021 03:38 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1767 45		30 3043	0 pH (Low/Actual/High)	96,873 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210818-014		18/08/2021 04:13 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1256 18		23 2224	0 pH (Low/Actual/High)	97,399 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210818-015		18/08/2021 04:16 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			3482 67		67 2336	0 pH (Low/Actual/High)	95,324 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210818-020		18/08/2021 06:55 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			270 20		7 1881	0 pH (Low/Actual/High)	96,421 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210818-022		18/08/2021 07:19 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			800 4		15 1115	0 pH (Low/Actual/High)	97,802 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210818-030		18/08/2021 08:21 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			572 50		6 1430	0 pH (Low/Actual/High)	95,584 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210818-032		18/08/2021 10:05 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			1399 1		5 1286	0 pH (Low/Actual/High)	99,566 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210818-033		18/08/2021 10:08 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			425 6		2 609	0 pH (Low/Actual/High)	98,556 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210818-035		18/08/2021 10:22 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			479 1		2 674	0 pH (Low/Actual/High)	99,436 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210818-038		18/08/2021 10:38 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			319 3		6 498	0 pH (Low/Actual/High)	97,555 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210818-052	18/08/2021	11:39	WG	Normal Saline Metanol	Sílica gel			203 1		5 355	0		97,315 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido/Incolor
Octreo-99mTc Lot # K-20210818-029	18/08/2021	08:21	FN	Butanona Cittrato de Sódio 0,1M	Sílica gel			88,3 96,1		1,2 6,8	0		91,677 %	Pass
													5,00 <= 6,00	<= 7,00
														Límpido/Incolor
				Metanol/ Acetato Amônio 1M	Sílica gel			0,4		106,5				
Octreo-99mTc Lot # K-20210818-053	18/08/2021	12:12	JS	Butanona Cittrato de Sódio 0,1M	Sílica gel			113 94,5		2 11	0		86,239 %	Pass
													5,00 <= 7,00	<= 7,00
														Límpido/Incolor
				Metanol/ Acetato Amônio 1M	Sílica gel			1,2		74				
PSMA-68Ga Lot # K-20210818-019	18/08/2021	06:51	FN	Acetato de amônio 1M:Metanol	Sílica gel			0,1		45,9	0		99,783 %	Pass
													4,00 <= 6,00	<= 8,00
														Límpido e Incolor
PSMA-68Ga Lot # K-20210818-054	18/08/2021	12:52	JS	Acetato de amônio 1M:Metanol	Sílica gel			0,3		14,3	0		97,945 %	Pass
													4,00 <= 5,00	<= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-001	18/08/2021	01:58	PP	Butanona		3MM	Whatman	5		2249	0		99,778 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-002	18/08/2021	02:00	PP	Butanona		3MM	Whatman	9		2722	0		99,67 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-003	18/08/2021	02:27	PP	Butanona		3MM	Whatman	22		494	0		95,736 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-004	18/08/2021	03:07	PP	Butanona		3MM	Whatman	78		1557	0		95,229 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-005	18/08/2021	03:28	PP	Butanona		3MM	Whatman	5		211	0		97,685 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-006	18/08/2021	03:34	PP	Butanona		3MM	Whatman	19		633	0		97,086 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-007	18/08/2021	03:40	PP	Butanona		3MM	Whatman	8		761	0		98,96 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210818-008		18/08/2021 04:01	PP	Butanona		3MM Whatman		8		525	0	98,499 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-009		18/08/2021 04:14	PP	Butanona		3MM Whatman		14		361	0	96,267 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-010		18/08/2021 04:24	PP	Butanona		3MM Whatman		8		548	0	98,561 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-011		18/08/2021 04:37	PP	Butanona		3MM Whatman		19		595	0	96,906 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-013		18/08/2021 06:51	FN	Butanona		3MM Whatman		6,7		428,9	0	98,462 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-014		18/08/2021 07:10	FN	Butanona		3MM Whatman		0,3		151,5	0	99,802 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-015		18/08/2021 07:17	FN	Butanona		3MM Whatman		1,2		193,7	0	99,384 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-016		18/08/2021 07:24	FN	Butanona		3MM Whatman		1		155,5	0	99,361 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-017		18/08/2021 07:58	FN	Butanona		3MM Whatman		3		1077	0	99,722 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-018		18/08/2021 08:17	FN	Butanona		3MM Whatman		1		399	0	99,75 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-019		18/08/2021 10:03	WG	Butanona		3MM Whatman		9		177,2	0	95,166 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-020		18/08/2021 10:06	WG	Butanona		3MM Whatman		3		280	0	98,94 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-022		18/08/2021 10:18	WG	Butanona		3MM Whatman		1,5		173,8	0	99,144 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210818-023	18/08/2021	10:26	WG	Butanona	3MM	Whatman		2		555	0		99,641 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-024	18/08/2021	10:31	WG	Butanona	3MM	Whatman		0,5		136,7	0		99,636 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-025	18/08/2021	10:36	WG	Butanona	3MM	Whatman		3		152,3	0		98,068 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-026	18/08/2021	10:41	WG	Butanona	3MM	Whatman		3,8		144,8	0		97,443 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-027	18/08/2021	10:46	WG	Butanona	3MM	Whatman		2		149,5	0		98,68 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-028	18/08/2021	11:09	WG	Butanona	3MM	Whatman		0,8		142,4	0		99,441 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-029	18/08/2021	11:35	WG	Butanona	3MM	Whatman		1		137,8	0		99,28 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210818-030	18/08/2021	12:07	WG	Butanona	3MM	Whatman		4		133,5	0		97,091 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor