



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10  
 R: Maestro Cardim, 769 - São Paulo/SP  
 Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 19/08/2021 To 19/08/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210819-020		19/08/2021	07:40	WG	Butanona	3MM Whatman	76,9		0,8	0	pH (Low/Actual/High)	93,14 %	Pass
					Normal Saline	Silica gel	3,3		53,3	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20210819-021		19/08/2021	07:43	WG	Butanona	3MM Whatman	53,8		1	0	pH (Low/Actual/High)	94,286 %	Pass
					Normal Saline	Silica gel	2,8		69,2	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20210819-025		19/08/2021	08:03	WG	Butanona	3MM Whatman	118,6		0,5	0	pH (Low/Actual/High)	97,44 %	Pass
					Normal Saline	Silica gel	3		137,2	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20210819-039		19/08/2021	10:49	JS	Butanona	3MM Whatman	94,5		0,5	0	pH (Low/Actual/High)	97,946 %	Pass
					Normal Saline	Silica gel	0,9		58	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20210819-016		19/08/2021	07:07	FN	Citrato de Sódio 0,1M	Silica gel	56,4		1,4	0	pH (Low/Actual/High)	97,578 %	Pass
												4,00 <= 6,00	<= 8,00
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210819-051		19/08/2021	12:49	JS	Citrato de Sódio 0,1M	Silica gel	16,8		0,3	0	pH (Low/Actual/High)	98,246 %	Pass
												4,00 <= 5,00	<= 8,00
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210819-058		19/08/2021	15:52	JS	Citrato de Sódio 0,1M	Silica gel	11,7		0,2	0	pH (Low/Actual/High)	98,319 %	Pass
												4,00 <= 5,00	<= 8,00
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20210819-059		19/08/2021	16:46	JS	Citrato de Sódio 0,1M	Silica gel	12,8		0,2	0	pH (Low/Actual/High)	98,462 %	Pass
												4,00 <= 5,00	<= 8,00
Límpido e Incolor													
DTPA-99mTc Lot # K-20210819-004	RPH	19/08/2021	03:19	PP	Acetona	3MM Whatman	368		5	0	pH (Low/Actual/High)	95,789 %	Pass
					Normal Saline	3MM Whatman	12		406	3,80 <= 6,00		<= 7,50	
Límpido/Incolor													
DTPA-99mTc Lot # K-20210819-032	RPH	19/08/2021	10:09	JS	Acetona	3MM Whatman	518		1	0	pH (Low/Actual/High)	98,298 %	Pass
					Normal Saline	3MM Whatman	4		261	3,80 <= 6,00		<= 7,50	
Límpido/Incolor													
DTPA-99mTc Lot # K-20210819-044	RPH	19/08/2021	11:03	JS	Acetona	3MM Whatman	243		1	0	pH (Low/Actual/High)	98,783 %	Pass
					Normal Saline	3MM Whatman	0,7		86	3,80 <= 6,00		<= 7,50	
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20210819-005		19/08/2021 03:21 PP	Butanona		3MM	Whatman		438		3	0		99,32 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00
												Límpido/Incolor		
FITATO-99mTc Lot # K-20210819-019		19/08/2021 07:19 FN	Butanona		3MM	Whatman		251		1	0		99,603 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00
												Límpido/Incolor		
MAA-99mTc Lot # K-20210819-006		19/08/2021 03:24 PP	Butanona		3MM	Whatman		155		2	0		98,726 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210819-007		19/08/2021 03:26 PP	Butanona		3MM	Whatman		201		3	0		98,529 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210819-022		19/08/2021 07:45 WG	Butanona		3MM	Whatman		192,8		0,9	0		99,535 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210819-026		19/08/2021 08:06 WG	Butanona		3MM	Whatman		126,8		0,6	0		99,529 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210819-027		19/08/2021 08:17 WG	Butanona		3MM	Whatman		149,6		0,3	0		99,80 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210819-028		19/08/2021 08:19 WG	Butanona		3MM	Whatman		229		2	0		99,134 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210819-033		19/08/2021 10:11 JS	Butanona		3MM	Whatman		271		1	0		99,632 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210819-045		19/08/2021 11:06 JS	Butanona		3MM	Whatman		123		1,6	0		98,716 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210819-048		19/08/2021 12:13 LG	Butanona		3MM	Whatman		126,3		0,6	0		99,527 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210819-052		19/08/2021 13:03 LG	Butanona		3MM	Whatman		98,3		1	0		98,993 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20210819-053		19/08/2021 13:05 LG	Butanona		3MM	Whatman		95,3		1,2	0		98,756 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20210819-011		19/08/2021 04:18 PP	Acetona Normal Saline		3MM Whatman 3MM Whatman			850 4		23 648	0 pH (Low/Actual/High)	96,752 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210819-012		19/08/2021 04:26 PP	Acetona Normal Saline		3MM Whatman 3MM Whatman			1429 20		4 1144	0 pH (Low/Actual/High)	98,003 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210819-015		19/08/2021 07:03 FN	Acetona Normal Saline		3MM Whatman 3MM Whatman			806 5		3 760	0 pH (Low/Actual/High)	98,976 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210819-034		19/08/2021 10:26 JS	Acetona Normal Saline		3MM Whatman 3MM Whatman			85 5		2 102	0 pH (Low/Actual/High)	93,028 %	Pass	4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20210819-047		19/08/2021 11:15 JS	Acetona Normal Saline		3MM Whatman 3MM Whatman			135,4 4		0,6 185	0 pH (Low/Actual/High)	97,442 %	Pass	4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-001		19/08/2021 02:45 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1209 18		3 1478	0 pH (Low/Actual/High)	98,549 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-002		19/08/2021 02:52 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1988 31		25 2257	0 pH (Low/Actual/High)	97,403 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-003		19/08/2021 03:14 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1361 30		11 1762	0 pH (Low/Actual/High)	97,524 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-008		19/08/2021 03:56 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			2267 73		30 2777	0 pH (Low/Actual/High)	96,133 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-010		19/08/2021 04:07 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			3171 5		51 1845	0 pH (Low/Actual/High)	98,147 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-013		19/08/2021 04:50 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			474,4 3,2		5 639,4	0 pH (Low/Actual/High)	98,459 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-014		19/08/2021 06:48 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1962 3		23 266	0 pH (Low/Actual/High)	97,726 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-023		19/08/2021 07:45 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			159,8 2		7 289	0 pH (Low/Actual/High)	95,116 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210819-029		19/08/2021 09:47 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1462 2		10 1079	0	pH (Low/Actual/High)	99,136 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-031		19/08/2021 09:52 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			552 10		42 958	0	pH (Low/Actual/High)	91,896 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-043		19/08/2021 10:58 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			407 7		3 925	0	pH (Low/Actual/High)	98,517 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-049		19/08/2021 12:25 LG	Normal Saline Metanol		Sílica gel 3MM Whatman			233 1,5		7 172,5	0	pH (Low/Actual/High)	96,221 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-050		19/08/2021 12:35 LG	Normal Saline Metanol		Sílica gel 3MM Whatman			249 6		2 353	0	pH (Low/Actual/High)	97,532 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-054		19/08/2021 13:06 LG	Normal Saline Metanol		Sílica gel 3MM Whatman			212 2		2 180	0	pH (Low/Actual/High)	97,967 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-055		19/08/2021 13:10 LG	Normal Saline Metanol		Sílica gel 3MM Whatman			329 2		2 451	0	pH (Low/Actual/High)	98,954 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-056		19/08/2021 13:23 LG	Normal Saline Metanol		Sílica gel 3MM Whatman			212 2		2 180	0	pH (Low/Actual/High)	97,967 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210819-057		19/08/2021 13:32 LG	Normal Saline Metanol		Sílica gel 3MM Whatman			149 5		2 210	0	pH (Low/Actual/High)	96,35 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20210819-009		19/08/2021 03:59 PP	Butanona Normal Saline		3MM Whatman 3MM Whatman			671 10		2 528	0	pH (Low/Actual/High)	97,844 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20210819-046		19/08/2021 11:09 JS	Butanona Normal Saline		3MM Whatman 3MM Whatman			552 2		3 752	0	pH (Low/Actual/High)	99,194 %	Pass 5,00 <= 7,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20210819-030		19/08/2021 09:51 BB	Acetato de amônio 1M:Metanol		Sílica gel			0,3		13,2	0	pH (Low/Actual/High)	97,778 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210819-001		19/08/2021 02:20 PP	Butanona		3MM Whatman			15		1895	0	pH (Low/Actual/High)	99,215 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210819-002		19/08/2021 02:38 PP	Butanona		3MM	Whatman		5		1920	0	99,74 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210819-003		19/08/2021 03:09 PP	Butanona		3MM	Whatman		1		401	0	99,751 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210819-004		19/08/2021 03:16 PP	Butanona		3MM	Whatman		5		1196	0	99,584 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210819-005		19/08/2021 03:53 PP	Butanona		3MM	Whatman		9		617	0	98,562 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210819-006		19/08/2021 03:58 PP	Butanona		3MM	Whatman		8		547	0	98,559 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210819-007		19/08/2021 04:05 PP	Butanona		3MM	Whatman		26		809	0	96,886 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210819-008		19/08/2021 04:16 PP	Butanona		3MM	Whatman		78		2809	0	97,298 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210819-009		19/08/2021 04:23 PP	Butanona		3MM	Whatman		30		814	0	96,445 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210819-010		19/08/2021 06:44 FN	Butanona		3MM	Whatman		3,5		315,7	0	98,904 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210819-011		19/08/2021 07:00 FN	Butanona		3MM	Whatman		0,4		165,8	0	99,759 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210819-013		19/08/2021 07:11 FN	Butanona		3MM	Whatman		5,2		184,5	0	97,259 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210819-014		19/08/2021 07:43 WG	Butanona		3MM	Whatman		2		363	0	99,452 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210819-015		19/08/2021 08:01 WG	Butanona		3MM	Whatman		1		248	0	99,598 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210819-016		19/08/2021 09:45	PP	Butanona		3MM Whatman		3		1483	0		99,798 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210819-017		19/08/2021 09:49	PP	Butanona		3MM Whatman		44		2000	0		97,847 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210819-019		19/08/2021 09:54	JS	Butanona		3MM Whatman		2		360	0		99,448 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210819-020		19/08/2021 10:19	PP	Butanona		3MM Whatman		3		180	0		98,361 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210819-021		19/08/2021 10:29	JS	Butanona		3MM Whatman		8		210	0		96,33 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210819-022		19/08/2021 10:43	JS	Butanona		3MM Whatman		0,8		87	0		99,089 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210819-023		19/08/2021 10:58	JS	Butanona		3MM Whatman		5		482	0		98,973 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210819-024		19/08/2021 11:10	JS	Butanona		3MM Whatman		3		153	0		98,077 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210819-025		19/08/2021 12:08	LG	Butanona		3MM Whatman		0		353	0		100,00 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210819-026		19/08/2021 12:22	LG	Butanona		3MM Whatman		1		482	0		99,793 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210819-027		19/08/2021 12:31	LG	Butanona		3MM Whatman		4		435	0		99,089 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210819-029		19/08/2021 13:00	LG	Butanona		3MM Whatman		10		576	0		98,294 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210819-030		19/08/2021 13:07	LG	Butanona		3MM Whatman		2		298	0		99,333 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210819-031		19/08/2021 13:21 LG	Butanona		3MM Whatman			1		481	0	99,793 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210819-032		19/08/2021 13:31 LG	Butanona		3MM Whatman			1		312	0	99,681 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
TRODAT-99mTc Lot # K-20210819-017		19/08/2021 07:15 WG	Normal Saline		Sílica gel			33,8		2	0	91,196 %	Pass	
			Butanona		3MM Whatman			2,5		75,2	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210819-018		19/08/2021 07:16 WG	Normal Saline		Sílica gel			46,1		2,5	0	93,577 %	Pass	
			Butanona		3MM Whatman			0,5		38,6	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210819-035		19/08/2021 10:40 JS	Normal Saline		Sílica gel			78,6		0,7	0	98,442 %	Pass	
			Butanona		3MM Whatman			0,6		88,2	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210819-036		19/08/2021 10:42 JS	Normal Saline		Sílica gel			121		2	0	97,211 %	Pass	
			Butanona		3MM Whatman			1		85	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210819-037		19/08/2021 10:43 JS	Normal Saline		Sílica gel			105		2,7	0	94,493 %	Pass	
			Butanona		3MM Whatman			3		97	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210819-038		19/08/2021 10:44 JS	Normal Saline		Sílica gel			56		2	0	93,181 %	Pass	
			Butanona		3MM Whatman			3		86	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210819-040		19/08/2021 10:52 JS	Normal Saline		Sílica gel			68		1,3	0	92,605 %	Pass	
			Butanona		3MM Whatman			5		85,6	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210819-041		19/08/2021 10:53 JS	Normal Saline		Sílica gel			45,1		0,5	0	97,586 %	Pass	
			Butanona		3MM Whatman			1		74,9	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210819-042		19/08/2021 10:54 JS	Normal Saline		Sílica gel			47,8		1,2	0	92,232 %	Pass	
			Butanona		3MM Whatman			4		71,2	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							