



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 20/08/2021 To 20/08/2021

| Product: | Manuf: | Calibration D/T | QC By | Solution | Media | Origin | Middle | Top | Background | Particle Size/ OK? | % Tag | Pass Fail |
|--------------------------------------|--------|------------------|-------|---------------------------|----------------------------|-----------|--------|------------|----------------------|--------------------|--------------|-----------|
| DMSA-99mTc Lot # K-20210820-028 | | 20/08/2021 07:47 | PP | Butanona Normal Saline | 3MM Whatman Sílica gel | 250 9 | | 5 138 | 0 | | 91,917 % | Pass |
| | | | | | Límpido/Incolor | | | | pH (Low/Actual/High) | | 2,00 <= 3,00 | <= 3,00 |
| DMSA-99mTc Lot # K-20210820-029 | | 20/08/2021 07:48 | PP | Butanona Normal Saline | 3MM Whatman Sílica gel | 259 18 | | 1 233 | 0 | | 92,444 % | Pass |
| | | | | | Límpido/Incolor | | | | pH (Low/Actual/High) | | 2,00 <= 3,00 | <= 3,00 |
| DMSA-99mTc Lot # K-20210820-030 | | 20/08/2021 07:53 | PP | Butanona Normal Saline | 3MM Whatman Sílica gel | 288 12 | | 1 200 | 0 | | 93,994 % | Pass |
| | | | | | Límpido/Incolor | | | | pH (Low/Actual/High) | | 2,00 <= 3,00 | <= 3,00 |
| DMSA-99mTc Lot # K-20210820-033 | | 20/08/2021 08:05 | PP | Butanona Normal Saline | 3MM Whatman Sílica gel | 176 10 | | 1 155 | 0 | | 93,374 % | Pass |
| | | | | | Límpido/Incolor | | | | pH (Low/Actual/High) | | 2,00 <= 3,00 | <= 3,00 |
| DMSA-99mTc Lot # K-20210820-034 | | 20/08/2021 08:07 | PP | Butanona Normal Saline | 3MM Whatman Sílica gel | 200 26 | | 2 293 | 0 | | 90,859 % | Pass |
| | | | | | Límpido/Incolor | | | | pH (Low/Actual/High) | | 2,00 <= 3,00 | <= 3,00 |
| DMSA-99mTc Lot # K-20210820-045 | | 20/08/2021 10:44 | WG | Butanona Normal Saline | 3MM Whatman Sílica gel | 122 2 | | 4 173,7 | 0 | | 95,687 % | Pass |
| | | | | | Límpido/Incolor | | | | pH (Low/Actual/High) | | 2,00 <= 3,00 | <= 3,00 |
| DOTATOC-68Ga Lot # K-20210820-053 | | 20/08/2021 12:50 | JS | Citrato de Sódio 0,1M | Sílica gel | 15,3 | | 0,4 | 0 | | 97,452 % | Pass |
| | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | | 4,00 <= 5,00 | <= 8,00 |
| DOTATOC-68Ga Lot # K-20210820-054 | | 20/08/2021 15:45 | | | | | | | | | % | |
| DTPA-99mTc Lot # K-20210820-020 | RPH | 20/08/2021 04:12 | PP | Acetona Normal Saline | 3MM Whatman 3MM Whatman | 727 34 | | 3 968 | 0 | | 96,196 % | Pass |
| | | | | | Límpido/Incolor | | | | pH (Low/Actual/High) | | 3,80 <= 6,00 | <= 7,50 |
| DTPA-99mTc Lot # K-20210820-022 | RPH | 20/08/2021 04:33 | PP | Acetona Normal Saline | 3MM Whatman 3MM Whatman | 628 5 | | 3 1014 | 0 | | 99,034 % | Pass |
| | | | | | Límpido/Incolor | | | | pH (Low/Actual/High) | | 3,80 <= 6,00 | <= 7,50 |
| DTPA-99mTc Lot # K-20210820-032 | RPH | 20/08/2021 08:01 | PP | Acetona Normal Saline | 3MM Whatman 3MM Whatman | 472 10 | | 2 380 | 0 | | 97,014 % | Pass |
| | | | | | Límpido/Incolor | | | | pH (Low/Actual/High) | | 3,80 <= 6,00 | <= 7,50 |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|--------------------------------------|--------|------------------|----------|--------------------------|--------|---------|-----|------------|---------|----------|-------|----------------------|--------------|--------------|
| DTPA-99mTc Lot # K-20210820-044 | RPH | 20/08/2021 10:42 | WG | Acetona Normal Saline | 3MM | Whatman | | 520 10 | | 3 468 | 0 | | 97,334 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,80 <= 6,00 | <= 7,50 |
| | | | | | | | | | | | | Límpido/Incolor | | |
| FITATO-99mTc Lot # K-20210820-019 | | 20/08/2021 04:11 | PP | Butanona | 3MM | Whatman | | 384 | | 4 | 0 | | 98,969 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 7,00 |
| | | | | | | | | | | | | Límpido/Incolor | | |
| FITATO-99mTc Lot # K-20210820-027 | | 20/08/2021 07:42 | PP | Butanona | 3MM | Whatman | | 607 | | 2 | 0 | | 99,672 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 7,00 |
| | | | | | | | | | | | | Límpido/Incolor | | |
| MAA-99mTc Lot # K-20210820-010 | | 20/08/2021 03:43 | PP | Butanona | 3MM | Whatman | | 2612 | | 2 | 0 | | 99,923 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-011 | | 20/08/2021 03:47 | PP | Butanona | 3MM | Whatman | | 148 | | 2 | 0 | | 98,667 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-012 | | 20/08/2021 03:49 | PP | Butanona | 3MM | Whatman | | 131 | | 2 | 0 | | 98,496 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-013 | | 20/08/2021 03:51 | PP | Butanona | 3MM | Whatman | | 177 | | 3 | 0 | | 98,333 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-014 | | 20/08/2021 03:53 | PP | Butanona | 3MM | Whatman | | 127 | | 2 | 0 | | 98,45 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-015 | | 20/08/2021 03:54 | PP | Butanona | 3MM | Whatman | | 107 | | 3 | 0 | | 97,273 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-016 | | 20/08/2021 04:06 | PP | Butanona | 3MM | Whatman | | 72 | | 1 | 0 | | 98,63 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-017 | | 20/08/2021 04:08 | PP | Butanona | 3MM | Whatman | | 55 | | 1 | 0 | | 98,214 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-018 | | 20/08/2021 04:09 | PP | Butanona | 3MM | Whatman | | 108 | | 5 | 0 | | 95,575 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-036 | | 20/08/2021 08:10 | PP | Butanona | 3MM | Whatman | | 135 | | 2 | 0 | | 98,54 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|-----------------------------------|--------|------------------|----------|---------------|--------|-------------|-----|------------|---------|----------|-------|----------------------|--------------|--------------|
| MAA-99mTc Lot # K-20210820-035 | | 20/08/2021 08:10 | PP | Butanona | | 3MM Whatman | | 179 | | 1 | 0 | 99,444 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-037 | | 20/08/2021 08:13 | PP | Butanona | | 3MM Whatman | | 214 | | 2 | 0 | 99,074 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-046 | | 20/08/2021 10:46 | WG | Butanona | | 3MM Whatman | | 192,1 | | 2,3 | 0 | 98,817 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-047 | | 20/08/2021 10:48 | WG | Butanona | | 3MM Whatman | | 278 | | 2,6 | 0 | 99,073 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-048 | | 20/08/2021 10:53 | WG | Butanona | | 3MM Whatman | | 270 | | 3 | 0 | 98,901 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-049 | | 20/08/2021 10:55 | WG | Butanona | | 3MM Whatman | | 131,5 | | 0,8 | 0 | 99,395 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-051 | | 20/08/2021 11:08 | WG | Butanona | | 3MM Whatman | | 149,7 | | 0,7 | 0 | 99,535 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MAA-99mTc Lot # K-20210820-052 | | 20/08/2021 11:10 | WG | Butanona | | 3MM Whatman | | 175,8 | | 1,4 | 0 | 99,21 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | Turvo/Incolor | | |
| MDP-99mTc Lot # K-20210820-009 | | 20/08/2021 03:37 | PP | Acetona | | 3MM Whatman | | 1010 | | 7 | 0 | 97,756 % | Pass | |
| | | | | Normal Saline | | 3MM Whatman | | 10 | | 633 | | pH (Low/Actual/High) | 4,00 <= 6,00 | <= 7,80 |
| | | | | | | | | | | | | Límpido/Incolor | | |
| MDP-99mTc Lot # K-20210820-026 | | 20/08/2021 07:37 | PP | Acetona | | 3MM Whatman | | 1392 | | 2 | 0 | 99,795 % | Pass | |
| | | | | Normal Saline | | 3MM Whatman | | 1 | | 1616 | | pH (Low/Actual/High) | 4,00 <= 6,00 | <= 7,80 |
| | | | | | | | | | | | | Límpido/Incolor | | |
| MDP-99mTc Lot # K-20210820-038 | | 20/08/2021 08:18 | PP | Acetona | | 3MM Whatman | | 863 | | 2 | 0 | 99,645 % | Pass | |
| | | | | Normal Saline | | 3MM Whatman | | 1 | | 810 | | pH (Low/Actual/High) | 4,00 <= 6,00 | <= 7,80 |
| | | | | | | | | | | | | Límpido/Incolor | | |
| MDP-99mTc Lot # K-20210820-039 | | 20/08/2021 09:04 | BB | Acetona | | 3MM Whatman | | 447 | | 4 | 0 | 98,129 % | Pass | |
| | | | | Normal Saline | | 3MM Whatman | | 6 | | 604 | | pH (Low/Actual/High) | 4,00 <= 5,00 | <= 7,80 |
| | | | | | | | | | | | | Límpido/Incolor | | |
| MDP-99mTc Lot # K-20210820-040 | | 20/08/2021 09:08 | BB | Acetona | | 3MM Whatman | | 686 | | 4 | 0 | 95,762 % | Pass | |
| | | | | Normal Saline | | 3MM Whatman | | 27 | | 711 | | pH (Low/Actual/High) | 4,00 <= 5,00 | <= 7,80 |
| | | | | | | | | | | | | Límpido/Incolor | | |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|------------------------------------|--------|---------------------|--------------------------|-------|---------------------------|--------|-----------------|------------|---------|------------|-------|----------------------|----------|------------------------------|
| MIBI-99mTc Lot # K-20210820-005 | | 20/08/2021 02:14 PP | Normal Saline Metanol | | Silica gel 3MM Whatman | | | 634 4 | | 7 1156 | 0 | pH (Low/Actual/High) | 98,563 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210820-002 | | 20/08/2021 02:16 PP | Normal Saline Metanol | | Silica gel 3MM Whatman | | | 4911 40 | | 74 3030 | 0 | pH (Low/Actual/High) | 97,213 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210820-003 | | 20/08/2021 02:17 PP | Normal Saline Metanol | | Silica gel 3MM Whatman | | | 239 3 | | 6 374 | 0 | pH (Low/Actual/High) | 96,755 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210820-004 | | 20/08/2021 02:18 PP | Normal Saline Metanol | | Silica gel 3MM Whatman | | | 887 18 | | 22 1083 | 0 | pH (Low/Actual/High) | 95,945 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210820-006 | | 20/08/2021 03:23 PP | Normal Saline Metanol | | Silica gel 3MM Whatman | | | 2034 4 | | 13 2000 | 0 | pH (Low/Actual/High) | 99,165 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210820-007 | | 20/08/2021 03:24 PP | Normal Saline Metanol | | Silica gel 3MM Whatman | | | 1473 12 | | 6 1520 | 0 | pH (Low/Actual/High) | 98,811 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210820-008 | | 20/08/2021 03:33 PP | Normal Saline Metanol | | Silica gel 3MM Whatman | | | 1848 18 | | 22 1218 | 0 | pH (Low/Actual/High) | 97,367 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210820-021 | | 20/08/2021 04:24 PP | Normal Saline Metanol | | Silica gel 3MM Whatman | | | 1315 11 | | 17 1697 | 0 | pH (Low/Actual/High) | 98,08 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210820-024 | | 20/08/2021 07:03 FN | Normal Saline Metanol | | Silica gel 3MM Whatman | | | 211 1 | | 4 210 | 0 | pH (Low/Actual/High) | 97,666 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210820-025 | | 20/08/2021 07:04 FN | Normal Saline Metanol | | Silica gel 3MM Whatman | | | 1961 2 | | 25 250 | 0 | pH (Low/Actual/High) | 97,948 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210820-042 | | 20/08/2021 10:34 MP | Normal Saline Metanol | | Silica gel 3MM Whatman | | | 508 3 | | 5 678 | 0 | pH (Low/Actual/High) | 98,585 % | Pass 5,00 <= 5,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210820-043 | | 20/08/2021 10:35 WG | Normal Saline Metanol | | Silica gel 3MM Whatman | | | 465 3 | | 3 696 | 0 | pH (Low/Actual/High) | 98,93 % | Pass 5,00 <= 5,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210820-050 | | 20/08/2021 11:01 WG | Normal Saline Metanol | | Silica gel 3MM Whatman | | | 463 1 | | 3,6 598 | 0 | pH (Low/Actual/High) | 99,062 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|--------------------------------------|--------|------------------|----------|------------------------------|------------|-------------|-----|------------|---------|----------|-------|----------------------|--------------|-------------------|
| PSMA-68Ga Lot # K-20210820-023 | | 20/08/2021 07:01 | BB | Acetato de amônio 1M:Metanol | Sílica gel | | | 0,2 | | 18,4 | 0 | | 98,925 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 4,00 <= 5,00 | <= 8,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| PSMA-68Ga Lot # K-20210820-031 | | 20/08/2021 07:52 | PP | Acetato de amônio 1M:Metanol | Sílica gel | | | 0,7 | | 47,8 | 0 | | 98,557 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 4,00 <= 6,00 | <= 8,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| PSMA-68Ga Lot # K-20210820-041 | | 20/08/2021 09:58 | WG | Acetato de amônio 1M:Metanol | Sílica gel | | | 0,1 | | 10,6 | 0 | | 99,065 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 4,00 <= 7,00 | <= 8,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210820-001 | | 20/08/2021 02:02 | PP | Butanona | | 3MM Whatman | | 2 | | 1271 | 0 | | 99,843 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210820-002 | | 20/08/2021 02:03 | PP | Butanona | | 3MM Whatman | | 1 | | 116 | 0 | | 99,145 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210820-003 | | 20/08/2021 03:19 | PP | Butanona | | 3MM Whatman | | 4 | | 566 | 0 | | 99,298 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210820-004 | | 20/08/2021 03:21 | PP | Butanona | | 3MM Whatman | | 2 | | 190 | 0 | | 98,958 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210820-005 | | 20/08/2021 03:29 | PP | Butanona | | 3MM Whatman | | 5 | | 750 | 0 | | 99,338 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210820-006 | | 20/08/2021 03:35 | PP | Butanona | | 3MM Whatman | | 7 | | 1606 | 0 | | 99,566 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210820-007 | | 20/08/2021 03:40 | PP | Butanona | | 3MM Whatman | | 1 | | 144 | 0 | | 99,31 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210820-008 | | 20/08/2021 04:21 | PP | Butanona | | 3MM Whatman | | 2 | | 543 | 0 | | 99,633 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210820-009 | | 20/08/2021 06:59 | FN | Butanona | | 3MM Whatman | | 5 | | 1343 | 0 | | 99,629 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210820-011 | | 20/08/2021 07:33 | FN | Butanona | | 3MM Whatman | | 20 | | 1532 | 0 | | 98,711 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|--------------------------------------|--------|------------------|----------|----------|--------|-------------|-----|------------|---------|----------|----------------------|--------------|----------|--------------|
| Tecnécio-99m Lot # E-20210820-012 | | 20/08/2021 07:44 | FN | Butanona | | 3MM Whatman | | 2 | | 714 | 0 | | 99,721 % | Pass |
| | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| | | | | | | | | | | | Límpido e Incolor | | | |
| Tecnécio-99m Lot # E-20210820-014 | | 20/08/2021 08:03 | PP | Butanona | | 3MM Whatman | | 6 | | 794 | 0 | | 99,25 % | Pass |
| | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| | | | | | | | | | | | Límpido e Incolor | | | |
| Tecnécio-99m Lot # E-20210820-015 | | 20/08/2021 08:15 | PP | Butanona | | 3MM Whatman | | 2 | | 65 | 0 | | 97,015 % | Pass |
| | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| | | | | | | | | | | | Límpido e Incolor | | | |
| Tecnécio-99m Lot # E-20210820-016 | | 20/08/2021 09:02 | PP | Butanona | | 3MM Whatman | | 0,4 | | 124,7 | 0 | | 99,68 % | Pass |
| | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| | | | | | | | | | | | Límpido e Incolor | | | |
| Tecnécio-99m Lot # E-20210820-017 | | 20/08/2021 09:02 | PP | Butanona | | 3MM Whatman | | 0,8 | | 58,9 | 0 | | 98,66 % | Pass |
| | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| | | | | | | | | | | | Límpido e Incolor | | | |
| Tecnécio-99m Lot # E-20210820-019 | | 20/08/2021 10:13 | WG | Butanona | | 3MM Whatman | | 7 | | 604 | 0 | | 98,854 % | Pass |
| | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| | | | | | | | | | | | Límpido e Incolor | | | |
| Tecnécio-99m Lot # E-20210820-020 | | 20/08/2021 10:41 | WG | Butanona | | 3MM Whatman | | 10 | | 924 | 0 | | 98,929 % | Pass |
| | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| | | | | | | | | | | | Límpido e Incolor | | | |
| Tecnécio-99m Lot # E-20210820-021 | | 20/08/2021 10:58 | WG | Butanona | | 3MM Whatman | | 4 | | 344 | 0 | | 98,851 % | Pass |
| | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| | | | | | | | | | | | Límpido e Incolor | | | |