



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 24/08/2021 To 24/08/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210824-014		24/08/2021	04:05	PP	Butanona Normal Saline	3MM Whatman Sílica gel	153 9		3 140	0		92,037 %	Pass
						Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00 <= 3,00	
DMSA-99mTc Lot # K-20210824-015		24/08/2021	04:07	PP	Butanona Normal Saline	3MM Whatman Sílica gel	245 4		2 168	0		96,865 %	Pass
						Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00 <= 3,00	
DMSA-99mTc Lot # K-20210824-027		24/08/2021	07:38	FN	Butanona Normal Saline	3MM Whatman Sílica gel	243,3 8,3		3,2 194,7	0		94,613 %	Pass
						Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00 <= 3,00	
DMSA-99mTc Lot # K-20210824-028		24/08/2021	07:39	FN	Butanona Normal Saline	3MM Whatman Sílica gel	195,2 8,3		2,4 141,9	0		93,259 %	Pass
						Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00 <= 3,00	
DMSA-99mTc Lot # K-20210824-029		24/08/2021	07:42	FN	Butanona Normal Saline	3MM Whatman Sílica gel	231 18		5 257	0		91,336 %	Pass
						Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00 <= 3,00	
DOTATOC-68Ga Lot # K-20210824-024		24/08/2021	06:55	FN	Citrato de Sódio 0,1M	Sílica gel	19,6		0,1	0		99,492 %	Pass
						Límpido e Incolor				pH (Low/Actual/High)		4,00 <= 6,00 <= 8,00	
DOTATOC-68Ga Lot # K-20210824-030		24/08/2021	07:52	FN	Citrato de Sódio 0,1M	Sílica gel	27,1		1,3	0		95,423 %	Pass
						Límpido e Incolor				pH (Low/Actual/High)		4,00 <= 6,00 <= 8,00	
DOTATOC-68Ga Lot # K-20210824-057		24/08/2021	12:51	JS	Citrato de Sódio 0,1M	Sílica gel	10,12		0,1	0		99,022 %	Pass
						Límpido e Incolor				pH (Low/Actual/High)		4,00 <= 5,00 <= 8,00	
DOTATOC-68Ga Lot # K-20210824-058		24/08/2021	13:40	JS	Citrato de Sódio 0,1M	Sílica gel	24		0,4	0		98,361 %	Pass
						Límpido e Incolor				pH (Low/Actual/High)		4,00 <= 5,00 <= 8,00	
DTPA-99mTc Lot # K-20210824-006	RPH	24/08/2021	03:39	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	917 14		5 873	0		97,879 %	Pass
						Límpido/Incolor				pH (Low/Actual/High)		3,80 <= 6,00 <= 7,50	
DTPA-99mTc Lot # K-20210824-031	RPH	24/08/2021	08:04	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	757 23		17 769	0		94,90 %	Pass
						Límpido/Incolor				pH (Low/Actual/High)		3,80 <= 6,00 <= 7,50	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20210824-041	RPH	24/08/2021 10:26	PP	Acetona Normal Saline	3MM	Whatman		277 5		3 201	0		96,501 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	3,80 <= 6,00	<= 7,50
FITATO-99mTc Lot # K-20210824-007		24/08/2021 03:41	PP	Butanona	3MM	Whatman		251		1	0		99,603 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00
FITATO-99mTc Lot # K-20210824-034		24/08/2021 08:11	YD	Butanona	3MM	Whatman		37,8		0,9	0		97,674 %	Pass
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00
MAA-99mTc Lot # K-20210824-009		24/08/2021 03:49	PP	Butanona	3MM	Whatman		183		5	0		97,34 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210824-010		24/08/2021 03:50	PP	Butanona	3MM	Whatman		121		6	0		95,276 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210824-011		24/08/2021 03:53	PP	Butanona	3MM	Whatman		274		4	0		98,561 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210824-012		24/08/2021 03:54	PP	Butanona	3MM	Whatman		71		2	0		97,26 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210824-013		24/08/2021 03:56	PP	Butanona	3MM	Whatman		77		1	0		98,718 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 3,00	<= 6,00
MAA-99mTc Lot # K-20210824-016		24/08/2021 04:12	PP	Butanona	3MM	Whatman		66		1	0		98,507 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210824-017		24/08/2021 04:15	PP	Butanona	3MM	Whatman		155		3	0		98,101 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210824-018		24/08/2021 04:17	PP	Butanona	3MM	Whatman		126		1	0		99,213 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210824-019		24/08/2021 04:18	PP	Butanona	3MM	Whatman		107		1	0		99,074 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210824-022		24/08/2021 04:32	PP	Butanona	3MM	Whatman		123		2	0		98,40 %	Pass
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210824-023		24/08/2021 04:34 PP	Butanona		3MM	Whatman		113		2	0	98,261 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210824-032		24/08/2021 08:06 FN	Butanona		3MM	Whatman		245		2	0	99,19 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210824-033		24/08/2021 08:09 FN	Butanona		3MM	Whatman		198		1	0	99,497 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210824-049		24/08/2021 11:07 PP	Butanona		3MM	Whatman		243		2	0	99,184 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210824-050		24/08/2021 11:09 PP	Butanona		3MM	Whatman		422		4	0	99,061 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210824-051		24/08/2021 11:11 PP	Butanona		3MM	Whatman		330		3	0	99,099 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20210824-052		24/08/2021 11:13 JS	Butanona		3MM	Whatman		183		3	0	98,387 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210824-053		24/08/2021 11:16 JS	Butanona		3MM	Whatman		124		2,3	0	98,179 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210824-054		24/08/2021 11:18 JS	Butanona		3MM	Whatman		148		1	0	99,329 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210824-055		24/08/2021 11:21 JS	Butanona		3MM	Whatman		226		6	0	97,414 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MDP-99mTc Lot # K-20210824-020		24/08/2021 04:20 PP	Acetona		3MM	Whatman		2211		13	0	99,105 %	Pass	
			Normal Saline		3MM	Whatman		5		1603	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210824-026		24/08/2021 07:34 FN	Acetona		3MM	Whatman		1346		20	0	97,626 %	Pass	
			Normal Saline		3MM	Whatman		13		1415	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210824-036		24/08/2021 08:17 YD	Acetona		3MM	Whatman		678		1	0	97,633 %	Pass	
			Normal Saline		3MM	Whatman		18		793	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20210824-042	24/08/2021	10:33 PP	Acetona Normal Saline		3MM Whatman			1287 12		4 1475	0 pH (Low/Actual/High)	98,883 %		Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20210824-001	24/08/2021	02:08 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			2761 32		46 2979	0 pH (Low/Actual/High)	97,298 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210824-002	24/08/2021	02:11 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			2063 13		30 2622	0 pH (Low/Actual/High)	98,073 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210824-003	24/08/2021	02:57 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			2834 12		20 3067	0 pH (Low/Actual/High)	98,909 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210824-004	24/08/2021	02:58 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1816 21		78 2522	0 pH (Low/Actual/High)	95,056 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210824-005	24/08/2021	03:03 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1801 22		18 2628	0 pH (Low/Actual/High)	98,18 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210824-021	24/08/2021	04:23 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			4314 2		43 2189	0 pH (Low/Actual/High)	98,922 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210824-025	24/08/2021	06:55 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1440 16		30 1976	0 pH (Low/Actual/High)	97,156 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210824-035	24/08/2021	08:14 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			1337 3		25 1473	0 pH (Low/Actual/High)	97,961 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210824-039	24/08/2021	10:16 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1046 11		4 1422	0 pH (Low/Actual/High)	98,851 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210824-040	24/08/2021	10:20 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1307 11		13 1433	0 pH (Low/Actual/High)	98,253 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210824-056	24/08/2021	11:22 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			989 21		7 1371	0 pH (Low/Actual/High)	97,789 %		Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20210824-008	24/08/2021	03:44 PP	Butanona Normal Saline		3MM Whatman			344 15		4 545	0 pH (Low/Actual/High)	96,172 %		Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PIRO-99mTc Lot # K-20210824-037	24/08/2021	09:09	YD	Butanona Normal Saline	3MM	Whatman		138,4 1		0,1 297	0	pH (Low/Actual/High)	99,592 %	Pass 5,00 <= 6,00 <= 7,00
														Límpido/Incolor
PSMA-68Ga Lot # K-20210824-038	24/08/2021	09:59	JS	Acetato de amônio 1M:Metanol	Sílica gel			0,4		23,9	0	pH (Low/Actual/High)	98,354 %	Pass 4,00 <= 5,00 <= 8,00
														Límpido e Incolor
PSMA-68Ga Lot # K-20210824-059	24/08/2021	15:52	JS	Acetato de amônio 1M:Metanol	Sílica gel			0,2		15,23	0	pH (Low/Actual/High)	98,704 %	Pass 4,00 <= 5,00 <= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210824-001	24/08/2021	02:00	PP	Butanona	3MM	Whatman		52		3210	0	pH (Low/Actual/High)	98,406 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210824-002	24/08/2021	02:01	PP	Butanona	3MM	Whatman		24		3514	0	pH (Low/Actual/High)	99,322 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210824-003	24/08/2021	02:53	PP	Butanona	3MM	Whatman		28		1374	0	pH (Low/Actual/High)	98,003 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210824-004	24/08/2021	03:01	PP	Butanona	3MM	Whatman		12		4538	0	pH (Low/Actual/High)	99,736 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210824-005	24/08/2021	03:47	PP	Butanona	3MM	Whatman		10		1112	0	pH (Low/Actual/High)	99,109 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210824-006	24/08/2021	04:02	PP	Butanona	3MM	Whatman		64		2620	0	pH (Low/Actual/High)	97,615 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210824-007	24/08/2021	06:52	FN	Butanona	3MM	Whatman		4		3549	0	pH (Low/Actual/High)	99,887 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210824-009	24/08/2021	07:29	FN	Butanona	3MM	Whatman		5		4472	0	pH (Low/Actual/High)	99,888 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210824-010	24/08/2021	07:36	FN	Butanona	3MM	Whatman		12		2554	0	pH (Low/Actual/High)	99,532 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210824-012	24/08/2021	08:30	YD	Butanona	3MM	Whatman		8		600	0	pH (Low/Actual/High)	98,684 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210824-014	24/08/2021	10:09	YD	Butanona		3MM Whatman		4		966	0	99,588 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210824-015	24/08/2021	10:17	YD	Butanona		3MM Whatman		1		365	0	99,727 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210824-016	24/08/2021	10:27	PP	Butanona		3MM Whatman		2		1734	0	99,885 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210824-017	24/08/2021	10:46	PP	Butanona		3MM Whatman		33		1649	0	98,038 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210824-021	24/08/2021	16:24	YD	Butanona		3MM Whatman		1		111,4	0	99,11 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210824-022	24/08/2021	16:37	YD	Butanona		3MM Whatman		0,8		185,3	0	99,57 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20210824-023	24/08/2021	16:41	YD	Butanona		3MM Whatman		0,4		81	0	99,509 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
TRODAT-99mTc Lot # K-20210824-043	24/08/2021	10:39	PP	Normal Saline		Sílica gel		114		5	0	90,651 %	Pass	
				Butanona		3MM Whatman		7		129	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210824-045	24/08/2021	10:40	PP	Normal Saline		Sílica gel		136		10	0	90,472 %	Pass	
				Butanona		3MM Whatman		3		109	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210824-044	24/08/2021	10:40	PP	Normal Saline		Sílica gel		375		10	0	91,79 %	Pass	
				Butanona		3MM Whatman		11		185	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210824-046	24/08/2021	10:41	PP	Normal Saline		Sílica gel		143		6	0	93,89 %	Pass	
				Butanona		3MM Whatman		2		94	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210824-047	24/08/2021	10:49	JS	Normal Saline		Sílica gel		155,3		1,9	0	98,531 %	Pass	
				Butanona		3MM Whatman		0,3		115	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20210824-048	24/08/2021	10:54	JS	Normal Saline		Sílica gel		159		6	0	90,968 %	Pass	
				Butanona		3MM Whatman		15		263	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							