



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 25/08/2021 To 25/08/2021

| Product: | Manuf: | Calibration | D/T | QC By | Solution | Media | Origin | Middle | Top | Background | Particle Size/ OK? | % Tag | Pass Fail |
|--------------------------------------|--------|-------------|-------|-------|---------------------------|----------------------------|------------|--------|--------------|------------|----------------------|----------|------------------------------|
| DMSA-99mTc Lot # K-20210825-012 | | 25/08/2021 | 04:06 | PP | Butanona Normal Saline | 3MM Whatman Sílica gel | 269 10 | | 1 181 | 0 | pH (Low/Actual/High) | 94,394 % | Pass 2,00 <= 3,00 <= 3,00 |
| | | | | | | Límpido/Incolor | | | | | | | |
| DMSA-99mTc Lot # K-20210825-024 | | 25/08/2021 | 07:34 | PP | Butanona Normal Saline | 3MM Whatman Sílica gel | 176 12 | | 2 163 | 0 | pH (Low/Actual/High) | 92,019 % | Pass 2,00 <= 3,00 <= 3,00 |
| | | | | | | Límpido/Incolor | | | | | | | |
| DMSA-99mTc Lot # K-20210825-025 | | 25/08/2021 | 07:36 | PP | Butanona Normal Saline | 3MM Whatman Sílica gel | 152 14 | | 1 164 | 0 | pH (Low/Actual/High) | 91,481 % | Pass 2,00 <= 3,00 <= 3,00 |
| | | | | | | Límpido/Incolor | | | | | | | |
| DMSA-99mTc Lot # K-20210825-047 | | 25/08/2021 | 11:14 | JS | Butanona Normal Saline | 3MM Whatman Sílica gel | 117,3 5 | | 1,4 127 | 0 | pH (Low/Actual/High) | 95,033 % | Pass 2,00 <= 3,00 <= 3,00 |
| | | | | | | Límpido/Incolor | | | | | | | |
| DMSA-99mTc Lot # K-20210825-048 | | 25/08/2021 | 11:14 | JS | Butanona Normal Saline | 3MM Whatman Sílica gel | 142 1 | | 0,8 120,3 | 0 | pH (Low/Actual/High) | 98,615 % | Pass 2,00 <= 3,00 <= 3,00 |
| | | | | | | Límpido/Incolor | | | | | | | |
| DOTATOC-68Ga Lot # K-20210825-037 | | 25/08/2021 | 10:10 | JS | Citrato de Sódio 0,1M | Sílica gel | 7,56 | | 0,2 | 0 | pH (Low/Actual/High) | 97,423 % | Pass 4,00 <= 5,00 <= 8,00 |
| | | | | | | Límpido e Incolor | | | | | | | |
| DOTATOC-68Ga Lot # K-20210825-043 | | 25/08/2021 | 10:51 | JS | Citrato de Sódio 0,1M | Sílica gel | 7,92 | | 0,2 | 0 | pH (Low/Actual/High) | 97,537 % | Pass 4,00 <= 5,00 <= 8,00 |
| | | | | | | Límpido e Incolor | | | | | | | |
| DOTATOC-68Ga Lot # K-20210825-055 | | 25/08/2021 | 15:42 | JS | Citrato de Sódio 0,1M | Sílica gel | 1 | | 1 | 0 | pH (Low/Actual/High) | 50,00 % | Fail 4,00 <= 5,00 <= 8,00 |
| | | | | | | Límpido e Incolor | | | | | | | |
| DOTATOC-68Ga Lot # K-20210825-056 | | 25/08/2021 | 16:26 | YD | Citrato de Sódio 0,1M | Sílica gel | 6467 | | 2 | 0 | pH (Low/Actual/High) | 99,969 % | Pass 4,00 <= 6,00 <= 8,00 |
| | | | | | | Límpido e Incolor | | | | | | | |
| DOTATOC-68Ga Lot # K-20210825-057 | | 25/08/2021 | 17:10 | JS | Citrato de Sódio 0,1M | Sílica gel | 7 | | 0,3 | 0 | pH (Low/Actual/High) | 95,89 % | Pass 4,00 <= 5,00 <= 8,00 |
| | | | | | | Límpido e Incolor | | | | | | | |
| DTPA-99mTc Lot # K-20210825-011 | RPH | 25/08/2021 | 04:04 | PP | Acetona Normal Saline | 3MM Whatman 3MM Whatman | 828 16 | | 1 563 | 0 | pH (Low/Actual/High) | 97,116 % | Pass 3,80 <= 6,00 <= 7,50 |
| | | | | | | Límpido/Incolor | | | | | | | |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|--------------------------------------|--------|------------------|----------|--------------------------|--------|---------|-----|------------|---------|----------|-------|----------------------|--------------|-----------------|
| DTPA-99mTc Lot # K-20210825-022 | RPH | 25/08/2021 07:20 | PP | Acetona Normal Saline | 3MM | Whatman | | 310 7 | | 2 311 | 0 | pH (Low/Actual/High) | 97,158 % | Pass |
| | | | | | | | | | | | | | 3,80 <= 6,00 | <= 7,50 |
| | | | | | | | | | | | | | | Límpido/Incolor |
| DTPA-99mTc Lot # K-20210825-046 | RPH | 25/08/2021 11:05 | JS | Acetona Normal Saline | 3MM | Whatman | | 540 18 | | 4 660 | 0 | pH (Low/Actual/High) | 96,61 % | Pass |
| | | | | | | | | | | | | | 3,80 <= 5,00 | <= 7,50 |
| | | | | | | | | | | | | | | Límpido/Incolor |
| DTPA-99mTc Lot # K-20210825-052 | RPH | 25/08/2021 11:31 | JS | Acetona Normal Saline | 3MM | Whatman | | 212 7,7 | | 2 170 | 0 | pH (Low/Actual/High) | 94,732 % | Pass |
| | | | | | | | | | | | | | 3,80 <= 5,00 | <= 7,50 |
| | | | | | | | | | | | | | | Límpido/Incolor |
| FITATO-99mTc Lot # K-20210825-013 | | 25/08/2021 04:08 | PP | Butanona | 3MM | Whatman | | 333 | | 6 | 0 | pH (Low/Actual/High) | 98,23 % | Pass |
| | | | | | | | | | | | | | 5,00 <= 7,00 | <= 7,00 |
| | | | | | | | | | | | | | | Límpido/Incolor |
| FITATO-99mTc Lot # K-20210825-030 | | 25/08/2021 07:55 | PP | Butanona | 3MM | Whatman | | 471 | | 1 | 0 | pH (Low/Actual/High) | 99,788 % | Pass |
| | | | | | | | | | | | | | 5,00 <= 6,00 | <= 7,00 |
| | | | | | | | | | | | | | | Límpido/Incolor |
| FITATO-99mTc Lot # K-20210825-033 | | 25/08/2021 09:48 | YD | Butanona | 3MM | Whatman | | 235 | | 1 | 0 | pH (Low/Actual/High) | 99,576 % | Pass |
| | | | | | | | | | | | | | 5,00 <= 6,00 | <= 7,00 |
| | | | | | | | | | | | | | | Límpido/Incolor |
| MAA-99mTc Lot # K-20210825-014 | | 25/08/2021 04:15 | PP | Butanona | 3MM | Whatman | | 166 | | 1 | 0 | pH (Low/Actual/High) | 99,401 % | Pass |
| | | | | | | | | | | | | | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Turvo/Incolor |
| MAA-99mTc Lot # K-20210825-027 | | 25/08/2021 07:51 | PP | Butanona | 3MM | Whatman | | 264 | | 1 | 0 | pH (Low/Actual/High) | 99,623 % | Pass |
| | | | | | | | | | | | | | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Turvo/Incolor |
| MAA-99mTc Lot # K-20210825-028 | | 25/08/2021 07:52 | PP | Butanona | 3MM | Whatman | | 277 | | 2 | 0 | pH (Low/Actual/High) | 99,283 % | Pass |
| | | | | | | | | | | | | | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Turvo/Incolor |
| MAA-99mTc Lot # K-20210825-029 | | 25/08/2021 07:54 | PP | Butanona | 3MM | Whatman | | 69 | | 1 | 0 | pH (Low/Actual/High) | 98,571 % | Pass |
| | | | | | | | | | | | | | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Turvo/Incolor |
| MAA-99mTc Lot # K-20210825-034 | | 25/08/2021 09:54 | YD | Butanona | 3MM | Whatman | | 71 | | 1 | 0 | pH (Low/Actual/High) | 98,611 % | Pass |
| | | | | | | | | | | | | | 3,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Turvo/Incolor |
| MAA-99mTc Lot # K-20210825-035 | | 25/08/2021 09:56 | YD | Butanona | 3MM | Whatman | | 115 | | 0,7 | 0 | pH (Low/Actual/High) | 99,395 % | Pass |
| | | | | | | | | | | | | | 3,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Turvo/Incolor |
| MAA-99mTc Lot # K-20210825-036 | | 25/08/2021 09:59 | YD | Butanona | 3MM | Whatman | | 100,8 | | 1 | 0 | pH (Low/Actual/High) | 99,018 % | Pass |
| | | | | | | | | | | | | | 3,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Turvo/Incolor |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|------------------------------------|--------|---------------------|---------------|-------|------------|---------|-----------------|------------|---------|----------|-------|----------------------|----------------------|--------------|
| MAA-99mTc Lot # K-20210825-049 | | 25/08/2021 11:19 JS | Butanona | | 3MM | Whatman | | 71 | | 2,5 | 0 | | 96,599 % | Pass |
| | | | | | | | Turvo/Incolor | | | | | pH (Low/Actual/High) | 3,00 <= 5,00 <= 6,00 | |
| MAA-99mTc Lot # K-20210825-050 | | 25/08/2021 11:21 JS | Butanona | | 3MM | Whatman | | 67 | | 2 | 0 | | 97,101 % | Pass |
| | | | | | | | Turvo/Incolor | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 <= 6,00 | |
| MDP-99mTc Lot # K-20210825-015 | | 25/08/2021 04:29 PP | Acetona | | 3MM | Whatman | | 915 | | 2 | 0 | | 98,252 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 21 | | 1352 | | pH (Low/Actual/High) | 4,00 <= 6,00 <= 7,80 | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MDP-99mTc Lot # K-20210825-016 | | 25/08/2021 04:31 PP | Acetona | | 3MM | Whatman | | 1408 | | 2 | 0 | | 97,689 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 27 | | 1218 | | pH (Low/Actual/High) | 4,00 <= 6,00 <= 7,80 | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MDP-99mTc Lot # K-20210825-017 | | 25/08/2021 04:33 PP | Acetona | | 3MM | Whatman | | 2443 | | 14 | 0 | | 98,187 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 12 | | 953 | | pH (Low/Actual/High) | 4,00 <= 6,00 <= 7,80 | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MDP-99mTc Lot # K-20210825-026 | | 25/08/2021 07:46 PP | Acetona | | 3MM | Whatman | | 1076 | | 14 | 0 | | 98,291 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 5 | | 1173 | | pH (Low/Actual/High) | 4,00 <= 6,00 <= 7,80 | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MDP-99mTc Lot # K-20210825-031 | | 25/08/2021 07:59 PP | Acetona | | 3MM | Whatman | | 435 | | 1 | 0 | | 98,825 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 4 | | 419 | | pH (Low/Actual/High) | 4,00 <= 6,00 <= 7,80 | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MDP-99mTc Lot # K-20210825-042 | | 25/08/2021 10:50 JS | Acetona | | 3MM | Whatman | | 534 | | 1 | 0 | | 99,188 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 3 | | 477 | | pH (Low/Actual/High) | 4,00 <= 6,00 <= 7,80 | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MDP-99mTc Lot # K-20210825-044 | | 25/08/2021 10:55 JS | Acetona | | 3MM | Whatman | | 655 | | 2 | 0 | | 97,968 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 10 | | 569 | | pH (Low/Actual/High) | 4,00 <= 5,00 <= 7,80 | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210825-005 | | 25/08/2021 02:42 PP | Normal Saline | | Sílica gel | | | 2137 | | 36 | 0 | | 96,891 % | Pass |
| | | | Metanol | | 3MM | Whatman | | 50 | | 3392 | | pH (Low/Actual/High) | 5,00 <= 6,00 <= 6,00 | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210825-006 | | 25/08/2021 02:48 PP | Normal Saline | | Sílica gel | | | 1043 | | 14 | 0 | | 98,366 % | Pass |
| | | | Metanol | | 3MM | Whatman | | 6 | | 1934 | | pH (Low/Actual/High) | 5,00 <= 6,00 <= 6,00 | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210825-007 | | 25/08/2021 03:01 PP | Normal Saline | | Sílica gel | | | 1325 | | 21 | 0 | | 98,371 % | Pass |
| | | | Metanol | | 3MM | Whatman | | 1 | | 1460 | | pH (Low/Actual/High) | 5,00 <= 6,00 <= 6,00 | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210825-008 | | 25/08/2021 03:09 PP | Normal Saline | | Sílica gel | | | 1676 | | 23 | 0 | | 98,394 % | Pass |
| | | | Metanol | | 3MM | Whatman | | 8 | | 3162 | | pH (Low/Actual/High) | 5,00 <= 6,00 <= 6,00 | |
| | | | | | | | Límpido/Incolor | | | | | | | |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|------------------------------------|--------|---------------------|---------------------------|-------|----------------------------|--------|-----------------|------------|---------|------------|-------|----------------------|----------|------------------------------|
| MIBI-99mTc Lot # K-20210825-009 | | 25/08/2021 03:50 PP | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 5062 6 | | 50 1821 | 0 | pH (Low/Actual/High) | 98,694 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210825-010 | | 25/08/2021 03:51 PP | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 2871 60 | | 6 2704 | 0 | pH (Low/Actual/High) | 97,621 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210825-018 | | 25/08/2021 04:35 PP | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 1506 50 | | 11 1914 | 0 | pH (Low/Actual/High) | 96,729 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210825-020 | | 25/08/2021 07:02 PP | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 624 21 | | 8 1440 | 0 | pH (Low/Actual/High) | 97,297 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210825-021 | | 25/08/2021 07:04 PP | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 784 8 | | 14 1024 | 0 | pH (Low/Actual/High) | 97,47 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210825-023 | | 25/08/2021 07:31 PP | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 1265 8 | | 12 1016 | 0 | pH (Low/Actual/High) | 98,279 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210825-032 | | 25/08/2021 09:43 YD | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 419 1 | | 5 775 | 0 | pH (Low/Actual/High) | 98,692 % | Pass 5,00 <= 6,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210825-038 | | 25/08/2021 10:29 JS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 688 1 | | 4 589 | 0 | pH (Low/Actual/High) | 99,252 % | Pass 5,00 <= 5,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210825-039 | | 25/08/2021 10:36 JS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 802 1 | | 20 1067 | 0 | pH (Low/Actual/High) | 97,473 % | Pass 5,00 <= 5,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210825-040 | | 25/08/2021 10:42 JS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 640 9 | | 7 759 | 0 | pH (Low/Actual/High) | 97,746 % | Pass 5,00 <= 5,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20210825-051 | | 25/08/2021 11:25 JS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 454 6 | | 6 607 | 0 | pH (Low/Actual/High) | 97,717 % | Pass 5,00 <= 5,00 <= 6,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| PIRO-99mTc Lot # K-20210825-045 | | 25/08/2021 11:02 JS | Butanona Normal Saline | | 3MM Whatman 3MM Whatman | | | 387 5 | | 1 458 | 0 | pH (Low/Actual/High) | 98,662 % | Pass 5,00 <= 6,00 <= 7,00 |
| | | | | | | | Límpido/Incolor | | | | | | | |
| PSMA-177Lu Lot # K-20210825-001 | | 25/08/2021 01:59 JS | Citrato de Sódio 0,1M | | Sílica gel | | | 729 | | 3 | 0 | pH (Low/Actual/High) | 99,59 % | Pass 4,00 <= 4,50 <= 5,00 |
| | | | | | | | Límpido | | | | | | | |

QC Notes: HPLC: 97,53%

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|--------------------------------------|------------|-----------------|----------|------------------------------|-------------|--------|-------------------|------------|---------|----------|----------------------|----------------------|-------|--------------|
| PSMA-177Lu Lot # K-20210825-002 | 25/08/2021 | 02:13 | JS | Citrato de Sódio 0,1M | Sílica gel | | | 274 | | 2 | 0 | 99,275 % | Pass | |
| | | | | | | | Limpido | | | | pH (Low/Actual/High) | 4,00 <= 4,50 <= 5,00 | | |
| QC Notes: HPCL: 97,41% | | | | | | | | | | | | | | |
| PSMA-177Lu Lot # K-20210825-003 | 25/08/2021 | 02:23 | JS | Citrato de Sódio 0,1M | Sílica gel | | | 411 | | 2 | 0 | 99,516 % | Pass | |
| | | | | | | | Limpido | | | | pH (Low/Actual/High) | 4,00 <= 4,50 <= 5,00 | | |
| QC Notes: HPLC: 95,51% | | | | | | | | | | | | | | |
| PSMA-177Lu Lot # K-20210825-004 | 25/08/2021 | 02:35 | JS | Citrato de Sódio 0,1M | Sílica gel | | | 405 | | 1 | 0 | 99,754 % | Pass | |
| | | | | | | | Limpido | | | | pH (Low/Actual/High) | 4,00 <= 4,50 <= 5,00 | | |
| QC Notes: HPLC: 97,09% | | | | | | | | | | | | | | |
| PSMA-68Ga Lot # K-20210825-019 | 25/08/2021 | 06:55 | JS | Acetato de amônio 1M:Metanol | Sílica gel | | | 0,2 | 20,7 | | 0 | 99,043 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 4,00 <= 5,00 <= 8,00 | | |
| PSMA-68Ga Lot # K-20210825-053 | 25/08/2021 | 12:41 | JS | Acetato de amônio 1M:Metanol | Sílica gel | | | 0,2 | 23,14 | | 0 | 99,143 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 4,00 <= 5,00 <= 8,00 | | |
| PSMA-68Ga Lot # K-20210825-054 | 25/08/2021 | 13:13 | JS | Acetato de amônio 1M:Metanol | Sílica gel | | | 0,3 | 14,6 | | 0 | 97,987 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 4,00 <= 5,00 <= 8,00 | | |
| Tecnécio-99m Lot # E-20210825-001 | 25/08/2021 | 02:34 | PP | Butanona | 3MM Whatman | | | 50 | 3375 | | 0 | 98,54 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 <= 6,00 | | |
| Tecnécio-99m Lot # E-20210825-002 | 25/08/2021 | 02:35 | PP | Butanona | 3MM Whatman | | | 5 | 725 | | 0 | 99,315 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 <= 6,00 | | |
| Tecnécio-99m Lot # E-20210825-003 | 25/08/2021 | 02:56 | PP | Butanona | 3MM Whatman | | | 18 | 1726 | | 0 | 98,968 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 <= 6,00 | | |
| Tecnécio-99m Lot # E-20210825-004 | 25/08/2021 | 03:07 | PP | Butanona | 3MM Whatman | | | 6 | 218 | | 0 | 97,321 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 <= 6,00 | | |
| Tecnécio-99m Lot # E-20210825-005 | 25/08/2021 | 03:45 | PP | Butanona | 3MM Whatman | | | 23 | 1460 | | 0 | 98,449 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 <= 6,00 | | |
| Tecnécio-99m Lot # E-20210825-006 | 25/08/2021 | 03:46 | PP | Butanona | 3MM Whatman | | | 35 | 740 | | 0 | 95,484 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 <= 6,00 | | |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|--------------------------------------|--------|------------------|----------|----------|--------|-------------|-------------------|------------|---------|----------|----------------------|--------------|---------|--------------|
| Tecnécio-99m Lot # E-20210825-007 | | 25/08/2021 04:13 | PP | Butanona | | 3MM Whatman | | 13 | | 405 | 0 | 96,89 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| Tecnécio-99m Lot # E-20210825-008 | | 25/08/2021 04:27 | PP | Butanona | | 3MM Whatman | | 58 | | 3350 | 0 | 98,298 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| Tecnécio-99m Lot # E-20210825-009 | | 25/08/2021 04:27 | PP | Butanona | | 3MM Whatman | | 26 | | 622 | 0 | 95,988 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| Tecnécio-99m Lot # E-20210825-010 | | 25/08/2021 05:50 | JS | Butanona | | 3MM Whatman | | 4 | | 172 | 0 | 97,727 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| Tecnécio-99m Lot # E-20210825-012 | | 25/08/2021 06:59 | PP | Butanona | | 3MM Whatman | | 1 | | 337 | 0 | 99,704 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| Tecnécio-99m Lot # E-20210825-013 | | 25/08/2021 07:02 | PP | Butanona | | 3MM Whatman | | 1 | | 109 | 0 | 99,091 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| Tecnécio-99m Lot # E-20210825-014 | | 25/08/2021 07:28 | PP | Butanona | | 3MM Whatman | | 4 | | 254 | 0 | 98,45 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| Tecnécio-99m Lot # E-20210825-015 | | 25/08/2021 07:32 | PP | Butanona | | 3MM Whatman | | 4 | | 368 | 0 | 98,925 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| Tecnécio-99m Lot # E-20210825-016 | | 25/08/2021 07:48 | PP | Butanona | | 3MM Whatman | | 4 | | 385 | 0 | 98,972 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| Tecnécio-99m Lot # E-20210825-017 | | 25/08/2021 07:57 | PP | Butanona | | 3MM Whatman | | 5 | | 417 | 0 | 98,815 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| Tecnécio-99m Lot # E-20210825-018 | | 25/08/2021 09:40 | YD | Butanona | | 3MM Whatman | | 2 | | 1076 | 0 | 99,814 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| Tecnécio-99m Lot # E-20210825-019 | | 25/08/2021 09:44 | YD | Butanona | | 3MM Whatman | | 1 | | 201 | 0 | 99,505 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| Tecnécio-99m Lot # E-20210825-021 | | 25/08/2021 10:25 | YD | Butanona | | 3MM Whatman | | 0,1 | | 144,5 | 0 | 99,931 % | Pass | |
| | | | | | | | Límpido e Incolor | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|--------------------------------------|------------|-----------------|----------|----------|--------|-------------|-----|------------|---------|----------|-------|----------------------|--------------|-------------------|
| Tecnécio-99m Lot # E-20210825-022 | 25/08/2021 | 10:26 | YD | Butanona | | 3MM Whatman | | 0,6 | 114,6 | | 0 | 99,479 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210825-023 | 25/08/2021 | 10:40 | YD | Butanona | | 3MM Whatman | | 1,1 | 120,6 | | 0 | 99,096 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210825-024 | 25/08/2021 | 10:44 | YD | Butanona | | 3MM Whatman | | 2 | 316 | | 0 | 99,371 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210825-025 | 25/08/2021 | 10:47 | YD | Butanona | | 3MM Whatman | | 3 | 259 | | 0 | 98,855 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210825-027 | 25/08/2021 | 11:03 | JS | Butanona | | 3MM Whatman | | 3 | 440 | | 0 | 99,323 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210825-028 | 25/08/2021 | 11:11 | JS | Butanona | | 3MM Whatman | | 2 | 131,5 | | 0 | 98,502 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210825-029 | 25/08/2021 | 11:22 | JS | Butanona | | 3MM Whatman | | 2 | 74 | | 0 | 97,368 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210825-030 | 25/08/2021 | 12:08 | JS | Butanona | | 3MM Whatman | | 2 | 75 | | 0 | 97,403 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20210825-031 | 25/08/2021 | 12:11 | JS | Butanona | | 3MM Whatman | | 3 | 145 | | 0 | 97,973 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |