



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 27/08/2021 To 27/08/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210827-028		27/08/2021	07:33	YD	Butanona Normal Saline	3MM Whatman Sílica gel	166,5 0,4		1,3 158,4	0	pH (Low/Actual/High)	98,973 %	Pass
						Límpido/Incolor						2,00 <= 3,00	<= 3,00
DMSA-99mTc Lot # K-20210827-029		27/08/2021	07:35	YD	Butanona Normal Saline	3MM Whatman Sílica gel	259 9		5 163	0	pH (Low/Actual/High)	92,874 %	Pass
						Límpido/Incolor						2,00 <= 3,00	<= 3,00
DMSA-99mTc Lot # K-20210827-030		27/08/2021	07:38	YD	Butanona Normal Saline	3MM Whatman Sílica gel	276 1,5		12 143,4	0	pH (Low/Actual/High)	94,798 %	Pass
						Límpido/Incolor						2,00 <= 3,00	<= 3,00
DMSA-99mTc Lot # K-20210827-031		27/08/2021	07:40	YD	Butanona Normal Saline	3MM Whatman Sílica gel	140,8 12		1,816 157,5	0	pH (Low/Actual/High)	91,647 %	Pass
						Límpido/Incolor						2,00 <= 3,00	<= 3,00
DMSA-99mTc Lot # K-20210827-033		27/08/2021	08:02	YD	Butanona Normal Saline	3MM Whatman Sílica gel	179,4 12		4 276	0	pH (Low/Actual/High)	93,652 %	Pass
						Límpido/Incolor						2,00 <= 3,00	<= 3,00
DMSA-99mTc Lot # K-20210827-034		27/08/2021	08:03	YD	Butanona Normal Saline	3MM Whatman Sílica gel	205 12		10 376	0	pH (Low/Actual/High)	92,256 %	Pass
						Límpido/Incolor						2,00 <= 3,00	<= 3,00
DMSA-99mTc Lot # K-20210827-048		27/08/2021	10:52	FN	Butanona Normal Saline	3MM Whatman Sílica gel	158,4 5,4		2,4 150,1	0	pH (Low/Actual/High)	95,035 %	Pass
						Límpido/Incolor						2,00 <= 3,00	<= 3,00
DMSA-99mTc Lot # K-20210827-049		27/08/2021	10:53	FN	Butanona Normal Saline	3MM Whatman Sílica gel	221 10,8		1 110,7	0	pH (Low/Actual/High)	90,661 %	Pass
						Límpido/Incolor						2,00 <= 3,00	<= 3,00
DOTATOC-68Ga Lot # K-20210827-050		27/08/2021	12:36	JS	Citrato de Sódio 0,1M	Sílica gel	15,73		0,2	0	pH (Low/Actual/High)	98,745 %	Pass
						Límpido e Incolor						4,00 <= 5,00	<= 8,00
DOTATOC-68Ga Lot # K-20210827-051		27/08/2021	13:42	YD	Citrato de Sódio 0,1M	Sílica gel	9,6		0,01	0	pH (Low/Actual/High)	99,896 %	Pass
						Límpido e Incolor						4,00 <= 6,00	<= 8,00
DOTATOC-68Ga Lot # K-20210827-052		27/08/2021	15:46	JS	Citrato de Sódio 0,1M	Sílica gel	13,6		0,3	0	pH (Low/Actual/High)	97,842 %	Pass
						Límpido e Incolor						4,00 <= 5,00	<= 8,00

Product:	Manuf:	Calibration	D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20210827-015	RPH	27/08/2021	04:21	FN	Acetona Normal Saline	3MM	Whatman		959 20		12 1079	0	pH (Low/Actual/High)	96,944 %	Pass
								Límpido/Incolor						3,80 <= 6,00	<= 7,50
DTPA-99mTc Lot # K-20210827-016	RPH	27/08/2021	04:22	FN	Acetona Normal Saline	3MM	Whatman		894 2		5 415	0	pH (Low/Actual/High)	98,964 %	Pass
								Límpido/Incolor						3,80 <= 6,00	<= 7,50
DTPA-99mTc Lot # K-20210827-039	RPH	27/08/2021	09:01	YD	Acetona Normal Saline	3MM	Whatman		282 3		13 277	0	pH (Low/Actual/High)	94,522 %	Pass
								Límpido/Incolor						3,80 <= 5,00	<= 7,50
FITATO-99mTc Lot # K-20210827-020		27/08/2021	04:34	FN	Butanona	3MM	Whatman		480		3	0	pH (Low/Actual/High)	99,379 %	Pass
								Límpido/Incolor						5,00 <= 6,00	<= 7,00
FITATO-99mTc Lot # K-20210827-036		27/08/2021	08:14	YD	Butanona	3MM	Whatman		1005		8	0	pH (Low/Actual/High)	99,21 %	Pass
								Límpido/Incolor						5,00 <= 6,00	<= 7,00
MAA-99mTc Lot # K-20210827-009		27/08/2021	03:52	FN	Butanona	3MM	Whatman		119,4		2,1	0	pH (Low/Actual/High)	98,272 %	Pass
								Turvo/Incolor						3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210827-010		27/08/2021	03:53	FN	Butanona	3MM	Whatman		167,4		1,4	0	pH (Low/Actual/High)	99,171 %	Pass
								Turvo/Incolor						3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210827-011		27/08/2021	03:55	FN	Butanona	3MM	Whatman		163,9		2,1	0	pH (Low/Actual/High)	98,735 %	Pass
								Turvo/Incolor						3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210827-012		27/08/2021	03:57	FN	Butanona	3MM	Whatman		183,1		2,5	0	pH (Low/Actual/High)	98,653 %	Pass
								Turvo/Incolor						3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210827-013		27/08/2021	03:59	FN	Butanona	3MM	Whatman		141,5		2,2	0	pH (Low/Actual/High)	98,469 %	Pass
								Turvo/Incolor						3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210827-017		27/08/2021	04:25	FN	Butanona	3MM	Whatman		35,2		1	0	pH (Low/Actual/High)	97,238 %	Pass
								Turvo/Incolor						3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210827-018		27/08/2021	04:27	FN	Butanona	3MM	Whatman		78,7		2,5	0	pH (Low/Actual/High)	96,921 %	Pass
								Turvo/Incolor						3,00 <= 6,00	<= 6,00
MAA-99mTc Lot # K-20210827-027		27/08/2021	07:30	YD	Butanona	3MM	Whatman		238		1	0	pH (Low/Actual/High)	99,582 %	Pass
								Turvo/Incolor						3,00 <= 6,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20210827-008		27/08/2021 03:49 FN	Acetona Normal Saline		3MM Whatman 3MM Whatman			293 7		3 345	0	pH (Low/Actual/High)	96,998 %	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20210827-022		27/08/2021 04:46 FN	Acetona Normal Saline		3MM Whatman 3MM Whatman			623 10		12 701	0	pH (Low/Actual/High)	96,704 %	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20210827-032		27/08/2021 07:46 YD	Acetona Normal Saline		3MM Whatman 3MM Whatman			559 5		1 720	0	pH (Low/Actual/High)	99,132 %	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20210827-035		27/08/2021 08:05 YD	Acetona Normal Saline		3MM Whatman 3MM Whatman			726 12		2 924	0	pH (Low/Actual/High)	98,443 %	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20210827-038		27/08/2021 08:26 YD	Acetona Normal Saline		3MM Whatman 3MM Whatman			733 11		5 715	0	pH (Low/Actual/High)	97,807 %	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20210827-041		27/08/2021 10:11 FN	Acetona Normal Saline		3MM Whatman 3MM Whatman			572 7		1 523	0	pH (Low/Actual/High)	98,505 %	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20210827-043		27/08/2021 10:17 FN	Acetona Normal Saline		3MM Whatman 3MM Whatman			422 5		1 443	0	pH (Low/Actual/High)	98,648 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210827-001		27/08/2021 02:09 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1986 12		20 1883	0	pH (Low/Actual/High)	98,37 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210827-002		27/08/2021 02:10 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			221 6		6 1162	0	pH (Low/Actual/High)	96,843 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210827-003		27/08/2021 02:11 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1312 6		12 1791	0	pH (Low/Actual/High)	98,76 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210827-004		27/08/2021 02:38 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			640 12		8 756	0	pH (Low/Actual/High)	97,203 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210827-005		27/08/2021 02:40 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			547 12		9 658	0	pH (Low/Actual/High)	96,59 %	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20210827-006		27/08/2021 03:17 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			520 2		8 1227	0	pH (Low/Actual/High)	98,322 %	Pass
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210827-007		27/08/2021 03:18 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			478 5		12 622	0	pH (Low/Actual/High)	96,754 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210827-019		27/08/2021 04:31 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			830 10		12 1799	0	pH (Low/Actual/High)	98,022 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210827-021		27/08/2021 04:41 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			534 2		12 375	0	pH (Low/Actual/High)	97,272 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210827-023		27/08/2021 06:04 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			684 4		12 769	0	pH (Low/Actual/High)	97,758 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210827-025		27/08/2021 07:08 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			1354 7		20 1347	0	pH (Low/Actual/High)	98,027 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210827-026		27/08/2021 07:18 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			1087 10		13 1646	0	pH (Low/Actual/High)	98,214 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210827-037		27/08/2021 08:21 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			752 12		5 669	0	pH (Low/Actual/High)	97,577 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210827-044		27/08/2021 10:27 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			596 3		10 1335	0	pH (Low/Actual/High)	98,126 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210827-045		27/08/2021 10:28 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			658 4		7 778	0	pH (Low/Actual/High)	98,436 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210827-046		27/08/2021 10:33 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			418 3		4 605	0	pH (Low/Actual/High)	98,559 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210827-047		27/08/2021 10:47 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			537 3		1 714	0	pH (Low/Actual/High)	99,396 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
PIRO-99mTc Lot # K-20210827-014		27/08/2021 04:10 FN	Butanona Normal Saline		3MM Whatman 3MM Whatman			421 14		3 448	0	pH (Low/Actual/High)	96,262 %	Pass 5,00 <= 6,00 <= 7,00
							Límpido/Incolor							
PSMA-68Ga Lot # K-20210827-024		27/08/2021 06:55 YD	Acetato de amônio 1M:Metanol		Sílica gel			1		21	0	pH (Low/Actual/High)	95,455 %	Pass 4,00 <= 6,00 <= 8,00
							Límpido e Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PSMA-68Ga Lot # K-20210827-040	27/08/2021	10:00	FN	Acetato de amônio 1M:Metanol	Sílica gel			0,1		49,2	0		99,797 %	Pass
												pH (Low/Actual/High)	4,00 <= 6,00	<= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-001	27/08/2021	02:03	FN	Butanona		3MM Whatman		2		542	0		99,632 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-003	27/08/2021	02:34	FN	Butanona		3MM Whatman		1		401	0		99,751 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-002	27/08/2021	02:34	FN	Butanona		3MM Whatman		3		372	0		99,20 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-005	27/08/2021	03:13	FN	Butanona		3MM Whatman		3		738	0		99,595 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-004	27/08/2021	03:13	FN	Butanona		3MM Whatman		1		330	0		99,698 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-006	27/08/2021	03:47	FN	Butanona		3MM Whatman		2		692	0		99,712 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-007	27/08/2021	04:19	FN	Butanona		3MM Whatman		3		253	0		98,828 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-008	27/08/2021	04:29	FN	Butanona		3MM Whatman		2		438	0		99,545 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-009	27/08/2021	04:32	FN	Butanona		3MM Whatman		1		432	0		99,769 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-010	27/08/2021	06:02	YD	Butanona		3MM Whatman		4		171,1	0		97,716 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-012	27/08/2021	07:06	YD	Butanona		3MM Whatman		2		436	0		99,543 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-013	27/08/2021	07:15	YD	Butanona		3MM Whatman		1		200	0		99,502 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210827-014		27/08/2021 07:32 YD	Butanona		3MM	Whatman		1		309	0		99,677 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-015		27/08/2021 07:43 YD	Butanona		3MM	Whatman		2		307	0		99,353 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-016		27/08/2021 08:03 YD	Butanona		3MM	Whatman		3		270	0		98,901 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-017		27/08/2021 08:11 YD	Butanona		3MM	Whatman		5		781	0		99,364 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-018		27/08/2021 08:18 YD	Butanona		3MM	Whatman		2		277	0		99,283 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-019		27/08/2021 08:23 YD	Butanona		3MM	Whatman		2,1		135,3	0		98,472 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-020		27/08/2021 10:00 FN	Butanona		3MM	Whatman		1		265	0		99,624 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-021		27/08/2021 10:00 FN	Butanona		3MM	Whatman		2		320	0		99,379 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-023		27/08/2021 10:08 FN	Butanona		3MM	Whatman		1		263	0		99,621 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-024		27/08/2021 10:13 FN	Butanona		3MM	Whatman		1		207	0		99,519 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-025		27/08/2021 10:23 FN	Butanona		3MM	Whatman		6		330	0		98,214 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-026		27/08/2021 10:30 FN	Butanona		3MM	Whatman		0,5		135,5	0		99,632 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-027		27/08/2021 10:45 FN	Butanona		3MM	Whatman		1		165,5	0		99,399 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210827-028		27/08/2021 10:49	FN	Butanona		3MM Whatman		2		444	0			99,552 % Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210827-029		27/08/2021 10:59	FN	Butanona		3MM Whatman		1		589	0			99,831 % Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor