



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 02/09/2021 To 02/09/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210902-008		02/09/2021	04:02	PP	Butanona Normal Saline	3MM Whatman Sílica gel	227 10		5 227	0	pH (Low/Actual/High)	93,625 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210902-022		02/09/2021	07:45	FN	Butanona Normal Saline	3MM Whatman Sílica gel	134,6 6		3 125,7	0	pH (Low/Actual/High)	93,264 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210902-023		02/09/2021	07:47	FN	Butanona Normal Saline	3MM Whatman Sílica gel	194,3 15		0,8 196,6	0	pH (Low/Actual/High)	92,501 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210902-038		02/09/2021	10:54	LG	Butanona Normal Saline	3MM Whatman Sílica gel	81,5 1		1 89,5	0	pH (Low/Actual/High)	97,683 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20210902-013		02/09/2021	07:01	FN	Citrato de Sódio 0,1M	Sílica gel	22,57		0,01	0	pH (Low/Actual/High)	99,956 %	Pass 4,00 <= 6,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210902-047		02/09/2021	12:43	LG	Citrato de Sódio 0,1M	Sílica gel	11,3		0,02	0	pH (Low/Actual/High)	99,823 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210902-048		02/09/2021	13:53	JS	Citrato de Sódio 0,1M	Sílica gel	9,63		0,4	0	pH (Low/Actual/High)	96,012 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210902-049		02/09/2021	14:16	JS	Citrato de Sódio 0,1M	Sílica gel	12		0,3	0	pH (Low/Actual/High)	97,561 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210902-050		02/09/2021	16:28	JS	Citrato de Sódio 0,1M	Sílica gel	21,3		0,2	0	pH (Low/Actual/High)	99,07 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20210902-007	RPH	02/09/2021	04:00	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	501 10		27 430	0	pH (Low/Actual/High)	92,614 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210902-011	RPH	02/09/2021	04:32	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	795 13		2 533	0	pH (Low/Actual/High)	97,368 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20210902-021	RPH	02/09/2021 07:41 FN	Acetona Normal Saline		3MM Whatman 3MM Whatman			213 6		15 288	0	pH (Low/Actual/High)	91,38 %	Pass
							Límpido/Incolor						3,80 <= 6,00 <= 7,50	
DTPA-99mTc Lot # K-20210902-031	RPH	02/09/2021 10:07 LG	Acetona Normal Saline		3MM Whatman 3MM Whatman			139 2		0,5 120,5	0	pH (Low/Actual/High)	98,009 %	Pass
							Límpido/Incolor						3,80 <= 6,00 <= 7,50	
FITATO-99mTc Lot # K-20210902-004		02/09/2021 03:21 PP	Butanona		3MM Whatman			747		4	0	pH (Low/Actual/High)	99,467 %	Pass
							Límpido/Incolor						5,00 <= 6,00 <= 7,00	
FITATO-99mTc Lot # K-20210902-018		02/09/2021 07:25 FN	Butanona		3MM Whatman			214		1	0	pH (Low/Actual/High)	99,535 %	Pass
							Límpido/Incolor						5,00 <= 6,00 <= 7,00	
MAA-99mTc Lot # K-20210902-005		02/09/2021 03:26 PP	Butanona		3MM Whatman			111		3	0	pH (Low/Actual/High)	97,368 %	Pass
							Turvo/Incolor						3,00 <= 6,00 <= 6,00	
MAA-99mTc Lot # K-20210902-030		02/09/2021 10:04 LG	Butanona		3MM Whatman			71,5		1	0	pH (Low/Actual/High)	98,621 %	Pass
							Turvo/Incolor						3,00 <= 5,00 <= 6,00	
MAA-99mTc Lot # K-20210902-036		02/09/2021 10:37 LG	Butanona		3MM Whatman			70		0,5	0	pH (Low/Actual/High)	99,291 %	Pass
							Turvo/Incolor						3,00 <= 6,00 <= 6,00	
MDP-99mTc Lot # K-20210902-006		02/09/2021 03:50 PP	Acetona Normal Saline		3MM Whatman 3MM Whatman			1593 11		6 1753	0	pH (Low/Actual/High)	99,001 %	Pass
							Límpido/Incolor						4,00 <= 6,00 <= 7,80	
MDP-99mTc Lot # K-20210902-009		02/09/2021 04:05 PP	Acetona Normal Saline		3MM Whatman 3MM Whatman			1742 68		1 1766	0	pH (Low/Actual/High)	96,235 %	Pass
							Límpido/Incolor						4,00 <= 6,00 <= 7,80	
MDP-99mTc Lot # K-20210902-012		02/09/2021 04:44 PP	Acetona Normal Saline		3MM Whatman 3MM Whatman			809 12		1 1335	0	pH (Low/Actual/High)	98,986 %	Pass
							Límpido/Incolor						4,00 <= 6,00 <= 7,80	
MDP-99mTc Lot # K-20210902-027		02/09/2021 08:08 FN	Acetona Normal Saline		3MM Whatman 3MM Whatman			798 12		3 574	0	pH (Low/Actual/High)	97,578 %	Pass
							Límpido/Incolor						4,00 <= 6,00 <= 7,80	
MDP-99mTc Lot # K-20210902-037		02/09/2021 10:40 LG	Acetona Normal Saline		3MM Whatman 3MM Whatman			242 5,5		0 139	0	pH (Low/Actual/High)	96,194 %	Pass
							Límpido/Incolor						4,00 <= 5,00 <= 7,80	
MDP-99mTc Lot # K-20210902-043		02/09/2021 11:53 LG	Acetona Normal Saline		3MM Whatman 3MM Whatman			226 5		0 183	0	pH (Low/Actual/High)	97,34 %	Pass
							Límpido/Incolor						4,00 <= 5,00 <= 7,80	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210902-001		02/09/2021 02:58 PP	Normal Saline Metanol		Silica gel 3MM Whatman			1062 20		2 1513	0	pH (Low/Actual/High)	98,507 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-002		02/09/2021 03:00 PP	Normal Saline Metanol		Silica gel 3MM Whatman			629 18		10 1213	0	pH (Low/Actual/High)	96,973 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-003		02/09/2021 03:17 PP	Normal Saline Metanol		Silica gel 3MM Whatman			1430 11		52 1254	0	pH (Low/Actual/High)	95,622 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-010		02/09/2021 04:16 PP	Normal Saline Metanol		Silica gel 3MM Whatman			1006 30		8 1263	0	pH (Low/Actual/High)	96,891 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-014		02/09/2021 07:08 FN	Normal Saline Metanol		Silica gel 3MM Whatman			887 7		13 902	0	pH (Low/Actual/High)	97,785 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-019		02/09/2021 07:29 FN	Normal Saline Metanol		Silica gel 3MM Whatman			607 7		8 629	0	pH (Low/Actual/High)	97,599 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-020		02/09/2021 07:35 FN	Normal Saline Metanol		Silica gel 3MM Whatman			577 2		20 587	0	pH (Low/Actual/High)	96,31 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-024		02/09/2021 08:00 PP	Normal Saline Metanol		Silica gel 3MM Whatman			554 6		4 681	0	pH (Low/Actual/High)	98,41 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-029		02/09/2021 10:01 LG	Normal Saline Metanol		Silica gel 3MM Whatman			836 3		13 478	0	pH (Low/Actual/High)	97,845 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-035		02/09/2021 10:23 LG	Normal Saline Metanol		Silica gel 3MM Whatman			307 7		5 234	0	pH (Low/Actual/High)	95,493 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-039		02/09/2021 11:07 LG	Normal Saline Metanol		Silica gel 3MM Whatman			287 2		4 284	0	pH (Low/Actual/High)	97,926 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-040		02/09/2021 11:14 LG	Normal Saline Metanol		Silica gel 3MM Whatman			189,5 2		2 233	0	pH (Low/Actual/High)	98,105 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-041		02/09/2021 11:24 LG	Normal Saline Metanol		Silica gel 3MM Whatman			246 1		1 189	0	pH (Low/Actual/High)	99,069 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210902-042		02/09/2021 11:32 LG	Normal Saline Metanol		Sílica gel 3MM Whatman			208 3		5 165	0	pH (Low/Actual/High)	95,867 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-044		02/09/2021 12:07 LG	Normal Saline Metanol		Sílica gel 3MM Whatman			137 2		1,5 269	0	pH (Low/Actual/High)	98,179 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-045		02/09/2021 12:09 LG	Normal Saline Metanol		Sílica gel 3MM Whatman			115,5 1,5		0,5 150	0	pH (Low/Actual/High)	98,579 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210902-046		02/09/2021 12:11 LG	Normal Saline Metanol		Sílica gel 3MM Whatman			188 2		5 227	0	pH (Low/Actual/High)	96,536 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20210902-017		02/09/2021 07:21 FN	Butanona Normal Saline		3MM Whatman 3MM Whatman			399 1		1 396	0	pH (Low/Actual/High)	99,498 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20210902-028		02/09/2021 09:51 LG	Acetato de amônio 1M:Metanol		Sílica gel			0,12		9,75	0	pH (Low/Actual/High)	98,784 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210902-001		02/09/2021 02:34 PP	Butanona		3MM Whatman			3		360	0	pH (Low/Actual/High)	99,174 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210902-003		02/09/2021 02:55 PP	Butanona		3MM Whatman			1		360	0	pH (Low/Actual/High)	99,723 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210902-002		02/09/2021 02:55 PP	Butanona		3MM Whatman			1		458	0	pH (Low/Actual/High)	99,782 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210902-004		02/09/2021 03:13 PP	Butanona		3MM Whatman			8		378	0	pH (Low/Actual/High)	97,927 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210902-005		02/09/2021 03:19 PP	Butanona		3MM Whatman			1		318	0	pH (Low/Actual/High)	99,687 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210902-006		02/09/2021 03:19 PP	Butanona		3MM Whatman			1		623	0	pH (Low/Actual/High)	99,84 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20210902-007		02/09/2021 03:35 PP	Butanona		3MM Whatman			4		269	0	pH (Low/Actual/High)	98,535 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210902-008		02/09/2021 03:48 PP	Butanona		3MM	Whatman		2		49	0		96,078 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210902-009		02/09/2021 03:56 PP	Butanona		3MM	Whatman		2		236	0		99,16 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210902-010		02/09/2021 04:01 PP	Butanona		3MM	Whatman		1		358	0		99,721 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210902-011		02/09/2021 04:07 PP	Butanona		3MM	Whatman		6		530	0		98,881 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210902-012		02/09/2021 04:14 PP	Butanona		3MM	Whatman		8		458	0		98,283 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210902-013		02/09/2021 04:43 PP	Butanona		3MM	Whatman		21		2221	0		99,063 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210902-015		02/09/2021 06:55 FN	Butanona		3MM	Whatman		2		341	0		99,417 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20210902-016		02/09/2021 07:14 FN	Butanona		3MM	Whatman		1		234	0		99,574 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20210902-017		02/09/2021 07:25 FN	Butanona		3MM	Whatman		0,6		118,7	0		99,497 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20210902-018		02/09/2021 07:32 FN	Butanona		3MM	Whatman		0,4		135,6	0		99,706 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20210902-019		02/09/2021 07:37 FN	Butanona		3MM	Whatman		1		369	0		99,73 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20210902-020		02/09/2021 07:58 FN	Butanona		3MM	Whatman		1		250	0		99,602 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20210902-021		02/09/2021 08:03 FN	Butanona		3MM	Whatman		0,3		160,7	0		99,814 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210902-023		02/09/2021 09:57	LG	Butanona		3MM Whatman		1		277	0	99,64 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210902-024		02/09/2021 10:02	LG	Butanona		3MM Whatman		2		156	0	98,734 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210902-025		02/09/2021 10:10	LG	Butanona		3MM Whatman		1		42,5	0	97,701 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210902-026		02/09/2021 10:15	LG	Butanona		3MM Whatman		1		169	0	99,412 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210902-027		02/09/2021 10:35	LG	Butanona		3MM Whatman		1		110	0	99,099 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210902-028		02/09/2021 10:42	LG	Butanona		3MM Whatman		2		93	0	97,895 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210902-029		02/09/2021 10:43	LG	Butanona		3MM Whatman		2		191	0	98,964 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210902-030		02/09/2021 11:05	LG	Butanona		3MM Whatman		2		99,5	0	98,03 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210902-031		02/09/2021 11:08	LG	Butanona		3MM Whatman		0,5		149	0	99,666 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210902-032		02/09/2021 11:09	LG	Butanona		3MM Whatman		0,1		37,5	0	99,734 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210902-033		02/09/2021 11:21	LG	Butanona		3MM Whatman		0,5		157,5	0	99,684 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210902-034		02/09/2021 11:26	LG	Butanona		3MM Whatman		0,1		85,5	0	99,883 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20210902-035		02/09/2021 11:51	LG	Butanona		3MM Whatman		0,3		55	0	99,458 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210902-036		02/09/2021 11:55	LG	Butanona		3MM Whatman		1		53	0	98,148 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210902-037		02/09/2021 12:04	LG	Butanona		3MM Whatman		1		77	0	98,718 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210902-038		02/09/2021 12:10	LG	Butanona		3MM Whatman		2		110,5	0	98,222 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
TRODAT-99mTc Lot # K-20210902-016		02/09/2021 07:18	FN	Normal Saline		Sílica gel		183,6		0,6	0	96,754 %	Pass	
				Butanona		3MM Whatman		5,4		179,5	pH (Low/Actual/High)	6,50 <= 6,50	<= 8,50	
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20210902-015		02/09/2021 07:18	FN	Normal Saline		Sílica gel		146,7		1,6	0	98,012 %	Pass	
				Butanona		3MM Whatman		2		218	pH (Low/Actual/High)	6,50 <= 6,50	<= 8,50	
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20210902-032		02/09/2021 10:18	LG	Normal Saline		Sílica gel		77		1	0	95,777 %	Pass	
				Butanona		3MM Whatman		3		99	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20210902-033		02/09/2021 10:19	LG	Normal Saline		Sílica gel		64		2	0	95,939 %	Pass	
				Butanona		3MM Whatman		1		96	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20210902-034		02/09/2021 10:20	LG	Normal Saline		Sílica gel		101		0,5	0	97,656 %	Pass	
				Butanona		3MM Whatman		2		106	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
											Límpido/Incolor			