



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 10/09/2021 To 10/09/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20210910-023		10/09/2021	07:42	FN	Butanona Normal Saline	3MM Whatman Sílica gel	166,7 10,2		4,2 135,6	0	pH (Low/Actual/High)	90,547 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210910-024		10/09/2021	07:43	FN	Butanona Normal Saline	3MM Whatman Sílica gel	276 7		2 116	0	pH (Low/Actual/High)	93,59 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210910-025		10/09/2021	07:44	FN	Butanona Normal Saline	3MM Whatman Sílica gel	225 10,5		3 175,5	0	pH (Low/Actual/High)	93,039 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210910-030		10/09/2021	08:05	FN	Butanona Normal Saline	3MM Whatman Sílica gel	207 12		2 285	0	pH (Low/Actual/High)	95,003 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210910-042		10/09/2021	10:51	YD	Butanona Normal Saline	3MM Whatman Sílica gel	136 5,9		2 112	0	pH (Low/Actual/High)	93,546 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20210910-043		10/09/2021	10:54	YD	Butanona Normal Saline	3MM Whatman Sílica gel	100,4 8		0,7 85,7	0	pH (Low/Actual/High)	90,77 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20210910-049		10/09/2021	12:44	JS	Citrato de Sódio 0,1M	Sílica gel	26,3		0,5	0	pH (Low/Actual/High)	98,134 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210910-050		10/09/2021	13:31	JS	Citrato de Sódio 0,1M	Sílica gel	16,3		0,38	0	pH (Low/Actual/High)	97,722 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20210910-051		10/09/2021	15:57	JS	Citrato de Sódio 0,1M	Sílica gel	22,6		0,48	0	pH (Low/Actual/High)	97,92 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20210910-013	RPH	10/09/2021	04:06	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	661 38		17 610	0	pH (Low/Actual/High)	91,628 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20210910-014	RPH	10/09/2021	04:07	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	1094 50		34 734	0	pH (Low/Actual/High)	90,608 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20210910-026	RPH	10/09/2021 07:47 FN	Acetona Normal Saline		3MM Whatman 3MM Whatman			269 6		3 305	0 pH (Low/Actual/High)	96,968 % 3,80 <= 5,00 <= 7,50		Pass
							Límpido/Incolor							
DTPA-99mTc Lot # K-20210910-038	RPH	10/09/2021 10:27 YD	Acetona Normal Saline		3MM Whatman 3MM Whatman			289 6		1 204	0 pH (Low/Actual/High)	96,798 % 3,80 <= 6,00 <= 7,50		Pass
							Límpido/Incolor							
FITATO-99mTc Lot # K-20210910-015		10/09/2021 04:10 FN	Butanona		3MM Whatman			268		3	0 pH (Low/Actual/High)	98,893 % 5,00 <= 5,00 <= 7,00		Pass
							Límpido/Incolor							
FITATO-99mTc Lot # K-20210910-036		10/09/2021 10:11 YD	Butanona		3MM Whatman			146,2		1	0 pH (Low/Actual/High)	99,321 % 5,00 <= 6,00 <= 7,00		Pass
							Límpido/Incolor							
MAA-99mTc Lot # K-20210910-009		10/09/2021 03:59 PP	Butanona		3MM Whatman			181		4	0 pH (Low/Actual/High)	97,838 % 3,00 <= 6,00 <= 6,00		Pass
							Turvo/Incolor							
MAA-99mTc Lot # K-20210910-010		10/09/2021 04:00 PP	Butanona		3MM Whatman			195		8	0 pH (Low/Actual/High)	96,059 % 3,00 <= 6,00 <= 6,00		Pass
							Turvo/Incolor							
MAA-99mTc Lot # K-20210910-011		10/09/2021 04:02 PP	Butanona		3MM Whatman			225		2	0 pH (Low/Actual/High)	99,119 % 3,00 <= 6,00 <= 6,00		Pass
							Turvo/Incolor							
MAA-99mTc Lot # K-20210910-012		10/09/2021 04:03 PP	Butanona		3MM Whatman			274		3	0 pH (Low/Actual/High)	98,917 % 3,00 <= 5,00 <= 6,00		Pass
							Turvo/Incolor							
MAA-99mTc Lot # K-20210910-016		10/09/2021 04:19 PP	Butanona		3MM Whatman			172,4		3,8	0 pH (Low/Actual/High)	97,843 % 3,00 <= 5,00 <= 6,00		Pass
							Turvo/Incolor							
MAA-99mTc Lot # K-20210910-017		10/09/2021 04:21 PP	Butanona		3MM Whatman			246		2	0 pH (Low/Actual/High)	99,194 % 3,00 <= 5,00 <= 6,00		Pass
							Turvo/Incolor							
MAA-99mTc Lot # K-20210910-028		10/09/2021 07:59 FN	Butanona		3MM Whatman			148,7		1,3	0 pH (Low/Actual/High)	99,133 % 3,00 <= 6,00 <= 6,00		Pass
							Turvo/Incolor							
MAA-99mTc Lot # K-20210910-029		10/09/2021 08:01 FN	Butanona		3MM Whatman			186,6		4,2	0 pH (Low/Actual/High)	97,799 % 3,00 <= 6,00 <= 6,00		Pass
							Turvo/Incolor							
MAA-99mTc Lot # K-20210910-039		10/09/2021 10:29 YD	Butanona		3MM Whatman			69,1		0,1	0 pH (Low/Actual/High)	99,855 % 3,00 <= 5,00 <= 6,00		Pass
							Turvo/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20210910-040		10/09/2021 10:30	YD	Butanona		3MM Whatman		132		1	0	99,248 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210910-041		10/09/2021 10:33	YD	Butanona		3MM Whatman		113		0,2	0	99,823 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20210910-044		10/09/2021 10:56	YD	Butanona		3MM Whatman		68,2		0,1	0	99,854 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MDP-99mTc Lot # K-20210910-005		10/09/2021 03:04	PP	Acetona		3MM Whatman		1001		1	0	98,53 %	Pass	
				Normal Saline		3MM Whatman		23		1656	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210910-019		10/09/2021 05:30	BB	Acetona		3MM Whatman		1322		11	0	95,745 %	Pass	
				Normal Saline		3MM Whatman		57		1605	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210910-027		10/09/2021 07:56	FN	Acetona		3MM Whatman		857		3	0	99,165 %	Pass	
				Normal Saline		3MM Whatman		4		819	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210910-031		10/09/2021 08:27	FN	Acetona		3MM Whatman		861		2	0	99,261 %	Pass	
				Normal Saline		3MM Whatman		5		980	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210910-032		10/09/2021 09:38	YD	Acetona		3MM Whatman		522		1	0	98,565 %	Pass	
				Normal Saline		3MM Whatman		5		397	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20210910-048		10/09/2021 11:18	YD	Acetona		3MM Whatman		345		1	0	97,33 %	Pass	
				Normal Saline		3MM Whatman		9		369	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210910-001		10/09/2021 02:25	PP	Normal Saline		Sílica gel		4266		69	0	97,511 %	Pass	
				Metanol		3MM Whatman		24		2651	pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210910-002		10/09/2021 02:27	PP	Normal Saline		Sílica gel		3090		140	0	95,573 %	Pass	
				Metanol		3MM Whatman		3		3236	pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210910-003		10/09/2021 02:49	PP	Normal Saline		Sílica gel		1940		39	0	97,297 %	Pass	
				Metanol		3MM Whatman		14		1899	pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20210910-004		10/09/2021 02:58	PP	Normal Saline		Sílica gel		1114		19	0	97,089 %	Pass	
				Metanol		3MM Whatman		33		2641	pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20210910-006		10/09/2021 03:35 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			954 12		14 1422	0	pH (Low/Actual/High)	97,717 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210910-007		10/09/2021 03:54 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			3191 29		69 3885	0	pH (Low/Actual/High)	97,143 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210910-008		10/09/2021 03:55 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			3017 16		42 2388	0	pH (Low/Actual/High)	97,961 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210910-018		10/09/2021 05:19 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			972 10		15 1164	0	pH (Low/Actual/High)	97,628 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210910-021		10/09/2021 07:12 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1533 12		30 1697	0	pH (Low/Actual/High)	97,378 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210910-022		10/09/2021 07:12 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1647 5		23 1525	0	pH (Low/Actual/High)	98,296 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210910-033		10/09/2021 09:45 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			340 3		5 548	0	pH (Low/Actual/High)	98,006 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210910-035		10/09/2021 09:54 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			412 2		13 502	0	pH (Low/Actual/High)	96,544 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210910-037		10/09/2021 10:17 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			1349 4		19 1619	0	pH (Low/Actual/High)	98,365 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210910-045		10/09/2021 11:00 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			468 1		8 517	0	pH (Low/Actual/High)	98,126 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210910-046		10/09/2021 11:12 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			809 11		8 1060	0	pH (Low/Actual/High)	97,994 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20210910-047		10/09/2021 11:14 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			550 3		6 709	0	pH (Low/Actual/High)	98,50 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20210910-020		10/09/2021 07:04 BB	Acetato de amônio 1M:Metanol		Sílica gel			0,11		7,02	0	pH (Low/Actual/High)	98,457 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PSMA-68Ga Lot # K-20210910-034		10/09/2021 09:47 YD	Acetato de amônio 1M:Metanol	Sílica gel				0,28		7,08	0		96,196 %	Pass
												pH (Low/Actual/High)	4,00 <= 5,00 <= 8,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210910-001		10/09/2021 02:14 PP	Butanona		3MM Whatman			12		1416	0		99,16 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210910-003		10/09/2021 02:54 PP	Butanona		3MM Whatman			1		284	0		99,649 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210910-002		10/09/2021 02:54 PP	Butanona		3MM Whatman			1		625	0		99,84 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210910-004		10/09/2021 03:33 PP	Butanona		3MM Whatman			3		833	0		99,641 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210910-005		10/09/2021 03:49 PP	Butanona		3MM Whatman			4		651	0		99,389 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210910-006		10/09/2021 03:49 PP	Butanona		3MM Whatman			5		862	0		99,423 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210910-007		10/09/2021 03:56 FN	Butanona		3MM Whatman			1		801	0		99,875 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210910-008		10/09/2021 05:18 FN	Butanona		3MM Whatman			4		354	0		98,883 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210910-009		10/09/2021 05:29 BB	Butanona		3MM Whatman			1		541	0		99,815 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210910-011		10/09/2021 07:08 FN	Butanona		3MM Whatman			4		1359	0		99,707 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210910-012		10/09/2021 07:37 FN	Butanona		3MM Whatman			4		791	0		99,497 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20210910-013		10/09/2021 07:51 FN	Butanona		3MM Whatman			3,5		174,7	0		98,036 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20210910-014		10/09/2021 07:57 FN	Butanona		3MM	Whatman		7		1633	0		99,573 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210910-015		10/09/2021 08:45 FN	Butanona		3MM	Whatman		4		1002	0		99,602 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210910-016		10/09/2021 09:43 YD	Butanona		3MM	Whatman		3		223	0		98,673 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210910-017		10/09/2021 09:47 YD	Butanona		3MM	Whatman		1		829	0		99,88 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210910-019		10/09/2021 10:09 YD	Butanona		3MM	Whatman		1		274	0		99,636 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210910-020		10/09/2021 10:15 YD	Butanona		3MM	Whatman		2		471	0		99,577 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210910-021		10/09/2021 10:18 YD	Butanona		3MM	Whatman		1		393	0		99,746 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210910-023		10/09/2021 11:09 YD	Butanona		3MM	Whatman		1		205	0		99,515 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210910-022		10/09/2021 11:09 YD	Butanona		3MM	Whatman		0,3		183,7	0		99,837 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20210910-024		10/09/2021 11:15 YD	Butanona		3MM	Whatman		1		481	0		99,793 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			