



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 03/11/2021 To 03/11/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20211103-024		03/11/2021	07:45	WG	Butanona Normal Saline	3MM Whatman Sílica gel	280 7,7		2 192,3	0	pH (Low/Actual/High)	95,441 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211103-039		03/11/2021	10:43	MB	Butanona Normal Saline	3MM Whatman Sílica gel	178 5,8		1 150,8	0	pH (Low/Actual/High)	95,738 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20211103-031		03/11/2021	09:45	JS	Citrato de Sódio 0,1M	Sílica gel	29,8		0	0	pH (Low/Actual/High)	100,00 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211103-049		03/11/2021	15:53	JS	Citrato de Sódio 0,1M	Sílica gel	48		0,2	0	pH (Low/Actual/High)	99,585 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20211103-008	RPH	03/11/2021	03:35	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	445 16		1 176	0	pH (Low/Actual/High)	91,442 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20211103-011	RPH	03/11/2021	04:29	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	390 15		5 351	0	pH (Low/Actual/High)	94,636 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20211103-033	RPH	03/11/2021	10:02	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	360 9		1 365	0	pH (Low/Actual/High)	97,317 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20211103-040	RPH	03/11/2021	10:48	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	308 1		1 311	0	pH (Low/Actual/High)	99,356 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20211103-046	RPH	03/11/2021	12:22	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman	672 3		12 573	0	pH (Low/Actual/High)	97,725 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
FITATO-99mTc Lot # K-20211103-012		03/11/2021	04:32	PP	Butanona	3MM Whatman	330		8	0	pH (Low/Actual/High)	97,633 %	Pass 5,00 <= 7,00 <= 7,00
						Límpido/Incolor							
FITATO-99mTc Lot # K-20211103-034		03/11/2021	10:04	MB	Butanona	3MM Whatman	649		1	0	pH (Low/Actual/High)	99,846 %	Pass 5,00 <= 6,00 <= 7,00
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20211103-013		03/11/2021 04:35	PP	Butanona		3MM Whatman		442		2	0	99,55 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20211103-035		03/11/2021 10:21	MB	Butanona		3MM Whatman		113,8		2,4	0	97,935 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20211103-036		03/11/2021 10:23	MB	Butanona		3MM Whatman		189,9		4,7	0	97,585 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20211103-037		03/11/2021 10:24	MB	Butanona		3MM Whatman		38,4		2	0	95,05 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20211103-038		03/11/2021 10:26	MB	Butanona		3MM Whatman		93,7		0,1	0	99,893 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20211103-042		03/11/2021 11:43	MB	Butanona		3MM Whatman		191		0,5	0	99,739 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20211103-044		03/11/2021 12:16	WG	Butanona		3MM Whatman		79,3		0,3	0	99,623 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20211103-048		03/11/2021 12:53	JS	Butanona		3MM Whatman		455		1	0	99,781 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MDP-99mTc Lot # K-20211103-007		03/11/2021 03:31	PP	Acetona		3MM Whatman		1818		4	0	99,53 %	Pass	
				Normal Saline		3MM Whatman		5		1995	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20211103-017		03/11/2021 05:26	PP	Acetona		3MM Whatman		399		20	0	90,047 %	Pass	
				Normal Saline		3MM Whatman		23		421	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20211103-022		03/11/2021 07:08	WG	Acetona		3MM Whatman		610		16	0	95,505 %	Pass	
				Normal Saline		3MM Whatman		14		708	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20211103-023		03/11/2021 07:21	WG	Acetona		3MM Whatman		757		10	0	96,498 %	Pass	
				Normal Saline		3MM Whatman		12		534	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20211103-025		03/11/2021 07:45	WG	Acetona		3MM Whatman		551		1	0	99,533 %	Pass	
				Normal Saline		3MM Whatman		2		698	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20211103-027		03/11/2021 08:18 YD	Acetona Normal Saline		3MM Whatman 3MM Whatman			1582 1		23 969	0 pH (Low/Actual/High)	98,464 %		Pass <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211103-029		03/11/2021 09:25 MB	Acetona Normal Saline		3MM Whatman 3MM Whatman			902 3		2 979	0 pH (Low/Actual/High)	99,473 %		Pass <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211103-032		03/11/2021 09:58 MB	Acetona Normal Saline		3MM Whatman 3MM Whatman			684 8		18 651	0 pH (Low/Actual/High)	96,222 %		Pass <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-001		03/11/2021 01:38 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1669 12		32 3042	0 pH (Low/Actual/High)	97,726 %		Pass <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-002		03/11/2021 02:33 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			312 3		3 183	0 pH (Low/Actual/High)	97,435 %		Pass <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-003		03/11/2021 02:35 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1946 6		20 4070	0 pH (Low/Actual/High)	98,836 %		Pass <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-004		03/11/2021 03:01 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			2060 81		57 4416	0 pH (Low/Actual/High)	95,506 %		Pass <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-005		03/11/2021 03:21 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1345 42		20 1196	0 pH (Low/Actual/High)	95,142 %		Pass <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-006		03/11/2021 03:21 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			736 6		38 854	0 pH (Low/Actual/High)	94,393 %		Pass <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-010		03/11/2021 04:23 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			3532 51		49 3986	0 pH (Low/Actual/High)	97,368 %		Pass <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-009		03/11/2021 04:23 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			2659 104		43 3071	0 pH (Low/Actual/High)	95,133 %		Pass <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-014		03/11/2021 04:36 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			3021 34		76 4699	0 pH (Low/Actual/High)	96,828 %		Pass <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-016		03/11/2021 05:22 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			2889 30		41 2610	0 pH (Low/Actual/High)	97,464 %		Pass <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20211103-015		03/11/2021 05:22 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			2947 98		128 3847	0	pH (Low/Actual/High)	93,353 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-020		03/11/2021 07:04 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			2170 12		32 2228	0	pH (Low/Actual/High)	98,011 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-019		03/11/2021 07:04 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			2376 22		32 1377	0	pH (Low/Actual/High)	97,099 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-021		03/11/2021 07:06 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			2302 21		37 3807	0	pH (Low/Actual/High)	97,87 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-026		03/11/2021 08:11 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			2080 85		31 2305	0	pH (Low/Actual/High)	94,975 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-028		03/11/2021 09:06 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			1673 1		63 251	0	pH (Low/Actual/High)	95,974 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-030		03/11/2021 09:40 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1209 2		8 732	0	pH (Low/Actual/High)	99,07 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-041		03/11/2021 10:58 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1828 3		42 229	0	pH (Low/Actual/High)	96,461 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-043		03/11/2021 11:51 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			959 24		28 1486	0	pH (Low/Actual/High)	95,574 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211103-045		03/11/2021 12:20 WG	Normal Saline Metanol		Sílica gel 3MM Whatman			1361 11		15 1220	0	pH (Low/Actual/High)	98,016 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20211103-018		03/11/2021 06:54 JS	Acetato de amônio 1M:Metanol		Sílica gel			0,3		31,61	0	pH (Low/Actual/High)	99,06 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20211103-047		03/11/2021 12:47 JS	Acetato de amônio 1M:Metanol		Sílica gel			0,3		52,5	0	pH (Low/Actual/High)	99,432 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211103-001		03/11/2021 01:08 FN	Butanona		3MM Whatman			21		1879	0	pH (Low/Actual/High)	98,895 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211103-002		03/11/2021 02:28 PP	Butanona		3MM Whatman			8		4530	0		99,824 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20211103-003		03/11/2021 02:57 PP	Butanona		3MM Whatman			24		1110	0		97,884 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20211103-004		03/11/2021 02:58 PP	Butanona		3MM Whatman			10		748	0		98,681 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20211103-005		03/11/2021 03:19 PP	Butanona		3MM Whatman			2		1186	0		99,832 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20211103-006		03/11/2021 03:30 PP	Butanona		3MM Whatman			7		1350	0		99,484 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20211103-007		03/11/2021 04:21 PP	Butanona		3MM Whatman			23		1521	0		98,51 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20211103-008		03/11/2021 04:27 PP	Butanona		3MM Whatman			5		1761	0		99,717 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20211103-009		03/11/2021 05:19 PP	Butanona		3MM Whatman			2		363	0		99,452 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20211103-012		03/11/2021 06:59 FN	Butanona		3MM Whatman			1		222	0		99,552 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20211103-011		03/11/2021 06:59 FN	Butanona		3MM Whatman			1		126	0		99,213 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20211103-013		03/11/2021 07:01 FN	Butanona		3MM Whatman			1		290	0		99,656 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20211103-014		03/11/2021 07:02 FN	Butanona		3MM Whatman			2		398	0		99,50 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20211103-016		03/11/2021 07:18 FN	Butanona		3MM Whatman			3		1143	0		99,738 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211103-015		03/11/2021 07:18 FN	Butanona		3MM	Whatman		12	1342		0	99,114 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211103-017		03/11/2021 07:19 FN	Butanona		3MM	Whatman		6	1507		0	99,603 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211103-018		03/11/2021 08:09 WG	Butanona		3MM	Whatman		22	1884		0	98,846 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211103-019		03/11/2021 08:16 WG	Butanona		3MM	Whatman		8	641		0	98,767 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211103-020		03/11/2021 09:02 WG	Butanona		3MM	Whatman		2	420		0	99,526 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211103-021		03/11/2021 09:14 WG	Butanona		3MM	Whatman		14	1444		0	99,04 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211103-022		03/11/2021 09:28 JS	Butanona		3MM	Whatman		1	300		0	99,668 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211103-023		03/11/2021 09:36 MB	Butanona		3MM	Whatman		3	396		0	99,248 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211103-025		03/11/2021 10:19 MB	Butanona		3MM	Whatman		17	1135		0	98,524 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211103-026		03/11/2021 10:55 MB	Butanona		3MM	Whatman		9	1559		0	99,426 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211103-027		03/11/2021 11:37 MB	Butanona		3MM	Whatman		5	1139		0	99,563 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211103-028		03/11/2021 12:00 WG	Butanona		3MM	Whatman		12	1349		0	99,118 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211103-030		03/11/2021 12:43 WG	Butanona		3MM	Whatman		4	880		0	99,548 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m		03/11/2021 17:04												%
Lot # E-20211103-032														