



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 04/11/2021 To 04/11/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20211104-018		04/11/2021	04:35	PP	Butanona Normal Saline	3MM Whatman Sílica gel	299 11		1 235	0	pH (Low/Actual/High)	95,195 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211104-029		04/11/2021	07:35	WG	Butanona Normal Saline	3MM Whatman Sílica gel	148,8 2,5		3 122,5	0	pH (Low/Actual/High)	96,024 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211104-044		04/11/2021	10:50	MB	Butanona Normal Saline	3MM Whatman Sílica gel	131 2,6		1,3 161,9	0	pH (Low/Actual/High)	97,437 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20211104-020		04/11/2021	06:53	FN	Citrato de Sódio 0,1M	Sílica gel	58,2		1,3	0	pH (Low/Actual/High)	97,815 %	Pass 4,00 <= 6,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211104-049		04/11/2021	12:41	MB	Citrato de Sódio 0,1M	Sílica gel	28,4		0,5	0	pH (Low/Actual/High)	98,27 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211104-057		04/11/2021	15:43	JS	Citrato de Sódio 0,1M	Sílica gel	26		0,3	0	pH (Low/Actual/High)	98,859 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20211104-008	RPH	04/11/2021	02:47	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	490 14		2 493	0	pH (Low/Actual/High)	96,832 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20211104-010	RPH	04/11/2021	03:34	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	821 7		1 269	0	pH (Low/Actual/High)	97,342 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20211104-028	RPH	04/11/2021	07:35	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman	384 2		3 486	0	pH (Low/Actual/High)	98,815 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20211104-046	RPH	04/11/2021	11:03	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	246 5		2 2330	0	pH (Low/Actual/High)	98,979 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
FITATO-99mTc Lot # K-20211104-011		04/11/2021	03:42	PP	Butanona	3MM Whatman	662		2	0	pH (Low/Actual/High)	99,699 %	Pass 5,00 <= 7,00 <= 7,00
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20211104-052		04/11/2021 13:17 MB	Butanona		3MM	Whatman		235		1	0	99,576 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00	
											Límpido/Incolor			
MAA-99mTc Lot # K-20211104-017		04/11/2021 04:30 PP	Butanona		3MM	Whatman		476		1	0	99,79 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20211104-045		04/11/2021 10:58 MB	Butanona		3MM	Whatman		193		65	0	74,806 %	Fail	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20211104-048		04/11/2021 12:18 MB	Butanona		3MM	Whatman		112,8		1,5	0	98,688 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20211104-051		04/11/2021 13:03 MB	Butanona		3MM	Whatman		153,1		2,4	0	98,457 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20211104-055		04/11/2021 14:19 JS	Butanona		3MM	Whatman		63,6		1,1	0	98,30 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20211104-056		04/11/2021 14:21 JS	Butanona		3MM	Whatman		68		0,3	0	99,561 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MDP-99mTc Lot # K-20211104-007		04/11/2021 02:29 PP	Acetona		3MM	Whatman		1694		8	0	99,002 %	Pass	
			Normal Saline		3MM	Whatman		8		1507	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20211104-013		04/11/2021 03:50 PP	Acetona		3MM	Whatman		1183		2	0	99,444 %	Pass	
			Normal Saline		3MM	Whatman		6		1542	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20211104-014		04/11/2021 04:02 PP	Acetona		3MM	Whatman		1532		4	0	98,505 %	Pass	
			Normal Saline		3MM	Whatman		16		1280	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20211104-019		04/11/2021 04:35 PP	Acetona		3MM	Whatman		1341		15	0	96,713 %	Pass	
			Normal Saline		3MM	Whatman		13		583	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20211104-025		04/11/2021 07:22 WG	Acetona		3MM	Whatman		426		2	0	96,424 %	Pass	
			Normal Saline		3MM	Whatman		12		374	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20211104-026		04/11/2021 07:24 WG	Acetona		3MM	Whatman		258		6	0	94,761 %	Pass	
			Normal Saline		3MM	Whatman		14		458	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20211104-032		04/11/2021 07:44	WG	Acetona Normal Saline	3MM	Whatman		204 9		2 515	0	pH (Low/Actual/High)	97,312 %	Pass
													4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MIBI-99mTc Lot # K-20211104-005		04/11/2021 02:14	PP	Normal Saline Metanol	Sílica gel	3MM	Whatman	1719 34		39 3071	0	pH (Low/Actual/High)	96,687 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20211104-006		04/11/2021 02:29	PP	Normal Saline Metanol	Sílica gel	3MM	Whatman	1958 72		41 3334	0	pH (Low/Actual/High)	95,835 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20211104-009		04/11/2021 03:25	PP	Normal Saline Metanol	Sílica gel	3MM	Whatman	3620 101		24 4291	0	pH (Low/Actual/High)	97,042 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20211104-012		04/11/2021 03:50	PP	Normal Saline Metanol	Sílica gel	3MM	Whatman	2300 36		58 2389	0	pH (Low/Actual/High)	96,056 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20211104-015		04/11/2021 04:02	PP	Normal Saline Metanol	Sílica gel	3MM	Whatman	2378 65		44 3855	0	pH (Low/Actual/High)	96,525 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20211104-016		04/11/2021 04:29	PP	Normal Saline Metanol	Sílica gel	3MM	Whatman	1746 29		25 1449	0	pH (Low/Actual/High)	96,626 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20211104-021		04/11/2021 07:06	FN	Normal Saline Metanol	Sílica gel	3MM	Whatman	1837 12		28 2420	0	pH (Low/Actual/High)	98,005 %	Pass
													5,00 <= 5,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20211104-022		04/11/2021 07:06	FN	Normal Saline Metanol	Sílica gel	3MM	Whatman	1685 20		32 2199	0	pH (Low/Actual/High)	97,235 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20211104-023		04/11/2021 07:08	FN	Normal Saline Metanol	Sílica gel	3MM	Whatman	2069 12		37 2317	0	pH (Low/Actual/High)	97,728 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20211104-027		04/11/2021 07:31	WG	Normal Saline Metanol	Sílica gel	3MM	Whatman	1897 23		14 1999	0	pH (Low/Actual/High)	98,13 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20211104-033		04/11/2021 09:13	WG	Normal Saline Metanol	Sílica gel	3MM	Whatman	1292 60		12 616	0	pH (Low/Actual/High)	90,204 %	Pass
													5,00 <= 6,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20211104-035		04/11/2021 10:08	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1756 21		20 1741	0	pH (Low/Actual/High)	97,682 %	Pass
													5,00 <= 5,00	<= 6,00
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20211104-047		04/11/2021 11:17	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1180 4		19 210	0	pH (Low/Actual/High)	96,546 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211104-050		04/11/2021 12:50	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			177,6 1		0,4 218	0	pH (Low/Actual/High)	99,319 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211104-053		04/11/2021 13:44	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1107 9		25 1405	0	pH (Low/Actual/High)	97,155 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211104-054		04/11/2021 13:58	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			830 16		12 872	0	pH (Low/Actual/High)	96,773 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20211104-024		04/11/2021 07:12	FN	Butanona Normal Saline	3MM Whatman 3MM Whatman			289 4		1 328	0	pH (Low/Actual/High)	98,45 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PSMA-177Lu Lot # K-20211104-001		04/11/2021 00:44	MP	Citrato de Sódio 0,1M	Sílica gel			252		1	0	pH (Low/Actual/High)	99,605 %	Pass 4,00 <= 4,50 <= 5,00
Límpido														
QC Notes: HPLC 96,49%														
PSMA-177Lu Lot # K-20211104-002		04/11/2021 00:44	MP	Citrato de Sódio 0,1M	Sílica gel			974		1	0	pH (Low/Actual/High)	99,897 %	Pass 4,00 <= 4,50 <= 5,00
Límpido														
QC Notes: HPLC 99,31														
PSMA-177Lu Lot # K-20211104-003		04/11/2021 01:19	MP	Citrato de Sódio 0,1M	Sílica gel			522		2	0	pH (Low/Actual/High)	99,618 %	Pass 4,00 <= 4,50 <= 5,00
Límpido														
QC Notes: HPLC 97,50%														
PSMA-177Lu Lot # K-20211104-004		04/11/2021 01:19	MP	Citrato de Sódio 0,1M	Sílica gel			862		2	0	pH (Low/Actual/High)	99,769 %	Pass 4,00 <= 4,50 <= 5,00
Límpido														
QC Notes: HPLC97,06														
PSMA-68Ga Lot # K-20211104-034		04/11/2021 09:46	MB	Acetato de amônio 1M:Metanol	Sílica gel			0,4		26,2	0	pH (Low/Actual/High)	98,496 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211104-001		04/11/2021 01:54	FN	Butanona	3MM Whatman			3		382	0	pH (Low/Actual/High)	99,221 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211104-002		04/11/2021 02:13	PP	Butanona	3MM Whatman			3		403	0	pH (Low/Actual/High)	99,261 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211104-003		04/11/2021 02:27 PP	Butanona		3MM Whatman			8		1588	0		99,499 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-004		04/11/2021 02:45 PP	Butanona		3MM Whatman			1		974	0		99,897 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-005		04/11/2021 03:23 PP	Butanona		3MM Whatman			2		297	0		99,331 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-006		04/11/2021 03:47 PP	Butanona		3MM Whatman			58		1302	0		95,735 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-007		04/11/2021 03:59 PP	Butanona		3MM Whatman			45		1337	0		96,744 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-008		04/11/2021 04:00 PP	Butanona		3MM Whatman			37		1048	0		96,59 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-009		04/11/2021 04:23 PP	Butanona		3MM Whatman			14		554	0		97,535 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-010		04/11/2021 04:27 PP	Butanona		3MM Whatman			1		75	0		98,684 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-012		04/11/2021 07:02 FN	Butanona		3MM Whatman			5		534	0		99,072 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-013		04/11/2021 07:02 FN	Butanona		3MM Whatman			3		1292	0		99,768 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-014		04/11/2021 07:03 FN	Butanona		3MM Whatman			3		2220	0		99,865 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-015		04/11/2021 07:04 FN	Butanona		3MM Whatman			3,8		290,7	0		98,71 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-016		04/11/2021 07:21 FN	Butanona		3MM Whatman			2,8		289,8	0		99,043 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211104-017		04/11/2021 07:21	FN	Butanona		3MM Whatman		3,8	230,9		0	98,381 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-018		04/11/2021 07:22	FN	Butanona		3MM Whatman		0,8	159,9		0	99,502 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-019		04/11/2021 07:29	FN	Butanona		3MM Whatman		28	1337		0	97,949 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-020		04/11/2021 07:40	WG	Butanona		3MM Whatman		18	1608		0	98,893 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-021		04/11/2021 09:00	WG	Butanona		3MM Whatman		15	2882		0	99,482 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-023		04/11/2021 10:04	JS	Butanona		3MM Whatman		2	440		0	99,548 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-024		04/11/2021 10:19	MB	Butanona		3MM Whatman		4	1353		0	99,705 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-025		04/11/2021 10:38	MB	Butanona		3MM Whatman		21	1366		0	98,486 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-026		04/11/2021 11:13	MB	Butanona		3MM Whatman		13	1867		0	99,309 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-027		04/11/2021 12:07	MB	Butanona		3MM Whatman		2	380		0	99,476 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-029		04/11/2021 12:47	MB	Butanona		3MM Whatman		0,5	86,7		0	99,427 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-030		04/11/2021 13:39	MB	Butanona		3MM Whatman		9	1602		0	99,441 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211104-031		04/11/2021 13:55	MB	Butanona		3MM Whatman		3	344		0	99,135 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc Lot # K-20211104-030		04/11/2021 07:43	WG	Normal Saline Butanona	Sílica gel 3MM Whatman			139,6 3,4		0,7 147,8	0	pH (Low/Actual/High)	97,252 %	Pass
														6,50 <= 7,00 <= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211104-031		04/11/2021 07:43	WG	Normal Saline Butanona	Sílica gel 3MM Whatman			166,4 2,1		3,5 123,3	0	pH (Low/Actual/High)	96,265 %	Pass
														6,50 <= 7,00 <= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211104-036		04/11/2021 10:31	MB	Normal Saline Butanona	Sílica gel 3MM Whatman			157,9 1,3		4,1 138	0	pH (Low/Actual/High)	96,536 %	Pass
														6,50 <= 7,00 <= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211104-037		04/11/2021 10:32	MB	Normal Saline Butanona	Sílica gel 3MM Whatman			133,9 2		1,5 151,7	0	pH (Low/Actual/High)	97,591 %	Pass
														6,50 <= 7,00 <= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211104-038		04/11/2021 10:33	MB	Normal Saline Butanona	Sílica gel 3MM Whatman			179,7 2,8		3,3 196,8	0	pH (Low/Actual/High)	96,794 %	Pass
														6,50 <= 7,00 <= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211104-039		04/11/2021 10:35	MB	Normal Saline Butanona	Sílica gel 3MM Whatman			107,2 2,2		3 89	0	pH (Low/Actual/High)	94,865 %	Pass
														6,50 <= 7,00 <= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211104-040		04/11/2021 10:41	MB	Normal Saline Butanona	Sílica gel 3MM Whatman			121,4 5		8 177	0	pH (Low/Actual/High)	91,07 %	Pass
														6,50 <= 7,00 <= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211104-041		04/11/2021 10:43	MB	Normal Saline Butanona	Sílica gel 3MM Whatman			192,9 0,4		4 168,1	0	pH (Low/Actual/High)	97,731 %	Pass
														6,50 <= 7,00 <= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211104-042		04/11/2021 10:44	MB	Normal Saline Butanona	Sílica gel 3MM Whatman			247 2		4 160	0	pH (Low/Actual/High)	97,172 %	Pass
														6,50 <= 7,00 <= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211104-043		04/11/2021 10:46	MB	Normal Saline Butanona	Sílica gel 3MM Whatman			179 3		2 158	0	pH (Low/Actual/High)	97,032 %	Pass
														6,50 <= 7,00 <= 8,50
														Límpido/Incolor