



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 09/11/2021 To 09/11/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20211109-014		09/11/2021	04:07	BB	Butanona Normal Saline	3MM Whatman Sílica gel	334 5		4 215	0	pH (Low/Actual/High)	96,544 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211109-025		09/11/2021	07:41	WG	Butanona Normal Saline	3MM Whatman Sílica gel	157,4 1,5		0,4 116,8	0	pH (Low/Actual/High)	98,479 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211109-027		09/11/2021	07:46	WG	Butanona Normal Saline	3MM Whatman Sílica gel	127,6 3,3		4 78,9	0	pH (Low/Actual/High)	92,946 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211109-029		09/11/2021	07:51	WG	Butanona Normal Saline	3MM Whatman Sílica gel	83,5 2,1		1,1 89,2	0	pH (Low/Actual/High)	96,40 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211109-030		09/11/2021	07:56	WG	Butanona Normal Saline	3MM Whatman Sílica gel	119,6 2		1,1 69,3	0	pH (Low/Actual/High)	96,284 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211109-048		09/11/2021	10:42	JS	Butanona Normal Saline	3MM Whatman Sílica gel	286 2		3 161	0	pH (Low/Actual/High)	97,735 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20211109-021		09/11/2021	06:55	BB	Citrato de Sódio 0,1M	Sílica gel	19,3		0,8	0	pH (Low/Actual/High)	96,02 %	Pass <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211109-038		09/11/2021	09:52	JS	Citrato de Sódio 0,1M	Sílica gel	23,6		0,4	0	pH (Low/Actual/High)	98,333 %	Pass <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211109-050		09/11/2021	10:49	JS	Citrato de Sódio 0,1M	Sílica gel	28,9		0,3	0	pH (Low/Actual/High)	98,973 %	Pass <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211109-058		09/11/2021	12:45	JS	Citrato de Sódio 0,1M	Sílica gel	35,4		0,4	0	pH (Low/Actual/High)	98,883 %	Pass <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211109-063		09/11/2021	15:53	JS	Citrato de Sódio 0,1M	Sílica gel	38,8		0,9	0	pH (Low/Actual/High)	97,733 %	Pass <= 5,00 <= 8,00
						Límpido e Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20211109-011	RPH	09/11/2021 03:39 YD	Acetona Normal Saline		3MM Whatman 3MM Whatman			364 9		1 233	0	pH (Low/Actual/High)	96,007 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
DTPA-99mTc Lot # K-20211109-012	RPH	09/11/2021 03:40 YD	Acetona Normal Saline		3MM Whatman 3MM Whatman			278 26		1 339	0	pH (Low/Actual/High)	92,518 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
DTPA-99mTc Lot # K-20211109-032	RPH	09/11/2021 08:08 WG	Acetona Normal Saline		3MM Whatman 3MM Whatman			1192 10		5 856	0	pH (Low/Actual/High)	98,428 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
DTPA-99mTc Lot # K-20211109-037	RPH	09/11/2021 09:16 BB	Acetona Normal Saline		3MM Whatman 3MM Whatman			476 22		3 333	0	pH (Low/Actual/High)	93,177 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
FITATO-99mTc Lot # K-20211109-010		09/11/2021 03:28 PP	Butanona		3MM Whatman			379		10	0	pH (Low/Actual/High)	97,429 %	Pass 5,00 <= 7,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20211109-033		09/11/2021 08:11 WG	Butanona		3MM Whatman			214		2	0	pH (Low/Actual/High)	99,074 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
MAA-99mTc Lot # K-20211109-016		09/11/2021 04:14 BB	Butanona		3MM Whatman			302		2	0	pH (Low/Actual/High)	99,342 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211109-026		09/11/2021 07:49 YD	Butanona		3MM Whatman			54,1		1,3	0	pH (Low/Actual/High)	97,653 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211109-028		09/11/2021 07:50 YD	Butanona		3MM Whatman			67		0,2	0	pH (Low/Actual/High)	99,702 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211109-039		09/11/2021 10:04 BB	Butanona		3MM Whatman			128		2	0	pH (Low/Actual/High)	98,462 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211109-040		09/11/2021 10:05 BB	Butanona		3MM Whatman			97,5		2	0	pH (Low/Actual/High)	97,99 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211109-051		09/11/2021 10:52 JS	Butanona		3MM Whatman			396		2	0	pH (Low/Actual/High)	99,497 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211109-054		09/11/2021 11:56 WG	Butanona		3MM Whatman			145,9		3	0	pH (Low/Actual/High)	97,985 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20211109-055		09/11/2021 12:01	WG	Butanona		3MM Whatman		185,4		0,2	0		99,892 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20211109-056		09/11/2021 12:04	WG	Butanona		3MM Whatman		133,3		4	0		97,087 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20211109-057		09/11/2021 12:30	JS	Butanona		3MM Whatman		68		3	0		95,775 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20211109-059		09/11/2021 13:22	JS	Butanona		3MM Whatman		116		3	0		97,479 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20211109-060		09/11/2021 13:23	JS	Butanona		3MM Whatman		68,3		1,2	0		98,273 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20211109-061		09/11/2021 13:24	JS	Butanona		3MM Whatman		173		1,1	0		99,368 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MDP-99mTc Lot # K-20211109-008		09/11/2021 03:21	PP	Acetona		3MM Whatman		1226		21	0		94,146 %	Pass
				Normal Saline		3MM Whatman		46		1057		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211109-009		09/11/2021 03:25	PP	Acetona		3MM Whatman		1371		5	0		97,096 %	Pass
				Normal Saline		3MM Whatman		31		1189		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211109-022		09/11/2021 06:54	BB	Acetona		3MM Whatman		1181		9	0		98,348 %	Pass
				Normal Saline		3MM Whatman		9		996		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211109-031		09/11/2021 08:05	WG	Acetona		3MM Whatman		930		7	0		97,724 %	Pass
				Normal Saline		3MM Whatman		12		773		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211109-036		09/11/2021 09:14	BB	Acetona		3MM Whatman		520		2	0		98,142 %	Pass
				Normal Saline		3MM Whatman		10		668		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211109-041		09/11/2021 10:22	BB	Acetona		3MM Whatman		1606		13	0		98,909 %	Pass
				Normal Saline		3MM Whatman		4		1383		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211109-049		09/11/2021 10:50	JS	Acetona		3MM Whatman		1131		3	0		97,423 %	Pass
				Normal Saline		3MM Whatman		8		338		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20211109-001		09/11/2021 01:41 FL	Normal Saline Metanol		Sílica gel 3MM Whatman			1633 20		36 2230	0 pH (Low/Actual/High)	96,954 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-002		09/11/2021 02:12 FL	Normal Saline Metanol		Sílica gel 3MM Whatman			1341 20		30 1135	0 pH (Low/Actual/High)	96,08 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-003		09/11/2021 02:13 FL	Normal Saline Metanol		Sílica gel 3MM Whatman			1392 29		18 1273	0 pH (Low/Actual/High)	96,496 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-004		09/11/2021 02:17 FL	Normal Saline Metanol		Sílica gel 3MM Whatman			1643 40		31 1820	0 pH (Low/Actual/High)	95,998 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-005		09/11/2021 02:18 FL	Normal Saline Metanol		Sílica gel 3MM Whatman			1231 24		16 1624	0 pH (Low/Actual/High)	97,261 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-006		09/11/2021 02:25 FL	Normal Saline Metanol		Sílica gel 3MM Whatman			1893 30		21 2230	0 pH (Low/Actual/High)	97,575 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-007		09/11/2021 02:26 FL	Normal Saline Metanol		Sílica gel 3MM Whatman			1477 40		19 2690	0 pH (Low/Actual/High)	97,265 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-013		09/11/2021 04:04 PP	Normal Saline Metanol		Sílica gel 3MM Whatman			1463 48		20 1489	0 pH (Low/Actual/High)	95,528 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-017		09/11/2021 04:36 BB	Normal Saline Metanol		Sílica gel 3MM Whatman			1146 16		15 1679	0 pH (Low/Actual/High)	97,764 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-018		09/11/2021 04:37 BB	Normal Saline Metanol		Sílica gel 3MM Whatman			1704 45		16 1809	0 pH (Low/Actual/High)	96,643 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-019		09/11/2021 06:44 BB	Normal Saline Metanol		Sílica gel 3MM Whatman			1310 2		27 1534	0 pH (Low/Actual/High)	97,85 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-020		09/11/2021 06:49 BB	Normal Saline Metanol		Sílica gel 3MM Whatman			1275 30		14 3185	0 pH (Low/Actual/High)	97,981 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-024		09/11/2021 07:14 BB	Normal Saline Metanol		Sílica gel 3MM Whatman			1333 1		17 1984	0 pH (Low/Actual/High)	98,69 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20211109-034		09/11/2021 08:46	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			1655 2		21 2320	0	pH (Low/Actual/High)	98,661 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-035		09/11/2021 09:00	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			1541 16		14 2039	0	pH (Low/Actual/High)	98,321 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-052		09/11/2021 11:15	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			1943 16		12 1999	0	pH (Low/Actual/High)	98,592 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-053		09/11/2021 11:50	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			723 15		8 871	0	pH (Low/Actual/High)	97,213 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211109-062		09/11/2021 13:57	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1434 33		25 1396	0	pH (Low/Actual/High)	95,977 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20211109-015		09/11/2021 04:10	BB	Butanona Normal Saline	3MM Whatman 3MM Whatman			413 19		3 395	0	pH (Low/Actual/High)	94,689 %	Pass 5,00 <= 5,00 <= 7,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20211109-023		09/11/2021 07:02	YD	Butanona Normal Saline	3MM Whatman 3MM Whatman			591,7 7,7		4,4 401,5	0	pH (Low/Actual/High)	97,38 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
Tecnécio-99m Lot # E-20211109-001		09/11/2021 01:21	FL	Butanona	3MM Whatman			10		2450	0	pH (Low/Actual/High)	99,593 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211109-003		09/11/2021 02:07	FL	Butanona	3MM Whatman			1		470	0	pH (Low/Actual/High)	99,788 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211109-002		09/11/2021 02:07	FL	Butanona	3MM Whatman			28		742	0	pH (Low/Actual/High)	96,364 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211109-004		09/11/2021 02:22	FL	Butanona	3MM Whatman			30		1087	0	pH (Low/Actual/High)	97,314 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211109-005		09/11/2021 03:23	PP	Butanona	3MM Whatman			65		2616	0	pH (Low/Actual/High)	97,576 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211109-006		09/11/2021 04:04	YD	Butanona	3MM Whatman			4		1952	0	pH (Low/Actual/High)	99,796 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211109-007		09/11/2021 04:08	PP	Butanona		3MM Whatman		237		7833	0	97,063 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211109-008		09/11/2021 06:36	BB	Butanona		3MM Whatman		23		4926	0	99,535 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211109-009		09/11/2021 06:47	BB	Butanona		3MM Whatman		41		1161	0	96,589 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211109-011		09/11/2021 07:10	BB	Butanona		3MM Whatman		11		2783	0	99,606 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211109-012		09/11/2021 07:38	BB	Butanona		3MM Whatman		25		4011	0	99,381 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211109-013		09/11/2021 08:42	BB	Butanona		3MM Whatman		1		2720	0	99,963 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211109-014		09/11/2021 08:57	BB	Butanona		3MM Whatman		54		4508	0	98,816 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211109-015		09/11/2021 09:09	BB	Butanona		3MM Whatman		5		2510	0	99,801 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211109-017		09/11/2021 10:13	BB	Butanona		3MM Whatman		4		1552	0	99,743 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211109-018		09/11/2021 10:20	JS	Butanona		3MM Whatman		3		447	0	99,333 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211109-020		09/11/2021 11:12	WG	Butanona		3MM Whatman		23		1367	0	98,345 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211109-021		09/11/2021 11:47	WG	Butanona		3MM Whatman		23		893	0	97,489 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211109-023		09/11/2021 13:37	MB	Butanona		3MM Whatman		3		326	0	99,088 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc Lot # K-20211109-042		09/11/2021 10:30 JS	Normal Saline Butanona		Sílica gel 3MM Whatman			86 1,3		1,7 110	0 pH (Low/Actual/High)	96,894 %		Pass 6,50 <= 7,00 <= 8,50
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211109-043		09/11/2021 10:31 JS	Normal Saline Butanona		Sílica gel 3MM Whatman			77 2,5		3,7 137	0 pH (Low/Actual/High)	93,623 %		Pass 6,50 <= 7,00 <= 8,50
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211109-044		09/11/2021 10:32 JS	Normal Saline Butanona		Sílica gel 3MM Whatman			70 6		3,4 135	0 pH (Low/Actual/High)	91,113 %		Pass 6,50 <= 7,00 <= 8,50
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211109-045		09/11/2021 10:33 JS	Normal Saline Butanona		Sílica gel 3MM Whatman			241 4		8 103	0 pH (Low/Actual/High)	93,049 %		Pass 6,50 <= 7,00 <= 8,50
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211109-046		09/11/2021 10:36 JS	Normal Saline Butanona		Sílica gel 3MM Whatman			155 4		4 201	0 pH (Low/Actual/High)	95,533 %		Pass 6,50 <= 7,00 <= 8,50
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211109-047		09/11/2021 10:37 JS	Normal Saline Butanona		Sílica gel 3MM Whatman			42 5		1 65	0 pH (Low/Actual/High)	90,532 %		Pass 6,50 <= 7,00 <= 8,50
							Límpido/Incolor							