



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 12/11/2021 To 12/11/2021

| Product: | Manuf: | Calibration | D/T | QC By | Solution | Media | Origin | Middle | Top | Background | Particle Size/ OK? | % Tag | Pass Fail |
|--------------------------------------|--------|-------------|-------|-------|---------------------------|----------------------------|-------------|--------|--------------|------------|----------------------|----------|------------------------------|
| DMSA-99mTc Lot # K-20211112-007 | | 12/11/2021 | 04:08 | YD | Butanona Normal Saline | 3MM Whatman Sílica gel | 120 4,2 | | 3 77,5 | 0 | pH (Low/Actual/High) | 92,42 % | Pass 2,00 <= 2,00 <= 3,00 |
| | | | | | | Límpido/Incolor | | | | | | | |
| DMSA-99mTc Lot # K-20211112-019 | | 12/11/2021 | 07:53 | JS | Butanona Normal Saline | 3MM Whatman Sílica gel | 82 4,5 | | 0,8 84 | 0 | pH (Low/Actual/High) | 93,949 % | Pass 2,00 <= 3,00 <= 3,00 |
| | | | | | | Límpido/Incolor | | | | | | | |
| DMSA-99mTc Lot # K-20211112-020 | | 12/11/2021 | 07:54 | JS | Butanona Normal Saline | 3MM Whatman Sílica gel | 208 5 | | 3 54 | 0 | pH (Low/Actual/High) | 90,104 % | Pass 2,00 <= 3,00 <= 3,00 |
| | | | | | | Límpido/Incolor | | | | | | | |
| DMSA-99mTc Lot # K-20211112-021 | | 12/11/2021 | 07:56 | JS | Butanona Normal Saline | 3MM Whatman Sílica gel | 132 2 | | 1,6 43 | 0 | pH (Low/Actual/High) | 94,358 % | Pass 2,00 <= 3,00 <= 3,00 |
| | | | | | | Límpido/Incolor | | | | | | | |
| DMSA-99mTc Lot # K-20211112-024 | | 12/11/2021 | 08:03 | JS | Butanona Normal Saline | 3MM Whatman Sílica gel | 180 3,7 | | 1,8 77,3 | 0 | pH (Low/Actual/High) | 94,442 % | Pass 2,00 <= 3,00 <= 3,00 |
| | | | | | | Límpido/Incolor | | | | | | | |
| DMSA-99mTc Lot # K-20211112-035 | | 12/11/2021 | 10:28 | JS | Butanona Normal Saline | 3MM Whatman Sílica gel | 62,7 4,8 | | 0,2 109,2 | 0 | pH (Low/Actual/High) | 95,472 % | Pass 2,00 <= 3,00 <= 3,00 |
| | | | | | | Límpido/Incolor | | | | | | | |
| DOTATOC-68Ga Lot # K-20211112-042 | | 12/11/2021 | 12:37 | JS | Citrato de Sódio 0,1M | Sílica gel | 23,5 | | 0,1 | 0 | pH (Low/Actual/High) | 99,576 % | Pass 4,00 <= 5,00 <= 8,00 |
| | | | | | | Límpido e Incolor | | | | | | | |
| DTPA-99mTc Lot # K-20211112-010 | RPH | 12/11/2021 | 04:20 | YD | Acetona Normal Saline | 3MM Whatman 3MM Whatman | 323 14 | | 8 381 | 0 | pH (Low/Actual/High) | 94,039 % | Pass 3,80 <= 5,00 <= 7,50 |
| | | | | | | Límpido/Incolor | | | | | | | |
| DTPA-99mTc Lot # K-20211112-032 | RPH | 12/11/2021 | 10:00 | JS | Acetona Normal Saline | 3MM Whatman 3MM Whatman | 560 13 | | 1 818 | 0 | pH (Low/Actual/High) | 98,257 % | Pass 3,80 <= 5,00 <= 7,50 |
| | | | | | | Límpido/Incolor | | | | | | | |
| FITATO-99mTc Lot # K-20211112-005 | | 12/11/2021 | 03:42 | YD | Butanona | 3MM Whatman | 350,2 | | 3,9 | 0 | pH (Low/Actual/High) | 98,899 % | Pass 5,00 <= 6,00 <= 7,00 |
| | | | | | | Límpido/Incolor | | | | | | | |
| FITATO-99mTc Lot # K-20211112-029 | | 12/11/2021 | 09:09 | PP | Butanona | 3MM Whatman | 1339 | | 8 | 0 | pH (Low/Actual/High) | 99,406 % | Pass 5,00 <= 6,00 <= 7,00 |
| | | | | | | Límpido/Incolor | | | | | | | |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|--------------------------------------|--------|---------------------|---------------|-------|--------|---------|-----|------------|---------|----------|-------|----------------------|--------------|-----------------|
| FITATO-99mTc Lot # K-20211112-030 | | 12/11/2021 09:36 JS | Butanona | | 3MM | Whatman | | 221 | | 3 | 0 | | 98,661 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 7,00 | <= 7,00 |
| | | | | | | | | | | | | | | Límpido/Incolor |
| MAA-99mTc Lot # K-20211112-009 | | 12/11/2021 04:16 YD | Butanona | | 3MM | Whatman | | 199,2 | | 1,7 | 0 | | 99,154 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Turvo/Incolor |
| MAA-99mTc Lot # K-20211112-027 | | 12/11/2021 08:18 JS | Butanona | | 3MM | Whatman | | 56,7 | | 1,3 | 0 | | 97,759 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Turvo/Incolor |
| MAA-99mTc Lot # K-20211112-028 | | 12/11/2021 08:20 JS | Butanona | | 3MM | Whatman | | 58 | | 0,4 | 0 | | 99,315 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Turvo/Incolor |
| MAA-99mTc Lot # K-20211112-044 | | 12/11/2021 12:43 WG | Butanona | | 3MM | Whatman | | 155,4 | | 3,3 | 0 | | 97,921 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 3,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Turvo/Incolor |
| MDP-99mTc Lot # K-20211112-008 | | 12/11/2021 04:10 YD | Acetona | | 3MM | Whatman | | 630 | | 2 | 0 | | 97,171 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 15 | | 582 | | pH (Low/Actual/High) | 4,00 <= 6,00 | <= 7,80 |
| | | | | | | | | | | | | | | Límpido/Incolor |
| MDP-99mTc Lot # K-20211112-012 | | 12/11/2021 04:51 YD | Acetona | | 3MM | Whatman | | 289 | | 4 | 0 | | 98,165 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 2 | | 424 | | pH (Low/Actual/High) | 4,00 <= 5,00 | <= 7,80 |
| | | | | | | | | | | | | | | Límpido/Incolor |
| MDP-99mTc Lot # K-20211112-018 | | 12/11/2021 07:28 JS | Acetona | | 3MM | Whatman | | 440 | | 3 | 0 | | 99,062 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 2 | | 765 | | pH (Low/Actual/High) | 4,00 <= 5,00 | <= 7,80 |
| | | | | | | | | | | | | | | Límpido/Incolor |
| MDP-99mTc Lot # K-20211112-026 | | 12/11/2021 08:15 JS | Acetona | | 3MM | Whatman | | 835 | | 2 | 0 | | 97,648 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 12 | | 556 | | pH (Low/Actual/High) | 4,00 <= 5,00 | <= 7,80 |
| | | | | | | | | | | | | | | Límpido/Incolor |
| MDP-99mTc Lot # K-20211112-036 | | 12/11/2021 10:56 WG | Acetona | | 3MM | Whatman | | 472 | | 12 | 0 | | 95,115 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 14 | | 568 | | pH (Low/Actual/High) | 4,00 <= 6,00 | <= 7,80 |
| | | | | | | | | | | | | | | Límpido/Incolor |
| MDP-99mTc Lot # K-20211112-037 | | 12/11/2021 11:03 WG | Acetona | | 3MM | Whatman | | 455 | | 2 | 0 | | 98,463 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 7 | | 630 | | pH (Low/Actual/High) | 4,00 <= 6,00 | <= 7,80 |
| | | | | | | | | | | | | | | Límpido/Incolor |
| MDP-99mTc Lot # K-20211112-038 | | 12/11/2021 11:07 WG | Acetona | | 3MM | Whatman | | 329 | | 1 | 0 | | 98,284 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 8 | | 558 | | pH (Low/Actual/High) | 4,00 <= 6,00 | <= 7,80 |
| | | | | | | | | | | | | | | Límpido/Incolor |
| MDP-99mTc Lot # K-20211112-043 | | 12/11/2021 12:38 WG | Acetona | | 3MM | Whatman | | 856 | | 10 | 0 | | 98,722 % | Pass |
| | | | Normal Saline | | 3MM | Whatman | | 1 | | 808 | | pH (Low/Actual/High) | 4,00 <= 6,00 | <= 7,80 |
| | | | | | | | | | | | | | | Límpido/Incolor |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|------------------------------------|--------|---------------------|--------------------------|-------|---------------------------|--------|-----|------------|---------|-------------|-------|----------------------|----------|------------------------------|
| MIBI-99mTc Lot # K-20211112-001 | | 12/11/2021 01:45 BB | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 944 6 | | 11 1114 | 0 | pH (Low/Actual/High) | 98,312 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-002 | | 12/11/2021 02:43 BB | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 2088 19 | | 45 3122 | 0 | pH (Low/Actual/High) | 97,285 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-003 | | 12/11/2021 02:55 BB | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 1748 44 | | 38 3211 | 0 | pH (Low/Actual/High) | 96,521 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-004 | | 12/11/2021 03:15 BB | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 2292 4 | | 178 2783 | 0 | pH (Low/Actual/High) | 92,65 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-006 | | 12/11/2021 03:54 YD | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 833 11 | | 12 1293 | 0 | pH (Low/Actual/High) | 97,736 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-011 | | 12/11/2021 04:31 YD | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 216 7 | | 3 338 | 0 | pH (Low/Actual/High) | 96,601 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-013 | | 12/11/2021 05:04 YD | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 1880 7 | | 50 2022 | 0 | pH (Low/Actual/High) | 97,064 % | Pass 5,00 <= 6,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-015 | | 12/11/2021 06:52 PP | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 2902 26 | | 151 4853 | 0 | pH (Low/Actual/High) | 94,521 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-016 | | 12/11/2021 07:08 JS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 567 1 | | 4 165 | 0 | pH (Low/Actual/High) | 98,697 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-017 | | 12/11/2021 07:14 JS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 123 1 | | 4 34 | 0 | pH (Low/Actual/High) | 93,993 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-023 | | 12/11/2021 08:00 JS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 446 1 | | 1 361 | 0 | pH (Low/Actual/High) | 99,50 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-025 | | 12/11/2021 08:08 JS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 364 9 | | 4 1493 | 0 | pH (Low/Actual/High) | 98,314 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-033 | | 12/11/2021 10:17 JS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 392 16 | | 4 627 | 0 | pH (Low/Actual/High) | 96,502 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|--------------------------------------|--------|---------------------|------------------------------|-------|---------------------------|--------|-----|------------|---------|------------|-------|----------------------|----------|------------------------------|
| MIBI-99mTc Lot # K-20211112-034 | | 12/11/2021 10:24 JS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 533 3 | | 18 430 | 0 | pH (Low/Actual/High) | 96,04 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-039 | | 12/11/2021 11:15 WG | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 788 6 | | 9 608 | 0 | pH (Low/Actual/High) | 97,894 % | Pass 5,00 <= 6,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-040 | | 12/11/2021 11:39 WG | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 436 1 | | 5 505 | 0 | pH (Low/Actual/High) | 98,669 % | Pass 5,00 <= 6,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-041 | | 12/11/2021 12:04 JS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 120 2 | | 5,1 145 | 0 | pH (Low/Actual/High) | 94,563 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| MIBI-99mTc Lot # K-20211112-045 | | 12/11/2021 13:01 MB | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 667 7 | | 4 559 | 0 | pH (Low/Actual/High) | 98,167 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor | | | | | | | | | | | | | | |
| PSMA-68Ga Lot # K-20211112-014 | | 12/11/2021 06:49 BB | Acetato de amônio 1M:Metanol | | Sílica gel | | | 0,2 | | 37,1 | 0 | pH (Low/Actual/High) | 99,464 % | Pass 4,00 <= 5,00 <= 8,00 |
| Límpido e Incolor | | | | | | | | | | | | | | |
| PSMA-68Ga Lot # K-20211112-031 | | 12/11/2021 09:49 JS | Acetato de amônio 1M:Metanol | | Sílica gel | | | 1 | | 41,4 | 0 | pH (Low/Actual/High) | 97,642 % | Pass 4,00 <= 5,00 <= 8,00 |
| Límpido e Incolor | | | | | | | | | | | | | | |
| Tecnécio-99m Lot # E-20211112-001 | | 12/11/2021 01:39 BB | Butanona | | 3MM Whatman | | | 7 | | 2650 | 0 | pH (Low/Actual/High) | 99,737 % | Pass 5,00 <= 6,00 <= 6,00 |
| Límpido e Incolor | | | | | | | | | | | | | | |
| Tecnécio-99m Lot # E-20211112-002 | | 12/11/2021 02:40 BB | Butanona | | 3MM Whatman | | | 16 | | 1091 | 0 | pH (Low/Actual/High) | 98,555 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido e Incolor | | | | | | | | | | | | | | |
| Tecnécio-99m Lot # E-20211112-003 | | 12/11/2021 02:53 BB | Butanona | | 3MM Whatman | | | 1 | | 165 | 0 | pH (Low/Actual/High) | 99,398 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido e Incolor | | | | | | | | | | | | | | |
| Tecnécio-99m Lot # E-20211112-004 | | 12/11/2021 03:11 BB | Butanona | | 3MM Whatman | | | 5 | | 1179 | 0 | pH (Low/Actual/High) | 99,578 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido e Incolor | | | | | | | | | | | | | | |
| Tecnécio-99m Lot # E-20211112-005 | | 12/11/2021 03:32 BB | Butanona | | 3MM Whatman | | | 19 | | 780 | 0 | pH (Low/Actual/High) | 97,622 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido e Incolor | | | | | | | | | | | | | | |
| Tecnécio-99m Lot # E-20211112-006 | | 12/11/2021 03:52 BB | Butanona | | 3MM Whatman | | | 4 | | 890 | 0 | pH (Low/Actual/High) | 99,553 % | Pass 5,00 <= 5,00 <= 6,00 |
| Límpido e Incolor | | | | | | | | | | | | | | |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|--------------------------------------|--------|---------------------|----------|-------|--------|---------|-----|------------|---------|----------|-------|----------------------|--------------|-------------------|
| Tecnécio-99m Lot # E-20211112-007 | | 12/11/2021 04:06 YD | Butanona | | 3MM | Whatman | | 23 | | 934 | 0 | | 97,597 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-008 | | 12/11/2021 04:08 YD | Butanona | | 3MM | Whatman | | 1,7 | | 144,2 | 0 | | 98,835 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-009 | | 12/11/2021 04:14 YD | Butanona | | 3MM | Whatman | | 1 | | 320 | 0 | | 99,688 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-010 | | 12/11/2021 04:18 YD | Butanona | | 3MM | Whatman | | 2 | | 303 | 0 | | 99,344 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-011 | | 12/11/2021 04:28 YD | Butanona | | 3MM | Whatman | | 0,9 | | 86,8 | 0 | | 98,974 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-012 | | 12/11/2021 05:01 YD | Butanona | | 3MM | Whatman | | 1 | | 244 | 0 | | 99,592 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-013 | | 12/11/2021 06:49 BB | Butanona | | 3MM | Whatman | | 5 | | 1015 | 0 | | 99,51 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-015 | | 12/11/2021 07:05 BB | Butanona | | 3MM | Whatman | | 4 | | 705 | 0 | | 99,436 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-016 | | 12/11/2021 07:11 PP | Butanona | | 3MM | Whatman | | 1 | | 498 | 0 | | 99,80 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-017 | | 12/11/2021 07:19 JS | Butanona | | 3MM | Whatman | | 2 | | 300 | 0 | | 99,338 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-018 | | 12/11/2021 07:26 JS | Butanona | | 3MM | Whatman | | 2 | | 346 | 0 | | 99,425 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-019 | | 12/11/2021 07:51 JS | Butanona | | 3MM | Whatman | | 10 | | 954 | 0 | | 98,963 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-020 | | 12/11/2021 08:06 BB | Butanona | | 3MM | Whatman | | 2 | | 55,4 | 0 | | 96,516 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|--------------------------------------|--------|------------------|----------|----------|--------|-------------|-----|------------|---------|----------|-------|----------------------|--------------|-------------------|
| Tecnécio-99m Lot # E-20211112-021 | | 12/11/2021 08:11 | JS | Butanona | | 3MM Whatman | | 2,6 | | 58,8 | 0 | 95,765 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-022 | | 12/11/2021 08:13 | JS | Butanona | | 3MM Whatman | | 3 | | 707 | 0 | 99,577 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-023 | | 12/11/2021 09:24 | JS | Butanona | | 3MM Whatman | | 2 | | 873 | 0 | 99,771 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-025 | | 12/11/2021 10:05 | JS | Butanona | | 3MM Whatman | | 1 | | 70 | 0 | 98,592 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-026 | | 12/11/2021 10:14 | JS | Butanona | | 3MM Whatman | | 4 | | 294 | 0 | 98,658 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-027 | | 12/11/2021 10:21 | JS | Butanona | | 3MM Whatman | | 1 | | 227 | 0 | 99,561 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-028 | | 12/11/2021 10:46 | WG | Butanona | | 3MM Whatman | | 3 | | 458 | 0 | 99,349 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-029 | | 12/11/2021 11:00 | WG | Butanona | | 3MM Whatman | | 2 | | 461 | 0 | 99,568 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-030 | | 12/11/2021 11:04 | WG | Butanona | | 3MM Whatman | | 3 | | 250 | 0 | 98,814 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-031 | | 12/11/2021 11:12 | WG | Butanona | | 3MM Whatman | | 7 | | 622 | 0 | 98,887 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-032 | | 12/11/2021 11:36 | MB | Butanona | | 3MM Whatman | | 6 | | 524 | 0 | 98,868 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-033 | | 12/11/2021 11:57 | MB | Butanona | | 3MM Whatman | | 51 | | 1212 | 0 | 95,962 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20211112-034 | | 12/11/2021 12:34 | JS | Butanona | | 3MM Whatman | | 4 | | 1112 | 0 | 99,642 % | Pass | |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|----------------------|--------|------------------|----------|----------|--------|--------|---------|------------|---------|----------|----------------------|-------|--------------|-------------------|
| Tecnécio-99m | | 12/11/2021 12:59 | WG | Butanona | | 3MM | Whatman | 12 | | 695 | 0 | | 98,303 % | Pass |
| Lot # E-20211112-036 | | | | | | | | | | | pH (Low/Actual/High) | | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |