



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 16/11/2021 To 16/11/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20211116-012		16/11/2021	04:06	BB	Butanona Normal Saline	3MM Whatman Sílica gel	211 8		1 161	0	pH (Low/Actual/High)	94,795 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211116-026		16/11/2021	07:34	WG	Butanona Normal Saline	3MM Whatman Sílica gel	190,3 1,3		3 174,7	0	pH (Low/Actual/High)	97,709 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211116-027		16/11/2021	07:36	WG	Butanona Normal Saline	3MM Whatman Sílica gel	118,9 3		0,8 173,8	0	pH (Low/Actual/High)	97,635 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211116-028		16/11/2021	08:01	WG	Butanona Normal Saline	3MM Whatman Sílica gel	192 0,6		3 195,4	0	pH (Low/Actual/High)	98,155 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211116-029		16/11/2021	08:04	WG	Butanona Normal Saline	3MM Whatman Sílica gel	282 2,8		2 155,3	0	pH (Low/Actual/High)	97,525 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211116-050		16/11/2021	11:09	WG	Butanona Normal Saline	3MM Whatman Sílica gel	286 1		3 260	0	pH (Low/Actual/High)	98,579 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20211116-018		16/11/2021	06:47	BB	Citrato de Sódio 0,1M	Sílica gel	36,9		1	0	pH (Low/Actual/High)	97,361 %	Pass 4,00 <= 7,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211116-039		16/11/2021	10:00	MP	Citrato de Sódio 0,1M	Sílica gel	23,3		0,1	0	pH (Low/Actual/High)	99,573 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211116-054		16/11/2021	12:43	JS	Citrato de Sódio 0,1M	Sílica gel	13,49		0,5	0	pH (Low/Actual/High)	96,426 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211116-062		16/11/2021	15:43	JS	Citrato de Sódio 0,1M	Sílica gel	47		0,2	0	pH (Low/Actual/High)	99,576 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20211116-011	RPH	16/11/2021	03:45	BB	Acetona Normal Saline	3MM Whatman 3MM Whatman	1223 22		2 1201	0	pH (Low/Actual/High)	98,038 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20211116-015	RPH	16/11/2021 04:14	BB	Acetona Normal Saline	3MM	Whatman		700 13		6 374	0	pH (Low/Actual/High)	95,791 %	Pass 3,80 <= 5,00 <= 7,50
Límpido/Incolor														
DTPA-99mTc Lot # K-20211116-031	RPH	16/11/2021 08:08	WG	Acetona Normal Saline	3MM	Whatman		1142 12		3 778	0	pH (Low/Actual/High)	98,219 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
DTPA-99mTc Lot # K-20211116-032	RPH	16/11/2021 08:11	WG	Acetona Normal Saline	3MM	Whatman		735 7		4 761	0	pH (Low/Actual/High)	98,547 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
DTPA-99mTc Lot # K-20211116-041	RPH	16/11/2021 10:14	JS	Acetona Normal Saline	3MM	Whatman		635 4		3 445	0	pH (Low/Actual/High)	98,639 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
FITATO-99mTc Lot # K-20211116-010		16/11/2021 03:43	BB	Butanona	3MM	Whatman		383		1	0	pH (Low/Actual/High)	99,74 %	Pass 5,00 <= 5,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20211116-030		16/11/2021 08:07	WG	Butanona	3MM	Whatman		672		10	0	pH (Low/Actual/High)	98,534 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
MAA-99mTc Lot # K-20211116-014		16/11/2021 04:13	BB	Butanona	3MM	Whatman		315		3	0	pH (Low/Actual/High)	99,057 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211116-049		16/11/2021 11:06	WG	Butanona	3MM	Whatman		135,7		2	0	pH (Low/Actual/High)	98,548 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211116-051		16/11/2021 11:11	WG	Butanona	3MM	Whatman		162,3		3	0	pH (Low/Actual/High)	98,185 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211116-052		16/11/2021 11:12	JS	Butanona	3MM	Whatman		110		2,5	0	pH (Low/Actual/High)	97,778 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211116-055		16/11/2021 13:44	WG	Butanona	3MM	Whatman		135,9		2	0	pH (Low/Actual/High)	98,55 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211116-056		16/11/2021 13:45	WG	Butanona	3MM	Whatman		120,7		0,7	0	pH (Low/Actual/High)	99,423 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211116-057		16/11/2021 13:47	WG	Butanona	3MM	Whatman		119,8		2,3	0	pH (Low/Actual/High)	98,116 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20211116-058		16/11/2021 14:02	WG	Butanona		3MM Whatman		247		1	0	99,597 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20211116-059		16/11/2021 14:03	WG	Butanona		3MM Whatman		243		3	0	98,78 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20211116-060		16/11/2021 14:05	WG	Butanona		3MM Whatman		293		1	0	99,66 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20211116-061		16/11/2021 14:07	WG	Butanona		3MM Whatman		287		2	0	99,308 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20211116-006		16/11/2021 03:26	BB	Acetona		3MM Whatman		601		2	0	98,716 %	Pass	
				Normal Saline		3MM Whatman		5		520		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20211116-007		16/11/2021 03:28	BB	Acetona		3MM Whatman		1435		16	0	98,39 %	Pass	
				Normal Saline		3MM Whatman		4		785		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20211116-022		16/11/2021 07:15	BB	Acetona		3MM Whatman		776		3	0	99,08 %	Pass	
				Normal Saline		3MM Whatman		4		744		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20211116-023		16/11/2021 07:21	BB	Acetona		3MM Whatman		1238		4	0	98,868 %	Pass	
				Normal Saline		3MM Whatman		10		1224		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20211116-024		16/11/2021 07:27	BB	Acetona		3MM Whatman		1402		3	0	99,05 %	Pass	
				Normal Saline		3MM Whatman		6		809		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20211116-035		16/11/2021 08:59	MP	Acetona		3MM Whatman		1432		10	0	98,123 %	Pass	
				Normal Saline		3MM Whatman		10		835		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20211116-038		16/11/2021 09:57	JS	Acetona		3MM Whatman		560		1	0	99,547 %	Pass	
				Normal Saline		3MM Whatman		2		727		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MIBI-99mTc Lot # K-20211116-001		16/11/2021 01:52	BB	Normal Saline		Sílica gel		574		11	0	97,488 %	Pass	
				Metanol		3MM Whatman		6		944		pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20211116-002		16/11/2021 01:59	BB	Normal Saline		Sílica gel		1316		28	0	97,524 %	Pass	
				Metanol		3MM Whatman		4		1015		pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20211116-003		16/11/2021 02:00	BB	Normal Saline Metanol	Silica gel 3MM Whatman			1120 14		18 1379	0	pH (Low/Actual/High)	97,413 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211116-004		16/11/2021 02:34	BB	Normal Saline Metanol	Silica gel 3MM Whatman			1100 1		11 217	0	pH (Low/Actual/High)	98,551 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211116-005		16/11/2021 02:36	BB	Normal Saline Metanol	Silica gel 3MM Whatman			1102 1		23 222	0	pH (Low/Actual/High)	97,507 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211116-008		16/11/2021 03:39	BB	Normal Saline Metanol	Silica gel 3MM Whatman			1141 3		18 225	0	pH (Low/Actual/High)	97,131 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211116-009		16/11/2021 03:40	BB	Normal Saline Metanol	Silica gel 3MM Whatman			1130 2		13 209	0	pH (Low/Actual/High)	97,915 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211116-016		16/11/2021 06:38	BB	Normal Saline Metanol	Silica gel 3MM Whatman			1084 11		21 1166	0	pH (Low/Actual/High)	97,165 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211116-017		16/11/2021 06:43	BB	Normal Saline Metanol	Silica gel 3MM Whatman			1232 1		20 212	0	pH (Low/Actual/High)	97,933 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211116-019		16/11/2021 07:03	BB	Normal Saline Metanol	Silica gel 3MM Whatman			1060 2		17 255	0	pH (Low/Actual/High)	97,643 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211116-020		16/11/2021 07:04	BB	Normal Saline Metanol	Silica gel 3MM Whatman			1329 9		21 1670	0	pH (Low/Actual/High)	97,908 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211116-025		16/11/2021 07:29	BB	Normal Saline Metanol	Silica gel 3MM Whatman			1339 1		21 204	0	pH (Low/Actual/High)	97,968 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211116-033		16/11/2021 08:52	MP	Normal Saline Metanol	Silica gel 3MM Whatman			1870 16		10 1760	0	pH (Low/Actual/High)	98,567 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211116-034		16/11/2021 08:53	MP	Normal Saline Metanol	Silica gel 3MM Whatman			2000 10		6 2230	0	pH (Low/Actual/High)	99,254 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211116-036		16/11/2021 09:09	MP	Normal Saline Metanol	Silica gel 3MM Whatman			1485 8		20 1476	0	pH (Low/Actual/High)	98,132 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20211116-037	16/11/2021	09:50 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			1610 9		11 1545	0 pH (Low/Actual/High)	98,742 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20211116-040	16/11/2021	10:07 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			1352 1		16 718	0 pH (Low/Actual/High)	98,691 % 5,00 <= 5,00 <= 6,00	Pass	
							Límpido/Incolor							
PIRO-99mTc Lot # K-20211116-013	16/11/2021	04:08 BB	Butanona Normal Saline		3MM Whatman 3MM Whatman			382 6		2 438	0 pH (Low/Actual/High)	98,128 % 5,00 <= 5,00 <= 7,00	Pass	
							Límpido/Incolor							
PIRO-99mTc Lot # K-20211116-021	16/11/2021	07:06 BB	Butanona Normal Saline		3MM Whatman 3MM Whatman			354 7		1 378	0 pH (Low/Actual/High)	97,90 % 5,00 <= 6,00 <= 7,00	Pass	
							Límpido/Incolor							
PSMA-68Ga Lot # K-20211116-042	16/11/2021	10:18 MP	Acetato de amônio 1M:Metanol		Sílica gel			0,3		19,3	0 pH (Low/Actual/High)	98,469 % 4,00 <= 4,00 <= 8,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20211116-001	16/11/2021	01:43 BB	Butanona		3MM Whatman			11		2379	0 pH (Low/Actual/High)	99,54 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20211116-002	16/11/2021	02:09 BB	Butanona		3MM Whatman			4		492	0 pH (Low/Actual/High)	99,194 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20211116-003	16/11/2021	02:31 BB	Butanona		3MM Whatman			1		296	0 pH (Low/Actual/High)	99,663 % 5,00 <= 5,00 <= 6,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20211116-004	16/11/2021	03:24 BB	Butanona		3MM Whatman			1		517	0 pH (Low/Actual/High)	99,807 % 5,00 <= 5,00 <= 6,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20211116-005	16/11/2021	03:37 BB	Butanona		3MM Whatman			2		294	0 pH (Low/Actual/High)	99,324 % 5,00 <= 5,00 <= 6,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20211116-006	16/11/2021	06:35 BB	Butanona		3MM Whatman			9		440	0 pH (Low/Actual/High)	97,996 % 5,00 <= 5,00 <= 6,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20211116-008	16/11/2021	07:00 BB	Butanona		3MM Whatman			9		1875	0 pH (Low/Actual/High)	99,522 % 5,00 <= 5,00 <= 6,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20211116-009	16/11/2021	07:18 BB	Butanona		3MM Whatman			17		1078	0 pH (Low/Actual/High)	98,447 % 5,00 <= 5,00 <= 6,00	Pass	
							Límpido e Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211116-010	16/11/2021	07:30	BB	Butanona	3MM	Whatman		1		413	0	99,758 %	Pass	
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
Tecnécio-99m Lot # E-20211116-011	16/11/2021	08:48	MP	Butanona	3MM	Whatman		1		250	0	99,602 %	Pass	
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
Tecnécio-99m Lot # E-20211116-012	16/11/2021	09:06	MP	Butanona	3MM	Whatman		10		2546	0	99,609 %	Pass	
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
Tecnécio-99m Lot # E-20211116-013	16/11/2021	09:49	MP	Butanona	3MM	Whatman		3		259	0	98,855 %	Pass	
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20211116-015	16/11/2021	10:07	MP	Butanona	3MM	Whatman		1		233	0	99,573 %	Pass	
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
Tecnécio-99m Lot # E-20211116-017	16/11/2021	10:27	MP	Butanona	3MM	Whatman		1		1620	0	99,938 %	Pass	
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20211116-019	16/11/2021	13:41	WG	Butanona	3MM	Whatman		24		2397	0	99,009 %	Pass	
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
TRODAT-99mTc Lot # K-20211116-043	16/11/2021	10:41	WG	Normal Saline	Sílica gel			135,8		1,1	0	98,45 %	Pass	
				Butanona	3MM	Whatman		2		266		pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211116-044	16/11/2021	10:43	WG	Normal Saline	Sílica gel			191		0,7	0	98,717 %	Pass	
				Butanona	3MM	Whatman		2		216		pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211116-045	16/11/2021	10:44	WG	Normal Saline	Sílica gel			98,7		3	0	94,929 %	Pass	
				Butanona	3MM	Whatman		2,2		101,5		pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211116-046	16/11/2021	10:50	WG	Normal Saline	Sílica gel			91,3		3	0	95,125 %	Pass	
				Butanona	3MM	Whatman		2,4		139,3		pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211116-047	16/11/2021	10:54	WG	Normal Saline	Sílica gel			99,5		2,7	0	96,123 %	Pass	
				Butanona	3MM	Whatman		1,6		127,9		pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211116-048	16/11/2021	10:55	WG	Normal Saline	Sílica gel			153,7		2	0	96,469 %	Pass	
				Butanona	3MM	Whatman		3,3		143,6		pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50	
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc		16/11/2021 11:29	MB	Normal Saline	Silica gel			81,9		2,2	0		93,469 %	Pass
Lot # K-20211116-053				Butanona	3MM Whatman			2,4		58,9	pH (Low/Actual/High)		6,50 <= 7,00 <= 8,50	
								Límpido/Incolor						