



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10  
 R: Maestro Cardim, 769 - São Paulo/SP  
 Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 18/11/2021 To 18/11/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20211118-012		18/11/2021	04:08	PM	Butanona	3MM Whatman	214		2	0		92,317 %	Pass
					Normal Saline	Silica gel	10		138	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	Límpido/Incolor
DMSA-99mTc Lot # K-20211118-023		18/11/2021	07:38	WG	Butanona	3MM Whatman	149,8		0,5	0		97,718 %	Pass
					Normal Saline	Silica gel	2		100,6	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	Límpido/Incolor
DMSA-99mTc Lot # K-20211118-026		18/11/2021	08:01	WG	Butanona	3MM Whatman	153,8		1,6	0		94,49 %	Pass
					Normal Saline	Silica gel	5,6		119,4	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	Límpido/Incolor
DOTATOC-68Ga Lot # K-20211118-017		18/11/2021	06:56	WG	Citrato de Sódio 0,1M	Silica gel	37,8		0,3	0		99,213 %	Pass
										pH (Low/Actual/High)	4,00 <= 7,00	<= 8,00	Límpido e Incolor
DOTATOC-68Ga Lot # K-20211118-052		18/11/2021	12:48	WG	Citrato de Sódio 0,1M	Silica gel	21,1		0,1	0		99,528 %	Pass
										pH (Low/Actual/High)	4,00 <= 5,00	<= 8,00	Límpido e Incolor
DTPA-99mTc Lot # K-20211118-010	RPH	18/11/2021	03:40	PM	Acetona	3MM Whatman	3327		20	0		95,578 %	Pass
					Normal Saline	3MM Whatman	130		3269	pH (Low/Actual/High)	3,80 <= 6,00	<= 7,50	Límpido/Incolor
DTPA-99mTc Lot # K-20211118-042	RPH	18/11/2021	10:43	JS	Acetona	3MM Whatman	131		1	0		98,946 %	Pass
					Normal Saline	3MM Whatman	0,5		168,4	pH (Low/Actual/High)	3,80 <= 5,00	<= 7,50	Límpido/Incolor
FITATO-99mTc Lot # K-20211118-009		18/11/2021	03:39	PM	Butanona	3MM Whatman	446		3	0		99,332 %	Pass
										pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00	Límpido/Incolor
FITATO-99mTc Lot # K-20211118-033		18/11/2021	10:20	MB	Butanona	3MM Whatman	576		13	0		97,793 %	Pass
										pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00	Límpido/Incolor
MAA-99mTc Lot # K-20211118-011		18/11/2021	04:08	PM	Butanona	3MM Whatman	82		4	0		95,349 %	Pass
										pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	Turvo/Incolor
MAA-99mTc Lot # K-20211118-043		18/11/2021	10:47	MB	Butanona	3MM Whatman	391		1	0		99,745 %	Pass
										pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	Turvo/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20211118-044		18/11/2021 10:50	JS	Butanona		3MM Whatman		109,7		0,3	0		99,727 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20211118-049		18/11/2021 12:13	WG	Butanona		3MM Whatman		88,8		0,8	0		99,107 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20211118-050		18/11/2021 12:14	WG	Butanona		3MM Whatman		122,6		0,7	0		99,432 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MDP-99mTc Lot # K-20211118-006		18/11/2021 03:00	PM	Acetona		3MM Whatman		1203		1	0		99,844 %	Pass
				Normal Saline		3MM Whatman		1		1371		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211118-007		18/11/2021 03:35	PM	Acetona		3MM Whatman		921		3	0		97,334 %	Pass
				Normal Saline		3MM Whatman		21		876		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211118-008		18/11/2021 03:37	PM	Acetona		3MM Whatman		1019		6	0		98,35 %	Pass
				Normal Saline		3MM Whatman		11		1022		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211118-014		18/11/2021 04:35	PM	Acetona		3MM Whatman		192		2	0		95,184 %	Pass
				Normal Saline		3MM Whatman		12		305		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211118-015		18/11/2021 04:44	PM	Acetona		3MM Whatman		1413		3	0		98,441 %	Pass
				Normal Saline		3MM Whatman		18		1318		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211118-016		18/11/2021 04:51	PM	Acetona		3MM Whatman		1089		7	0		95,607 %	Pass
				Normal Saline		3MM Whatman		22		564		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211118-025		18/11/2021 07:47	WG	Acetona		3MM Whatman		832		1	0		99,10 %	Pass
				Normal Saline		3MM Whatman		8		1018		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211118-027		18/11/2021 08:16	WG	Acetona		3MM Whatman		1414		4	0		98,403 %	Pass
				Normal Saline		3MM Whatman		14		1051		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211118-028		18/11/2021 08:17	WG	Acetona		3MM Whatman		1298		6	0		98,679 %	Pass
				Normal Saline		3MM Whatman		9		1036		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MIBI-99mTc Lot # K-20211118-001		18/11/2021 01:50	MB	Normal Saline		Sílica gel		1732		13	0		96,273 %	Pass
				Metanol		3MM Whatman		71		2310		pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
												Límpido/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20211118-002		18/11/2021 01:55	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			4718 135	124 4266	0		94,372 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-003		18/11/2021 01:59	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1739 202	21 3311	0		93,057 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-004		18/11/2021 02:56	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1218 24	16 473	0		93,874 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-005		18/11/2021 02:57	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			3871 72	51 4110	0		96,978 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-013		18/11/2021 04:16	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			3034 4	30 3256	0		98,898 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-018		18/11/2021 07:08	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			1364 7	4 2301	0		99,404 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-019		18/11/2021 07:13	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			479 8	7 661	0		97,364 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-022		18/11/2021 07:36	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			1070 6	10 809	0		98,338 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-024		18/11/2021 07:45	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			983 11	18 1618	0		97,527 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-029		18/11/2021 08:19	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			366 6	3 726	0		98,367 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-031		18/11/2021 09:40	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			991 24	11 1464	0		97,289 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-032		18/11/2021 09:48	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			755 9	25 948	0		95,854 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-045		18/11/2021 11:09	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			107,9 0,9	0,9 135,3	0		98,512 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20211118-046	18/11/2021	11:10	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			496 21		1 777	0	pH (Low/Actual/High)	97,167 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-047	18/11/2021	11:17	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			620 13		5 565	0	pH (Low/Actual/High)	96,951 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-048	18/11/2021	12:09	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			509 14		1 698	0	pH (Low/Actual/High)	97,838 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-051	18/11/2021	12:33	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			868 16		5 1400	0	pH (Low/Actual/High)	98,297 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211118-053	18/11/2021	13:05	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			1550 29		13 1292	0	pH (Low/Actual/High)	96,973 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20211118-021	18/11/2021	07:25	WG	Butanona Normal Saline	3MM Whatman 3MM Whatman			403 4		2 346	0	pH (Low/Actual/High)	98,363 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20211118-030	18/11/2021	09:39	JS	Acetato de amônio 1M:Metanol	Sílica gel			0,2		48,3	0	pH (Low/Actual/High)	99,588 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211118-001	18/11/2021	01:17	MB	Butanona	3MM Whatman			33		1464	0	pH (Low/Actual/High)	97,796 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211118-002	18/11/2021	01:40	MB	Butanona	3MM Whatman			10		2858	0	pH (Low/Actual/High)	99,651 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211118-003	18/11/2021	02:52	PM	Butanona	3MM Whatman			2		240	0	pH (Low/Actual/High)	99,174 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211118-004	18/11/2021	02:52	PM	Butanona	3MM Whatman			11		778	0	pH (Low/Actual/High)	98,606 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211118-005	18/11/2021	03:18	PM	Butanona	3MM Whatman			3		275	0	pH (Low/Actual/High)	98,921 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211118-006	18/11/2021	03:23	PM	Butanona	3MM Whatman			10		578	0	pH (Low/Actual/High)	98,299 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211118-007		18/11/2021 03:57 PM	Butanona		3MM	Whatman		1		543	0		99,816 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
Tecnécio-99m Lot # E-20211118-008		18/11/2021 04:13 PM	Butanona		3MM	Whatman		7		2653	0		99,737 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20211118-009		18/11/2021 04:18 PM	Butanona		3MM	Whatman		71		1975	0		96,53 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20211118-010		18/11/2021 04:42 PM	Butanona		3MM	Whatman		57		3101	0		98,195 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20211118-012		18/11/2021 07:06 WG	Butanona		3MM	Whatman		5		298	0		98,35 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20211118-013		18/11/2021 07:11 WG	Butanona		3MM	Whatman		14		1784	0		99,221 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20211118-014		18/11/2021 07:20 WG	Butanona		3MM	Whatman		2		147,7	0		98,664 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20211118-015		18/11/2021 07:34 WG	Butanona		3MM	Whatman		3		316	0		99,06 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20211118-016		18/11/2021 07:42 WG	Butanona		3MM	Whatman		3		722	0		99,586 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20211118-017		18/11/2021 08:12 WG	Butanona		3MM	Whatman		4		287	0		98,625 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
Tecnécio-99m Lot # E-20211118-018		18/11/2021 08:54 JS	Butanona		3MM	Whatman		4		733	0		99,457 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
Tecnécio-99m Lot # E-20211118-019		18/11/2021 09:37 MB	Butanona		3MM	Whatman		16		898	0		98,249 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
Tecnécio-99m Lot # E-20211118-021		18/11/2021 09:45 MB	Butanona		3MM	Whatman		12		792	0		98,507 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211118-022		18/11/2021 10:16	JS	Butanona		3MM Whatman		2		1372	0	99,854 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211118-023		18/11/2021 10:17	MB	Butanona		3MM Whatman		8		373	0	97,90 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211118-024		18/11/2021 10:40	MB	Butanona		3MM Whatman		10		627	0	98,43 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211118-025		18/11/2021 10:57	JS	Butanona		3MM Whatman		3		613	0	99,513 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211118-026		18/11/2021 11:15	MB	Butanona		3MM Whatman		11		465	0	97,689 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211118-027		18/11/2021 12:05	MB	Butanona		3MM Whatman		6		484	0	98,776 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211118-028		18/11/2021 12:05	MB	Butanona		3MM Whatman		1		658	0	99,848 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211118-029		18/11/2021 12:24	MB	Butanona		3MM Whatman		2		758	0	99,737 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211118-030		18/11/2021 12:27	MB	Butanona		3MM Whatman		10		780	0	98,734 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211118-032		18/11/2021 12:59	WG	Butanona		3MM Whatman		13		1383	0	99,069 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211118-033		18/11/2021 15:29												%
TRODAT-99mTc Lot # K-20211118-020		18/11/2021 07:23	WG	Normal Saline		Sílica gel		64,1		3,8	0	92,323 %	Pass	
				Butanona		3MM Whatman		1,4		65,9		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211118-034		18/11/2021 10:27	MB	Normal Saline		Sílica gel		149,1		6,7	0	93,288 %	Pass	
				Butanona		3MM Whatman		2,4		97,1		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc Lot # K-20211118-035		18/11/2021 10:28	MB	Normal Saline	Silica gel			130,4		4,5	0	92,872 %	Pass	
				Butanona	3MM Whatman			3		76,1	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20211118-036		18/11/2021 10:30	MB	Normal Saline	Silica gel			102,7		2,6	0	95,956 %	Pass	
				Butanona	3MM Whatman			1,4		87,5	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20211118-037		18/11/2021 10:31	MB	Normal Saline	Silica gel			96,2		1,8	0	94,202 %	Pass	
				Butanona	3MM Whatman			4,1		99,4	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20211118-039		18/11/2021 10:32	MB	Normal Saline	Silica gel			109,7		2,3	0	96,161 %	Pass	
				Butanona	3MM Whatman			2		110	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20211118-038		18/11/2021 10:32	MB	Normal Saline	Silica gel			87,2		0,8	0	97,315 %	Pass	
				Butanona	3MM Whatman			1		55,3	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20211118-040		18/11/2021 10:35	MB	Normal Saline	Silica gel			78,7		0,8	0	96,468 %	Pass	
				Butanona	3MM Whatman			2		77,2	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20211118-041		18/11/2021 10:37	MB	Normal Saline	Silica gel			98,2		0,8	0	96,653 %	Pass	
				Butanona	3MM Whatman			2,9		111,3	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			