



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 23/11/2021 To 23/11/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20211123-015		23/11/2021	04:02	PP	Butanona Normal Saline	3MM Whatman Sílica gel	255 10		1 190	0	pH (Low/Actual/High)	94,609 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211123-016		23/11/2021	04:03	PP	Butanona Normal Saline	3MM Whatman Sílica gel	190 9		1 147	0	pH (Low/Actual/High)	93,707 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211123-018		23/11/2021	04:08	PP	Butanona Normal Saline	3MM Whatman Sílica gel	243 10		2 168	0	pH (Low/Actual/High)	93,566 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211123-033		23/11/2021	08:01	GS	Butanona Normal Saline	3MM Whatman Sílica gel	237 8,1		2 175,2	0	pH (Low/Actual/High)	94,744 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211123-034		23/11/2021	08:02	GS	Butanona Normal Saline	3MM Whatman Sílica gel	166,1 12,8		2 151,8	0	pH (Low/Actual/High)	91,034 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211123-035		23/11/2021	08:03	GS	Butanona Normal Saline	3MM Whatman Sílica gel	277 14		1 192	0	pH (Low/Actual/High)	92,844 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211123-036		23/11/2021	08:04	GS	Butanona Normal Saline	3MM Whatman Sílica gel	147,9 8,7		0,3 126,5	0	pH (Low/Actual/High)	93,363 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20211123-038		23/11/2021	09:45	PM	Citrato de Sódio 0,1M	Sílica gel	24,4		1	0	pH (Low/Actual/High)	96,063 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211123-054		23/11/2021	12:39	VS	Citrato de Sódio 0,1M	Sílica gel	751		7	0	pH (Low/Actual/High)	99,077 %	Pass 4,00 <= 7,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211123-064		23/11/2021	15:44	JS	Citrato de Sódio 0,1M	Sílica gel	45,6		0,4	0	pH (Low/Actual/High)	99,13 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20211123-012	RPH	23/11/2021	03:46	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman	773 15		2 483	0	pH (Low/Actual/High)	96,73 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20211123-013	RPH	23/11/2021 03:47	PP	Acetona Normal Saline	3MM Whatman 3MM Whatman			630 26		1 755	0	pH (Low/Actual/High)	96,512 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
DTPA-99mTc Lot # K-20211123-023	RPH	23/11/2021 07:12	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman			443 16		3 492	0	pH (Low/Actual/High)	96,178 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
DTPA-99mTc Lot # K-20211123-047	RPH	23/11/2021 10:49	VS	Acetona Normal Saline	3MM Whatman 3MM Whatman			815 5		3 818	0	pH (Low/Actual/High)	99,026 %	Pass 3,80 <= 7,00 <= 7,50
Límpido/Incolor														
FITATO-99mTc Lot # K-20211123-008		23/11/2021 03:07	PM	Butanona	3MM Whatman			505		2	0	pH (Low/Actual/High)	99,606 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20211123-050		23/11/2021 10:57	VS	Butanona	3MM Whatman			619		6	0	pH (Low/Actual/High)	99,04 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
MAA-99mTc Lot # K-20211123-017		23/11/2021 04:05	PP	Butanona	3MM Whatman			226		4	0	pH (Low/Actual/High)	98,261 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211123-029		23/11/2021 07:53	GS	Butanona	3MM Whatman			95,6		1,9	0	pH (Low/Actual/High)	98,051 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211123-030		23/11/2021 07:54	GS	Butanona	3MM Whatman			136,3		0	0	pH (Low/Actual/High)	100,00 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211123-031		23/11/2021 07:56	GS	Butanona	3MM Whatman			130		2	0	pH (Low/Actual/High)	98,485 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211123-032		23/11/2021 07:57	GS	Butanona	3MM Whatman			338		6	0	pH (Low/Actual/High)	98,256 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211123-049		23/11/2021 10:54	VS	Butanona	3MM Whatman			155		2	0	pH (Low/Actual/High)	98,726 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211123-052		23/11/2021 12:17	VS	Butanona	3MM Whatman			174		2	0	pH (Low/Actual/High)	98,864 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20211123-053		23/11/2021 12:18	VS	Butanona	3MM Whatman			113		3	0	pH (Low/Actual/High)	97,414 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20211123-056		23/11/2021 13:00	MB	Butanona		3MM Whatman		143,7		2,6	0		98,223 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00	
												Turvo/Incolor		
MAA-99mTc Lot # K-20211123-057		23/11/2021 13:02	MB	Butanona		3MM Whatman		100,2		0,9	0		99,11 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00	
												Turvo/Incolor		
MAA-99mTc Lot # K-20211123-058		23/11/2021 13:10	MB	Butanona		3MM Whatman		134		2,1	0		98,457 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00	
												Turvo/Incolor		
MAA-99mTc Lot # K-20211123-059		23/11/2021 13:11	MB	Butanona		3MM Whatman		38,8		1	0		97,487 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00	
												Turvo/Incolor		
MAA-99mTc Lot # K-20211123-060		23/11/2021 13:30	MB	Butanona		3MM Whatman		101,9		0,4	0		99,609 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00	
												Turvo/Incolor		
MAA-99mTc Lot # K-20211123-061		23/11/2021 13:30	MB	Butanona		3MM Whatman		99,2		1,3	0		98,706 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00	
												Turvo/Incolor		
MAA-99mTc Lot # K-20211123-062		23/11/2021 13:33	MB	Butanona		3MM Whatman		104,1		1	0		99,049 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00	
												Turvo/Incolor		
MAA-99mTc Lot # K-20211123-063		23/11/2021 13:36	MB	Butanona		3MM Whatman		128,4		3,6	0		97,273 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00	
												Turvo/Incolor		
MDP-99mTc Lot # K-20211123-007		23/11/2021 02:59	PM	Acetona		3MM Whatman		890		2	0		98,761 %	Pass
				Normal Saline		3MM Whatman		12		1170		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
												Límpido/Incolor		
MDP-99mTc Lot # K-20211123-010		23/11/2021 03:43	PP	Acetona		3MM Whatman		1210		2	0		98,037 %	Pass
				Normal Saline		3MM Whatman		18		983		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
												Límpido/Incolor		
MDP-99mTc Lot # K-20211123-011		23/11/2021 03:44	PP	Acetona		3MM Whatman		1578		8	0		99,146 %	Pass
				Normal Saline		3MM Whatman		3		854		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
												Límpido/Incolor		
MDP-99mTc Lot # K-20211123-022		23/11/2021 07:06	GS	Acetona		3MM Whatman		969		6	0		96,135 %	Pass
				Normal Saline		3MM Whatman		26		774		pH (Low/Actual/High)	4,00 <= 5,00 <= 7,80	
												Límpido/Incolor		
MDP-99mTc Lot # K-20211123-025		23/11/2021 07:18	GS	Acetona		3MM Whatman		787		11	0		92,639 %	Pass
				Normal Saline		3MM Whatman		49		770		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
												Límpido/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20211123-028		23/11/2021 07:36	GS	Acetona Normal Saline	3MM	Whatman		1522 58		14 1477	0	pH (Low/Actual/High)	95,31 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211123-046		23/11/2021 10:47	VS	Acetona Normal Saline	3MM	Whatman		1,47 0,01		0,02 2,42	0	pH (Low/Actual/High)	98,246 %	Pass 4,00 <= 7,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-001		23/11/2021 01:45	MB	Normal Saline Metanol	Sílica gel 3MM	Whatman		1902 8		73 2659	0	pH (Low/Actual/High)	96,004 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-002		23/11/2021 01:49	MB	Normal Saline Metanol	Sílica gel 3MM	Whatman		1295 22		31 2149	0	pH (Low/Actual/High)	96,649 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-003		23/11/2021 01:52	MB	Normal Saline Metanol	Sílica gel 3MM	Whatman		1462 15		23 1979	0	pH (Low/Actual/High)	97,699 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-004		23/11/2021 01:55	MB	Normal Saline Metanol	Sílica gel 3MM	Whatman		791 3		14 1061	0	pH (Low/Actual/High)	97,979 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-005		23/11/2021 02:56	PM	Normal Saline Metanol	Sílica gel 3MM	Whatman		1256 3		13 249	0	pH (Low/Actual/High)	97,785 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-006		23/11/2021 02:57	PM	Normal Saline Metanol	Sílica gel 3MM	Whatman		1625 18		21 1769	0	pH (Low/Actual/High)	97,717 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-009		23/11/2021 03:41	YD	Normal Saline Metanol	Sílica gel 3MM	Whatman		2518 24		17 2376	0	pH (Low/Actual/High)	98,329 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-019		23/11/2021 04:39	YD	Normal Saline Metanol	Sílica gel 3MM	Whatman		1755 6		14 1680	0	pH (Low/Actual/High)	98,853 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-020		23/11/2021 04:39	YD	Normal Saline Metanol	Sílica gel 3MM	Whatman		1044 7		18 945	0	pH (Low/Actual/High)	97,57 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-021		23/11/2021 04:42	YD	Normal Saline Metanol	Sílica gel 3MM	Whatman		1890 10		45 754	0	pH (Low/Actual/High)	96,366 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-024		23/11/2021 07:15	GS	Normal Saline Metanol	Sílica gel 3MM	Whatman		1707 16		15 1616	0	pH (Low/Actual/High)	98,149 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20211123-026		23/11/2021 07:32 GS	Normal Saline Metanol		Sílica gel 3MM Whatman			2515 1		28 2408	0	pH (Low/Actual/High)	98,857 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-027		23/11/2021 07:33 GS	Normal Saline Metanol		Sílica gel 3MM Whatman			1234 5		23 2175	0	pH (Low/Actual/High)	97,941 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-037		23/11/2021 09:00 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1509 46		29 2322	0	pH (Low/Actual/High)	96,172 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-044		23/11/2021 10:42 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			208 3		4 251	0	pH (Low/Actual/High)	96,932 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-045		23/11/2021 10:44 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			263 6		4 260	0	pH (Low/Actual/High)	96,246 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-051		23/11/2021 10:59 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			196 4		4 325	0	pH (Low/Actual/High)	96,784 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211123-055		23/11/2021 12:44 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			225 7		3 299	0	pH (Low/Actual/High)	96,397 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20211123-014		23/11/2021 03:55 PP	Butanona Normal Saline		3MM Whatman 3MM Whatman			797 10		6 635	0	pH (Low/Actual/High)	97,702 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20211123-048		23/11/2021 10:52 VS	Butanona Normal Saline		3MM Whatman 3MM Whatman			379 4		1 314	0	pH (Low/Actual/High)	98,479 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
Tecnécio-99m Lot # E-20211123-001		23/11/2021 01:36 MB	Butanona		3MM Whatman			223		5524	0	pH (Low/Actual/High)	96,12 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211123-002		23/11/2021 01:36 MB	Butanona		3MM Whatman			12		7398	0	pH (Low/Actual/High)	99,838 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211123-003		23/11/2021 02:53 PM	Butanona		3MM Whatman			1		2223	0	pH (Low/Actual/High)	99,955 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211123-004		23/11/2021 03:38 PM	Butanona		3MM Whatman			36		1373	0	pH (Low/Actual/High)	97,445 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211123-005		23/11/2021 04:33	BB	Butanona		3MM Whatman		20		2359	0		99,159 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211123-006		23/11/2021 07:04	GS	Butanona		3MM Whatman		30		1363	0		97,846 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211123-007		23/11/2021 07:13	GS	Butanona		3MM Whatman		35		5162	0		99,327 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211123-008		23/11/2021 07:29	GS	Butanona		3MM Whatman		2		2162	0		99,908 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211123-009		23/11/2021 07:51	GS	Butanona		3MM Whatman		20		1208	0		98,371 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211123-011		23/11/2021 10:08	VS	Butanona		3MM Whatman		15		354	0		95,935 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211123-012		23/11/2021 10:38	VS	Butanona		3MM Whatman		19		656	0		97,185 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211123-013		23/11/2021 10:49	VS	Butanona		3MM Whatman		14		373	0		96,382 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211123-015		23/11/2021 12:41	VS	Butanona		3MM Whatman		12		597	0		98,03 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211123-016		23/11/2021 14:32	JS	Butanona		3MM Whatman		13		1587	0		99,188 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211123-018		23/11/2021 16:42	FL	Butanona		3MM Whatman		3		430	0		99,307 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
TRODAT-99mTc Lot # K-20211123-039		23/11/2021 10:13	VS	Normal Saline		Sílica gel		56,2		2,7	0		90,237 %	Pass
				Butanona		3MM Whatman		2,9		53,1		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211123-040		23/11/2021 10:19	VS	Normal Saline		Sílica gel		93,1		2,6	0		92,02 %	Pass
				Butanona		3MM Whatman		6		108		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc Lot # K-20211123-041	23/11/2021	10:25 VS	Normal Saline Butanona		Sílica gel 3MM Whatman			171 7		11 222	0 pH (Low/Actual/High)	90,899 %		Pass
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211123-042	23/11/2021	10:28 VS	Normal Saline Butanona		Sílica gel 3MM Whatman			119 2,2		3 56,2	0 pH (Low/Actual/High)	93,774 %		Pass
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211123-043	23/11/2021	10:32 VS	Normal Saline Butanona		Sílica gel 3MM Whatman			53,3 1,8		2,1 41,2	0 pH (Low/Actual/High)	92,023 %		Pass
														Límpido/Incolor