



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 22/11/2021 To 22/11/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc		22/11/2021	04:05	PM	Butanona	3MM Whatman	177,3		1,2	0		92,67 %	Pass
Lot # K-20211122-012					Normal Saline	Silica gel	15,6		218,7	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DMSA-99mTc		22/11/2021	07:32	GS	Butanona	3MM Whatman	223		1	0		93,456 %	Pass
Lot # K-20211122-026					Normal Saline	Silica gel	15		231	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DMSA-99mTc		22/11/2021	08:01	GS	Butanona	3MM Whatman	233		0	0		98,268 %	Pass
Lot # K-20211122-032					Normal Saline	Silica gel	4		227	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DMSA-99mTc		22/11/2021	08:02	GS	Butanona	3MM Whatman	296		2	0		96,987 %	Pass
Lot # K-20211122-033					Normal Saline	Silica gel	4,3		179,3	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DMSA-99mTc		22/11/2021	08:05	GS	Butanona	3MM Whatman	172		3	0		93,486 %	Pass
Lot # K-20211122-034					Normal Saline	Silica gel	6		119	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DMSA-99mTc		22/11/2021	10:15	MB	Butanona	3MM Whatman	126,7		1,4	0		96,464 %	Pass
Lot # K-20211122-041					Normal Saline	Silica gel	2,8		111,8	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DMSA-99mTc		22/11/2021	10:32	MB	Butanona	3MM Whatman	125,4		0,1	0		97,04 %	Pass
Lot # K-20211122-045					Normal Saline	Silica gel	3,2		107,9	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DOTATOC-68Ga		22/11/2021	09:50	BB	Citrato de Sódio 0,1M	Silica gel	18,1		0,6	0		96,791 %	Pass
Lot # K-20211122-038										pH (Low/Actual/High)		4,00 <= 5,00	<= 8,00
						Límpido e Incolor							
DTPA-99mTc	RPH	22/11/2021	03:24	PM	Acetona	3MM Whatman	471		2	0		97,671 %	Pass
Lot # K-20211122-008					Normal Saline	3MM Whatman	11		566	pH (Low/Actual/High)		3,80 <= 6,00	<= 7,50
						Límpido/Incolor							
DTPA-99mTc	RPH	22/11/2021	03:28	PM	Acetona	3MM Whatman	894		3	0		98,153 %	Pass
Lot # K-20211122-009					Normal Saline	3MM Whatman	15		977	pH (Low/Actual/High)		3,80 <= 6,00	<= 7,50
						Límpido/Incolor							
DTPA-99mTc	RPH	22/11/2021	07:21	GS	Acetona	3MM Whatman	484		3	0		97,484 %	Pass
Lot # K-20211122-024					Normal Saline	3MM Whatman	8		413	pH (Low/Actual/High)		3,80 <= 5,00	<= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20211122-007		22/11/2021 03:21 PM	Butanona		3MM	Whatman		492		1	0	99,797 %	Pass	
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00
FITATO-99mTc Lot # K-20211122-027		22/11/2021 07:36 GS	Butanona		3MM	Whatman		464		8	0	98,305 %	Pass	
							Límpido/Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 7,00
MAA-99mTc Lot # K-20211122-013		22/11/2021 04:07 PM	Butanona		3MM	Whatman		301		2	0	99,34 %	Pass	
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
MAA-99mTc Lot # K-20211122-028		22/11/2021 07:39 GS	Butanona		3MM	Whatman		125		1	0	99,206 %	Pass	
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
MAA-99mTc Lot # K-20211122-029		22/11/2021 07:40 GS	Butanona		3MM	Whatman		70	0,5		0	99,291 %	Pass	
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
MAA-99mTc Lot # K-20211122-030		22/11/2021 07:43 GS	Butanona		3MM	Whatman		109		3	0	97,321 %	Pass	
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
MAA-99mTc Lot # K-20211122-046		22/11/2021 10:36 MB	Butanona		3MM	Whatman		318		1	0	99,687 %	Pass	
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
MAA-99mTc Lot # K-20211122-047		22/11/2021 11:51 JS	Butanona		3MM	Whatman		196		5	0	97,512 %	Pass	
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
MAA-99mTc Lot # K-20211122-048		22/11/2021 11:53 JS	Butanona		3MM	Whatman		180		6	0	96,774 %	Pass	
							Turvo/Incolor					pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
MDP-99mTc Lot # K-20211122-010		22/11/2021 03:30 PM	Acetona		3MM	Whatman		1312		5	0	99,41 %	Pass	
			Normal Saline		3MM	Whatman		2		951		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
							Límpido/Incolor							
MDP-99mTc Lot # K-20211122-014		22/11/2021 04:11 PM	Acetona		3MM	Whatman		1058		5	0	98,246 %	Pass	
			Normal Saline		3MM	Whatman		12		923		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
							Límpido/Incolor							
MDP-99mTc Lot # K-20211122-016		22/11/2021 04:22 PM	Acetona		3MM	Whatman		1770		20	0	96,991 %	Pass	
			Normal Saline		3MM	Whatman		29		1504		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
							Límpido/Incolor							
MDP-99mTc Lot # K-20211122-020		22/11/2021 07:06 GS	Acetona		3MM	Whatman		1048		17	0	98,333 %	Pass	
			Normal Saline		3MM	Whatman		1		1403		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20211122-025		22/11/2021 07:29	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman			79,3 3	0,8 656	0		pH (Low/Actual/High)	98,546 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211122-035		22/11/2021 08:12	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman			795 32	0 2292	0		pH (Low/Actual/High)	98,623 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211122-043		22/11/2021 10:27	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			682 35	6 922	0		pH (Low/Actual/High)	95,471 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211122-044		22/11/2021 10:31	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			815 5	1 966	0		pH (Low/Actual/High)	99,363 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-001		22/11/2021 01:39	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			2065 8	23 1560	0		pH (Low/Actual/High)	98,388 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-002		22/11/2021 01:42	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			2134 16	41 2359	0		pH (Low/Actual/High)	97,441 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-003		22/11/2021 01:46	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1005 11	29 1735	0		pH (Low/Actual/High)	96,565 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-004		22/11/2021 01:51	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			2404 17	40 2179	0		pH (Low/Actual/High)	97,589 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-005		22/11/2021 03:05	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1102 35	29 1905	0		pH (Low/Actual/High)	95,632 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-006		22/11/2021 03:06	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1810 29	26 2240	0		pH (Low/Actual/High)	97,306 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-011		22/11/2021 03:52	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1693 1	17 206	0		pH (Low/Actual/High)	98,523 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-015		22/11/2021 04:19	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1225 24	20 1755	0		pH (Low/Actual/High)	97,045 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-018		22/11/2021 05:09	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			907 6	13 1131	0		pH (Low/Actual/High)	98,059 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20211122-017	22/11/2021	05:09	PP	Normal Saline Metanol	Sílica gel 3MM Whatman			1240 15		14 947	0	pH (Low/Actual/High)	97,324 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-021	22/11/2021	07:12	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1312 2		17 206	0	pH (Low/Actual/High)	97,759 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-031	22/11/2021	07:57	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			2263 12		26 2026	0	pH (Low/Actual/High)	98,275 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-036	22/11/2021	08:14	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1014 1		28 964	0	pH (Low/Actual/High)	97,209 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-039	22/11/2021	10:06	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			203 20		2 1117	0	pH (Low/Actual/High)	97,265 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-040	22/11/2021	10:09	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1399 32		20 1735	0	pH (Low/Actual/High)	96,78 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211122-042	22/11/2021	10:25	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1143 38		9 1632	0	pH (Low/Actual/High)	96,943 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20211122-022	22/11/2021	07:15	GS	Butanona Normal Saline	3MM Whatman 3MM Whatman			236 11		2 467	0	pH (Low/Actual/High)	96,858 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20211122-037	22/11/2021	09:34	GS	Butanona Normal Saline	3MM Whatman 3MM Whatman			410 1		2 389	0	pH (Low/Actual/High)	99,258 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20211122-019	22/11/2021	06:50	GS	Acetato de amônio 1M:Metanol	Sílica gel			0,4		73,6	0	pH (Low/Actual/High)	99,459 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20211122-049	22/11/2021	12:44	MB	Acetato de amônio 1M:Metanol	Sílica gel			0,5		37,4	0	pH (Low/Actual/High)	98,681 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211122-001	22/11/2021	01:03	BB	Butanona	3MM Whatman			18		4633	0	pH (Low/Actual/High)	99,613 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211122-002	22/11/2021	01:03	BB	Butanona	3MM Whatman			99		8019	0	pH (Low/Actual/High)	98,78 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211122-003		22/11/2021 01:04	BB	Butanona		3MM Whatman		67		4761	0	98,612 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-004		22/11/2021 01:13	BB	Butanona		3MM Whatman		40		5679	0	99,301 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-005		22/11/2021 01:13	BB	Butanona		3MM Whatman		23		5283	0	99,567 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-006		22/11/2021 01:14	BB	Butanona		3MM Whatman		128		17213	0	99,262 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-007		22/11/2021 01:35	MB	Butanona		3MM Whatman		154		9295	0	98,37 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-008		22/11/2021 01:36	MB	Butanona		3MM Whatman		62		8195	0	99,249 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-009		22/11/2021 03:01	PM	Butanona		3MM Whatman		14		551	0	97,522 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-010		22/11/2021 03:26	PM	Butanona		3MM Whatman		5		868	0	99,427 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-011		22/11/2021 03:48	PM	Butanona		3MM Whatman		6		1260	0	99,526 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-012		22/11/2021 04:02	PM	Butanona		3MM Whatman		2		1088	0	99,817 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-013		22/11/2021 04:18	PM	Butanona		3MM Whatman		3		1823	0	99,836 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-014		22/11/2021 05:03	PM	Butanona		3MM Whatman		2		355	0	99,44 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-016		22/11/2021 07:02	GS	Butanona		3MM Whatman		10		1384	0	99,283 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211122-017	22/11/2021	07:09	GS	Butanona		3MM Whatman		6		377	0		98,433 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-018	22/11/2021	07:34	GS	Butanona		3MM Whatman		3		1290	0		99,768 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-019	22/11/2021	07:54	GS	Butanona		3MM Whatman		10		1358	0		99,269 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-020	22/11/2021	09:15	GS	Butanona		3MM Whatman		2		524	0		99,62 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-021	22/11/2021	09:27	GS	Butanona		3MM Whatman		2		1008	0		99,802 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-023	22/11/2021	10:02	GS	Butanona		3MM Whatman		9		2938	0		99,695 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-024	22/11/2021	10:06	GS	Butanona		3MM Whatman		20		3671	0		99,458 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-025	22/11/2021	10:23	MB	Butanona		3MM Whatman		26		1535	0		98,334 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211122-026	22/11/2021	12:15	JS	Butanona		3MM Whatman		2		880	0		99,773 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	