



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 11/11/2021 To 11/11/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20211111-011		11/11/2021	04:04	YD	Butanona Normal Saline	3MM Whatman Sílica gel	188,8 9,8		0,8 179,7	0	pH (Low/Actual/High)	94,407 %	Pass
						Límpido/Incolor						2,00 <= 2,00	<= 3,00
DMSA-99mTc Lot # K-20211111-025		11/11/2021	08:00	WG	Butanona Normal Saline	3MM Whatman Sílica gel	178,8 3,6		2 126,7	0	pH (Low/Actual/High)	96,131 %	Pass
						Límpido/Incolor						2,00 <= 3,00	<= 3,00
DMSA-99mTc Lot # K-20211111-026		11/11/2021	08:01	WG	Butanona Normal Saline	3MM Whatman Sílica gel	118,6 0,7		2 70,7	0	pH (Low/Actual/High)	97,361 %	Pass
						Límpido/Incolor						2,00 <= 3,00	<= 3,00
DMSA-99mTc Lot # K-20211111-043		11/11/2021	10:41	WG	Butanona Normal Saline	3MM Whatman Sílica gel	187,2 4,2		2 93,4	0	pH (Low/Actual/High)	94,64 %	Pass
						Límpido/Incolor						2,00 <= 3,00	<= 3,00
DOTATOC-68Ga Lot # K-20211111-017		11/11/2021	06:53	WG	Citrato de Sódio 0,1M	Sílica gel	22,7		0,4	0	pH (Low/Actual/High)	98,268 %	Pass
						Límpido e Incolor						4,00 <= 5,00	<= 8,00
DOTATOC-68Ga Lot # K-20211111-050		11/11/2021	12:33	JS	Citrato de Sódio 0,1M	Sílica gel	23,6		0,5	0	pH (Low/Actual/High)	97,925 %	Pass
						Límpido e Incolor						4,00 <= 5,00	<= 8,00
DOTATOC-68Ga Lot # K-20211111-053		11/11/2021	13:30	MB	Citrato de Sódio 0,1M	Sílica gel	11,6		0,12	0	pH (Low/Actual/High)	98,976 %	Pass
						Límpido e Incolor						4,00 <= 5,00	<= 8,00
DTPA-99mTc Lot # K-20211111-004	RPH	11/11/2021	03:15	BB	Acetona Normal Saline	3MM Whatman 3MM Whatman	771 1		1 680	0	pH (Low/Actual/High)	99,724 %	Pass
						Límpido/Incolor						3,80 <= 6,00	<= 7,50
DTPA-99mTc Lot # K-20211111-021	RPH	11/11/2021	07:26	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman	328 9		2 352	0	pH (Low/Actual/High)	96,901 %	Pass
						Límpido/Incolor						3,80 <= 6,00	<= 7,50
DTPA-99mTc Lot # K-20211111-028	RPH	11/11/2021	09:07	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman	483 8		1 625	0	pH (Low/Actual/High)	98,53 %	Pass
						Límpido/Incolor						3,80 <= 6,00	<= 7,50
FITATO-99mTc Lot # K-20211111-005		11/11/2021	03:22	YD	Butanona	3MM Whatman	330		2	0	pH (Low/Actual/High)	99,398 %	Pass
						Límpido/Incolor						5,00 <= 6,00	<= 7,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20211111-023		11/11/2021 07:28	WG	Butanona		3MM Whatman		273		2	0		99,273 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00
														Límpido/Incolor
MAA-99mTc Lot # K-20211111-012		11/11/2021 04:06	YD	Butanona		3MM Whatman		140,7		0,3	0		99,787 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20211111-048		11/11/2021 12:17	WG	Butanona		3MM Whatman		178,3		2	0		98,891 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20211111-006		11/11/2021 03:25	YD	Acetona		3MM Whatman		966		1	0		96,827 %	Pass
				Normal Saline		3MM Whatman		19		600		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20211111-007		11/11/2021 03:28	BB	Acetona		3MM Whatman		1716		21	0		98,014 %	Pass
				Normal Saline		3MM Whatman		11		1405		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20211111-008		11/11/2021 03:33	BB	Acetona		3MM Whatman		972		3	0		99,106 %	Pass
				Normal Saline		3MM Whatman		21		3560		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20211111-013		11/11/2021 04:10	YD	Acetona		3MM Whatman		834		2	0		99,585 %	Pass
				Normal Saline		3MM Whatman		1		569		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20211111-024		11/11/2021 07:41	WG	Acetona		3MM Whatman		1854		1	0		98,996 %	Pass
				Normal Saline		3MM Whatman		11		1147		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20211111-030		11/11/2021 09:45	JS	Acetona		3MM Whatman		499		2	0		99,046 %	Pass
				Normal Saline		3MM Whatman		3		538		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20211111-031		11/11/2021 09:46	JS	Acetona		3MM Whatman		367		2	0		99,209 %	Pass
				Normal Saline		3MM Whatman		1		400		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20211111-032		11/11/2021 09:51	JS	Acetona		3MM Whatman		696		1	0		98,637 %	Pass
				Normal Saline		3MM Whatman		4		324		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MIBI-99mTc Lot # K-20211111-001		11/11/2021 01:46	BB	Normal Saline		Sílica gel		841		3	0		99,236 %	Pass
				Metanol		3MM Whatman		4		974		pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20211111-002		11/11/2021 01:54	BB	Normal Saline		Sílica gel		809		14	0		97,589 %	Pass
				Metanol		3MM Whatman		9		1258		pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20211111-003		11/11/2021 02:50	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			2725 20		38 3186	0	pH (Low/Actual/High)	98,001 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-009		11/11/2021 03:46	YD	Normal Saline Metanol	Sílica gel 3MM Whatman			1906 57		19 2777	0	pH (Low/Actual/High)	97,002 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-010		11/11/2021 03:48	YD	Normal Saline Metanol	Sílica gel 3MM Whatman			2743 7		63 3549	0	pH (Low/Actual/High)	97,558 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-014		11/11/2021 04:20	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			672 6		1 813	0	pH (Low/Actual/High)	99,119 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-015		11/11/2021 06:45	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			979 2		14 1401	0	pH (Low/Actual/High)	98,448 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-018		11/11/2021 07:06	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			791 2		4 279	0	pH (Low/Actual/High)	98,785 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-027		11/11/2021 08:10	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			1253 2		22 1246	0	pH (Low/Actual/High)	98,114 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-029		11/11/2021 09:31	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			1220 2		22 1497	0	pH (Low/Actual/High)	98,095 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-034		11/11/2021 10:11	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			682 2		15 383	0	pH (Low/Actual/High)	97,328 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-035		11/11/2021 10:15	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			382 1		8 343	0	pH (Low/Actual/High)	97,658 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-044		11/11/2021 10:54	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			643 7		5 587	0	pH (Low/Actual/High)	98,05 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-045		11/11/2021 11:40	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			850 2		7 209	0	pH (Low/Actual/High)	98,235 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-046		11/11/2021 11:56	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			885 7		7 1234	0	pH (Low/Actual/High)	98,651 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20211111-047		11/11/2021 12:11	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1145 4		22 1242	0	pH (Low/Actual/High)	97,794 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-049		11/11/2021 12:20	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			326 16		4 637	0	pH (Low/Actual/High)	96,338 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-051		11/11/2021 13:05	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			660 16		10 1638	0	pH (Low/Actual/High)	97,54 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211111-052		11/11/2021 13:16	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			617 18		12 741	0	pH (Low/Actual/High)	95,721 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20211111-016		11/11/2021 06:48	WG	Butanona Normal Saline	3MM Whatman 3MM Whatman			285 4		3 247	0	pH (Low/Actual/High)	97,365 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20211111-033		11/11/2021 09:55	JS	Acetato de amônio 1M:Metanol	Sílica gel			1,8		48,3	0	pH (Low/Actual/High)	96,407 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211111-001		11/11/2021 01:39	BB	Butanona	3MM Whatman			19		1276	0	pH (Low/Actual/High)	98,533 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211111-002		11/11/2021 01:42	BB	Butanona	3MM Whatman			23		1697	0	pH (Low/Actual/High)	98,663 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211111-003		11/11/2021 02:48	BB	Butanona	3MM Whatman			8		2613	0	pH (Low/Actual/High)	99,695 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211111-004		11/11/2021 03:23	BB	Butanona	3MM Whatman			14		814	0	pH (Low/Actual/High)	98,309 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211111-005		11/11/2021 03:27	BB	Butanona	3MM Whatman			15		948	0	pH (Low/Actual/High)	98,442 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211111-006		11/11/2021 03:43	YD	Butanona	3MM Whatman			4		1150	0	pH (Low/Actual/High)	99,653 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211111-007		11/11/2021 03:43	YD	Butanona	3MM Whatman			10		897	0	pH (Low/Actual/High)	98,897 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211111-008		11/11/2021 04:17	YD	Butanona		3MM Whatman		0,3		162,3	0		99,815 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211111-009		11/11/2021 06:40	WG	Butanona		3MM Whatman		4		1167	0		99,658 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211111-011		11/11/2021 07:04	WG	Butanona		3MM Whatman		9		329	0		97,337 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211111-012		11/11/2021 07:14	WG	Butanona		3MM Whatman		2		692	0		99,712 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211111-013		11/11/2021 07:39	WG	Butanona		3MM Whatman		1		231	0		99,569 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211111-014		11/11/2021 08:09	WG	Butanona		3MM Whatman		8		1469	0		99,458 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211111-015		11/11/2021 08:20	WG	Butanona		3MM Whatman		3		685	0		99,564 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211111-016		11/11/2021 09:27	JS	Butanona		3MM Whatman		5		640	0		99,225 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211111-017		11/11/2021 09:39	JS	Butanona		3MM Whatman		4		242	0		98,374 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211111-019		11/11/2021 10:09	JS	Butanona		3MM Whatman		1		500	0		99,80 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211111-020		11/11/2021 10:13	JS	Butanona		3MM Whatman		19		811	0		97,711 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211111-021		11/11/2021 10:20	JS	Butanona		3MM Whatman		33		664	0		95,265 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20211111-022		11/11/2021 10:37	JS	Butanona		3MM Whatman		8		652	0		98,788 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211111-023		11/11/2021 11:32	WG	Butanona		3MM Whatman		11		761	0	98,575 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211111-024		11/11/2021 11:51	JS	Butanona		3MM Whatman		3		489	0	99,39 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211111-025		11/11/2021 11:51	JS	Butanona		3MM Whatman		5		336	0	98,534 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211111-026		11/11/2021 11:58	WG	Butanona		3MM Whatman		6		456	0	98,701 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211111-027		11/11/2021 12:14	WG	Butanona		3MM Whatman		8		298	0	97,386 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211111-029		11/11/2021 13:01	MB	Butanona		3MM Whatman		3		208	0	98,578 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211111-030		11/11/2021 13:12	MB	Butanona		3MM Whatman		15		1505	0	99,013 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
TRODAT-99mTc Lot # K-20211111-019		11/11/2021 07:17	WG	Normal Saline		Sílica gel		163		3	0	97,28 %	Pass	
				Butanona		3MM Whatman		2		217	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211111-020		11/11/2021 07:18	WG	Normal Saline		Sílica gel		124,5		2,3	0	96,744 %	Pass	
				Butanona		3MM Whatman		2,2		150,4	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211111-036		11/11/2021 10:32	JS	Normal Saline		Sílica gel		109		5	0	90,351 %	Pass	
				Butanona		3MM Whatman		6		108	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211111-037		11/11/2021 10:33	JS	Normal Saline		Sílica gel		51		3,4	0	90,988 %	Pass	
				Butanona		3MM Whatman		5		176	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211111-038		11/11/2021 10:33	JS	Normal Saline		Sílica gel		1126		2,7	0	99,162 %	Pass	
				Butanona		3MM Whatman		1,5		249	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20211111-039		11/11/2021 10:34	WG	Normal Saline		Sílica gel		124,7		3	0	94,681 %	Pass	
				Butanona		3MM Whatman		4		130,7	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc Lot # K-202111111-040		11/11/2021 10:34 JS	Normal Saline Butanona		Sílica gel 3MM Whatman			98 7		5 138	0 pH (Low/Actual/High)	90,318 %		Pass
							Límpido/Incolor					6,50 <= 7,00 <= 8,50		
TRODAT-99mTc Lot # K-202111111-041		11/11/2021 10:35 JS	Normal Saline Butanona		Sílica gel 3MM Whatman			97 1,2		1 144	0 pH (Low/Actual/High)	98,153 %		Pass
							Límpido/Incolor					6,50 <= 7,00 <= 8,50		
TRODAT-99mTc Lot # K-202111111-042		11/11/2021 10:36 WG	Normal Saline Butanona		Sílica gel 3MM Whatman			78,9 2,3		3 86,6	0 pH (Low/Actual/High)	93,75 %		Pass
							Límpido/Incolor					6,50 <= 7,00 <= 8,50		