



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 14/12/2021 To 14/12/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20211214-013		14/12/2021	04:05	PM	Butanona Normal Saline	3MM Whatman Sílica gel	128,3 1,7		1,3 119,6	0	pH (Low/Actual/High)	97,595 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211214-014		14/12/2021	04:06	PM	Butanona Normal Saline	3MM Whatman Sílica gel	219 6		4 230	0	pH (Low/Actual/High)	95,664 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211214-015		14/12/2021	04:07	PM	Butanona Normal Saline	3MM Whatman Sílica gel	213 4,2		1 181,5	0	pH (Low/Actual/High)	97,271 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211214-030		14/12/2021	07:59	PM	Butanona Normal Saline	3MM Whatman Sílica gel	146,4 6,1		2 162,5	0	pH (Low/Actual/High)	95,034 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211214-031		14/12/2021	08:01	PM	Butanona Normal Saline	3MM Whatman Sílica gel	197,2 1,4		0,9 188,4	0	pH (Low/Actual/High)	98,808 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20211214-032		14/12/2021	08:03	PM	Butanona Normal Saline	3MM Whatman Sílica gel	162,3 2,1		0,8 143,5	0	pH (Low/Actual/High)	98,067 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20211214-021		14/12/2021	06:46	BB	Citrato de Sódio 0,1M	Sílica gel	11,8		0,2	0	pH (Low/Actual/High)	98,333 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211214-038		14/12/2021	09:50	VS	Citrato de Sódio 0,1M	Sílica gel	23,9		0,2	0	pH (Low/Actual/High)	99,17 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211214-049		14/12/2021	12:33	JS	Citrato de Sódio 0,1M	Sílica gel	23,5		0,3	0	pH (Low/Actual/High)	98,739 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20211214-055		14/12/2021	13:23	JS	Citrato de Sódio 0,1M	Sílica gel	9,3		0,1	0	pH (Low/Actual/High)	98,936 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20211214-010	RPH	14/12/2021	03:39	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman	408 10		2 376	0	pH (Low/Actual/High)	96,922 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20211214-011	RPH	14/12/2021 03:41 PM	Acetona Normal Saline		3MM Whatman 3MM Whatman			1109 44		4 1098	0 pH (Low/Actual/High)	95,788 % 3,80 <= 5,00 <= 7,50	Pass	
							Límpido/Incolor							
DTPA-99mTc Lot # K-20211214-028	RPH	14/12/2021 07:25 MB	Acetona Normal Saline		3MM Whatman 3MM Whatman			690,7 1,3		1,6 578,3	0 pH (Low/Actual/High)	99,545 % 3,80 <= 6,00 <= 7,50	Pass	
							Límpido/Incolor							
DTPA-99mTc Lot # K-20211214-037	RPH	14/12/2021 09:19 VS	Acetona Normal Saline		3MM Whatman 3MM Whatman			574 13		1 870	0 pH (Low/Actual/High)	98,354 % 3,80 <= 5,00 <= 7,50	Pass	
							Límpido/Incolor							
FITATO-99mTc Lot # K-20211214-005		14/12/2021 02:19 MB	Butanona		3MM Whatman			213,1		1,8	0 pH (Low/Actual/High)	99,162 % 5,00 <= 6,00 <= 7,00	Pass	
							Límpido/Incolor							
FITATO-99mTc Lot # K-20211214-035		14/12/2021 09:08 YD	Butanona		3MM Whatman			286		2	0 pH (Low/Actual/High)	99,306 % 5,00 <= 6,00 <= 7,00	Pass	
							Límpido/Incolor							
MAA-99mTc Lot # K-20211214-016		14/12/2021 04:09 PM	Butanona		3MM Whatman			433		1	0 pH (Low/Actual/High)	99,77 % 3,00 <= 5,00 <= 6,00	Pass	
							Turvo/Incolor							
MAA-99mTc Lot # K-20211214-047		14/12/2021 11:52 VS	Butanona		3MM Whatman			645		2	0 pH (Low/Actual/High)	99,691 % 3,00 <= 5,00 <= 6,00	Pass	
							Turvo/Incolor							
MAA-99mTc Lot # K-20211214-048		14/12/2021 11:59 VS	Butanona		3MM Whatman			319		4	0 pH (Low/Actual/High)	98,762 % 3,00 <= 5,00 <= 6,00	Pass	
							Turvo/Incolor							
MAA-99mTc Lot # K-20211214-050		14/12/2021 12:52 VS	Butanona		3MM Whatman			403		5	0 pH (Low/Actual/High)	98,775 % 3,00 <= 5,00 <= 6,00	Pass	
							Turvo/Incolor							
MAA-99mTc Lot # K-20211214-051		14/12/2021 12:53 VS	Butanona		3MM Whatman			440		3	0 pH (Low/Actual/High)	99,323 % 3,00 <= 5,00 <= 6,00	Pass	
							Turvo/Incolor							
MAA-99mTc Lot # K-20211214-052		14/12/2021 12:55 VS	Butanona		3MM Whatman			454		3	0 pH (Low/Actual/High)	99,344 % 3,00 <= 5,00 <= 6,00	Pass	
							Turvo/Incolor							
MAA-99mTc Lot # K-20211214-053		14/12/2021 12:56 VS	Butanona		3MM Whatman			368		4	0 pH (Low/Actual/High)	98,925 % 3,00 <= 5,00 <= 6,00	Pass	
							Turvo/Incolor							
MAA-99mTc Lot # K-20211214-054		14/12/2021 12:58 VS	Butanona		3MM Whatman			797		2	0 pH (Low/Actual/High)	99,75 % 3,00 <= 5,00 <= 6,00	Pass	
							Turvo/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20211214-008		14/12/2021 03:11	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			1205 21	3 1175	0		pH (Low/Actual/High)	97,996 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211214-009		14/12/2021 03:37	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman			836 4	23 848	0		pH (Low/Actual/High)	96,853 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211214-024		14/12/2021 07:14	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			959,3 19,2	3,5 876,5	0		pH (Low/Actual/High)	97,493 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211214-026		14/12/2021 07:19	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			894,3 1,3	2 893,1	0		pH (Low/Actual/High)	99,632 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211214-029		14/12/2021 07:29	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			761,5 2,9	2 466,7	0		pH (Low/Actual/High)	99,121 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211214-036		14/12/2021 09:15	VS	Acetona Normal Saline	3MM Whatman 3MM Whatman			764 4	1 1025	0		pH (Low/Actual/High)	99,481 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211214-046		14/12/2021 11:49	VS	Acetona Normal Saline	3MM Whatman 3MM Whatman			1955 3	7 1704	0		pH (Low/Actual/High)	99,467 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-001		14/12/2021 02:00	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			976,5 3	7,7 1631	0		pH (Low/Actual/High)	99,034 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-002		14/12/2021 02:00	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			573,6 10,2	1,5 565,4	0		pH (Low/Actual/High)	97,967 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-003		14/12/2021 02:15	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			868,7 4	10,3 1484	0		pH (Low/Actual/High)	98,559 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-004		14/12/2021 02:15	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			564,6 14	4,6 1521	0		pH (Low/Actual/High)	98,28 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-006		14/12/2021 03:09	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1095 12	12 1796	0		pH (Low/Actual/High)	98,252 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-007		14/12/2021 03:09	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			816 6	6 1473	0		pH (Low/Actual/High)	98,864 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20211214-017		14/12/2021 04:11 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1515 2		19 1516	0	pH (Low/Actual/High)	98,63 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-018		14/12/2021 04:41 BB	Normal Saline Metanol		Sílica gel 3MM Whatman			956 22		23 2367	0	pH (Low/Actual/High)	96,73 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-019		14/12/2021 06:35 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			970,9 3		13,8 1226	0	pH (Low/Actual/High)	98,354 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-020		14/12/2021 06:38 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1349 27		8 2125	0	pH (Low/Actual/High)	98,156 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-022		14/12/2021 07:09 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			951,4 49		8,8 1598	0	pH (Low/Actual/High)	96,108 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-023		14/12/2021 07:10 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1139 15		12 1788	0	pH (Low/Actual/High)	98,125 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-033		14/12/2021 08:59 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			1670 1		3 1860	0	pH (Low/Actual/High)	99,767 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-034		14/12/2021 09:02 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			227 1		4 307	0	pH (Low/Actual/High)	97,944 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-044		14/12/2021 11:23 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			847 3		9 1518	0	pH (Low/Actual/High)	98,751 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211214-045		14/12/2021 11:25 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			726 3		4 1235	0	pH (Low/Actual/High)	99,21 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20211214-012		14/12/2021 03:43 PM	Butanona Normal Saline		3MM Whatman 3MM Whatman			526,5 1,9		0,2 566,7	0	pH (Low/Actual/High)	99,628 %	Pass 5,00 <= 5,00 <= 7,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20211214-025		14/12/2021 07:16 PM	Butanona Normal Saline		3MM Whatman 3MM Whatman			380,9 0,6		2,7 451,3	0	pH (Low/Actual/High)	99,163 %	Pass 5,00 <= 5,00 <= 7,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20211214-027		14/12/2021 07:22 PM	Butanona Normal Saline		3MM Whatman 3MM Whatman			375,7 4		1 316,5	0	pH (Low/Actual/High)	98,486 %	Pass 5,00 <= 5,00 <= 7,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211214-001		14/12/2021 01:37	MB	Butanona		3MM Whatman		59		5162	0		98,87 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20211214-002		14/12/2021 01:54	MB	Butanona		3MM Whatman		15		4636	0		99,677 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20211214-003		14/12/2021 03:03	MB	Butanona		3MM Whatman		1		610,7	0		99,837 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20211214-004		14/12/2021 03:35	PM	Butanona		3MM Whatman		25		1394	0		98,238 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20211214-005		14/12/2021 04:39	BB	Butanona		3MM Whatman		2		1608	0		99,876 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20211214-006		14/12/2021 06:32	MB	Butanona		3MM Whatman		2		3786	0		99,947 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20211214-008		14/12/2021 07:05	MB	Butanona		3MM Whatman		3,9		786,2	0		99,506 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20211214-009		14/12/2021 07:17	MB	Butanona		3MM Whatman		7,8		796,2	0		99,03 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20211214-010		14/12/2021 07:54	MB	Butanona		3MM Whatman		1,9		903,6	0		99,79 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20211214-012		14/12/2021 08:55	PM	Butanona		3MM Whatman		1		441	0		99,774 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20211214-011		14/12/2021 08:55	PM	Butanona		3MM Whatman		2		342	0		99,419 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20211214-014		14/12/2021 09:59	YD	Butanona		3MM Whatman		1		1315	0		99,924 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20211214-015		14/12/2021 11:18	YD	Butanona		3MM Whatman		3		2198	0		99,864 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211214-016		14/12/2021 11:18 YD	Butanona		3MM	Whatman		13		2568	0		99,496 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
TRODAT-99mTc Lot # K-20211214-039		14/12/2021 10:09 YD	Normal Saline		Sílica gel			92,8		3	0		95,418 %	Pass
			Butanona		3MM	Whatman		2,2		149,5	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211214-040		14/12/2021 10:10 YD	Normal Saline		Sílica gel			87		2,8	0		95,287 %	Pass
			Butanona		3MM	Whatman		2		123,4	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211214-041		14/12/2021 10:11 YD	Normal Saline		Sílica gel			61,1		0,3	0		93,394 %	Pass
			Butanona		3MM	Whatman		5,2		79,8	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211214-042		14/12/2021 10:11 VS	Normal Saline		Sílica gel			597		2	0		99,309 %	Pass
			Butanona		3MM	Whatman		3		838	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20211214-043		14/12/2021 10:12 YD	Normal Saline		Sílica gel			78,7		0,5	0		91,861 %	Pass
			Butanona		3MM	Whatman		7,5		92,4	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor