



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10
 R: Maestro Cardim, 769 - São Paulo/SP
 Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 16/12/2021 To 16/12/2021

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20211216-016		16/12/2021	04:02	BB	Butanona Normal Saline	3MM Whatman Sílica gel	187,7 0,7		1,9 124,1	0	pH (Low/Actual/High)	98,437 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20211216-030		16/12/2021	07:36	MB	Butanona Normal Saline	3MM Whatman Sílica gel	116,6 2		0,4 93,2	0	pH (Low/Actual/High)	97,557 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20211216-034		16/12/2021	08:05	MB	Butanona Normal Saline	3MM Whatman Sílica gel	108,7 0,9		0,4 52,5	0	pH (Low/Actual/High)	97,948 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20211216-045		16/12/2021	10:30	MB	Butanona Normal Saline	3MM Whatman Sílica gel	206,3 3		2 386,2	0	pH (Low/Actual/High)	98,269 %	Pass
Límpido/Incolor													
DOTATATE-68Ga Lot # K-20211216-058		16/12/2021	17:06										%
DOTATOC-68Ga Lot # K-20211216-022		16/12/2021	06:54	MB	Citrato de Sódio 0,1M	Sílica gel	31,8		0,7	0	pH (Low/Actual/High)	97,846 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20211216-055		16/12/2021	12:44	JS	Citrato de Sódio 0,1M	Sílica gel	32,3		0,3	0	pH (Low/Actual/High)	99,08 %	Pass
Límpido e Incolor													
DTPA-99mTc Lot # K-20211216-007	RPH	16/12/2021	02:43	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	657,1 7,3		3,1 402,2	0	pH (Low/Actual/High)	97,748 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20211216-008	RPH	16/12/2021	02:45	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	563,4 22,1		2,8 515,7	0	pH (Low/Actual/High)	95,396 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20211216-033	RPH	16/12/2021	07:49	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	366 10		1 358	0	pH (Low/Actual/High)	97,01 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20211216-038	RPH	16/12/2021	09:40	YD	Acetona Normal Saline	3MM Whatman 3MM Whatman	368 1		2 913	0	pH (Low/Actual/High)	99,35 %	Pass
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20211216-006		16/12/2021 02:40	MB	Butanona		3MM Whatman		265,7		1	0		99,625 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00
												Límpido/Incolor		
FITATO-99mTc Lot # K-20211216-031		16/12/2021 07:39	MB	Butanona		3MM Whatman		94,6		1,6	0		98,337 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00
												Límpido/Incolor		
MAA-99mTc Lot # K-20211216-017		16/12/2021 04:04	BB	Butanona		3MM Whatman		118,5		0,4	0		99,664 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20211216-018		16/12/2021 04:05	BB	Butanona		3MM Whatman		137,8		0,1	0		99,927 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20211216-019		16/12/2021 04:09	BB	Butanona		3MM Whatman		178,5		1,1	0		99,388 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20211216-036		16/12/2021 08:19	MB	Butanona		3MM Whatman		36,5		1	0		97,333 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20211216-046		16/12/2021 10:37	YD	Butanona		3MM Whatman		98,1		1	0		98,991 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20211216-047		16/12/2021 10:38	YD	Butanona		3MM Whatman		862		3	0		99,653 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20211216-056		16/12/2021 13:54	VS	Butanona		3MM Whatman		412		16	0		96,262 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
												Turvo/Incolor		
MDP-99mTc Lot # K-20211216-009		16/12/2021 03:16	BB	Acetona		3MM Whatman		632		3	0		99,368 %	Pass
				Normal Saline		3MM Whatman		1		626		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211216-010		16/12/2021 03:17	BB	Acetona		3MM Whatman		703		15	0		97,629 %	Pass
				Normal Saline		3MM Whatman		2		708		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211216-011		16/12/2021 03:21	BB	Acetona		3MM Whatman		919		2	0		98,974 %	Pass
				Normal Saline		3MM Whatman		5		613		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20211216-014		16/12/2021 03:58	BB	Acetona		3MM Whatman		1193		4	0		98,993 %	Pass
				Normal Saline		3MM Whatman		7		1033		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
												Límpido/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20211216-015		16/12/2021 04:00	BB	Acetona Normal Saline	3MM Whatman 3MM Whatman			1794 7	8 1489	0		pH (Low/Actual/High)	99,088 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211216-027		16/12/2021 07:17	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman			1054 15	2 935	0		pH (Low/Actual/High)	98,232 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211216-032		16/12/2021 07:46	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			660 6	4 603	0		pH (Low/Actual/High)	98,412 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211216-048		16/12/2021 10:42	YD	Acetona Normal Saline	3MM Whatman 3MM Whatman			273 3	1 332	0		pH (Low/Actual/High)	98,74 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211216-049		16/12/2021 10:45	YD	Acetona Normal Saline	3MM Whatman 3MM Whatman			242 2	1 240	0		pH (Low/Actual/High)	98,762 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20211216-052		16/12/2021 11:51	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			925 12	3 1495	0		pH (Low/Actual/High)	98,88 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-001		16/12/2021 01:50	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			697,5 3	14,2 1205	0		pH (Low/Actual/High)	97,756 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-002		16/12/2021 01:55	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			433 2	4 710	0		pH (Low/Actual/High)	98,804 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-003		16/12/2021 01:58	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			504,3 2	12,2 1248	0		pH (Low/Actual/High)	97,478 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-004		16/12/2021 02:36	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			842 6	6 1475	0		pH (Low/Actual/High)	98,887 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-005		16/12/2021 02:36	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			1095 6	20 1557	0		pH (Low/Actual/High)	97,822 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-013		16/12/2021 03:53	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			1156 10	17 1539	0		pH (Low/Actual/High)	97,905 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-020		16/12/2021 06:36	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			791 3	4 929	0		pH (Low/Actual/High)	99,175 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20211216-021	16/12/2021	06:38	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			1129 12		19 1813	0	pH (Low/Actual/High)	97,687 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-028	16/12/2021	07:20	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			547 5		6 903	0	pH (Low/Actual/High)	98,364 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-035	16/12/2021	08:12	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			793 1		2 1622	0	pH (Low/Actual/High)	99,687 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-039	16/12/2021	09:53	YD	Normal Saline Metanol	Sílica gel 3MM Whatman			718 17		10 1788	0	pH (Low/Actual/High)	97,685 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-040	16/12/2021	10:08	YD	Normal Saline Metanol	Sílica gel 3MM Whatman			544 8		10 670	0	pH (Low/Actual/High)	97,015 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-050	16/12/2021	11:13	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			1364 6		10 365	0	pH (Low/Actual/High)	97,655 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-051	16/12/2021	11:14	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			226 8		14 1074	0	pH (Low/Actual/High)	93,427 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-053	16/12/2021	12:08	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			1107 2		3 284	0	pH (Low/Actual/High)	99,03 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20211216-054	16/12/2021	12:13	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			492 2		12 318	0	pH (Low/Actual/High)	96,994 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20211216-029	16/12/2021	07:30	MB	Butanona Normal Saline	3MM Whatman 3MM Whatman			165,8 4,7		0,7 186	0	pH (Low/Actual/High)	97,115 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20211216-037	16/12/2021	09:33	YD	Acetato de amônio 1M:Metanol	Sílica gel			0,1		21,7	0	pH (Low/Actual/High)	99,541 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20211216-057	16/12/2021	15:41	JS	Acetato de amônio 1M:Metanol	Sílica gel			0,5		45,9	0	pH (Low/Actual/High)	98,922 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20211216-001	16/12/2021	01:44	MB	Butanona	3MM Whatman			45		2681	0	pH (Low/Actual/High)	98,349 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211216-002		16/12/2021 01:47	MB	Butanona		3MM Whatman		25		3062	0	99,19 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-003		16/12/2021 02:29	MB	Butanona		3MM Whatman		8		1904	0	99,582 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-004		16/12/2021 02:31	MB	Butanona		3MM Whatman		21		2275	0	99,085 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-005		16/12/2021 03:12	MB	Butanona		3MM Whatman		2		1446	0	99,862 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-006		16/12/2021 03:23	MB	Butanona		3MM Whatman		6		610	0	99,026 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-007		16/12/2021 03:50	BB	Butanona		3MM Whatman		3		606	0	99,507 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-008		16/12/2021 03:54	BB	Butanona		3MM Whatman		6		3461	0	99,827 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-009		16/12/2021 06:31	WG	Butanona		3MM Whatman		32		1829	0	98,28 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-010		16/12/2021 06:32	WG	Butanona		3MM Whatman		23		964	0	97,67 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-012		16/12/2021 07:05	WG	Butanona		3MM Whatman		2		226	0	99,123 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-013		16/12/2021 07:19	WG	Butanona		3MM Whatman		6		239	0	97,551 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-014		16/12/2021 07:33	WG	Butanona		3MM Whatman		10		969	0	98,979 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-015		16/12/2021 08:10	MB	Butanona		3MM Whatman		1		361	0	99,724 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20211216-016	16/12/2021	09:10	MB	Butanona	3MM	Whatman		14		385	0	96,491 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-017	16/12/2021	09:16	MB	Butanona	3MM	Whatman		1		623	0	99,84 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-019	16/12/2021	10:05	YD	Butanona	3MM	Whatman		35		797	0	95,793 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-020	16/12/2021	10:10	YD	Butanona	3MM	Whatman		0,7		50	0	98,619 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-021	16/12/2021	10:39	YD	Butanona	3MM	Whatman		1		388	0	99,743 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-022	16/12/2021	10:39	YD	Butanona	3MM	Whatman		3		212	0	98,605 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-023	16/12/2021	11:09	MB	Butanona	3MM	Whatman		1		230	0	99,567 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-024	16/12/2021	11:09	YD	Butanona	3MM	Whatman		4		344	0	98,851 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-025	16/12/2021	11:48	YD	Butanona	3MM	Whatman		3		762	0	99,608 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-026	16/12/2021	12:05	VS	Butanona	3MM	Whatman		4		226	0	98,261 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-027	16/12/2021	12:06	VS	Butanona	3MM	Whatman		11		796	0	98,637 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-029	16/12/2021	13:51	VS	Butanona	3MM	Whatman		3		239	0	98,76 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20211216-031	16/12/2021	16:16	PL	Butanona	3MM	Whatman		2		819	0	99,756 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc Lot # K-20211216-023		16/12/2021 07:11	MB	Normal Saline	Silica gel			46,3		0,8	0	91,83 %	Pass	
				Butanona	3MM Whatman			3,1		44,8	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20211216-024		16/12/2021 07:12	MB	Normal Saline	Silica gel			60,8		0,3	0	97,261 %	Pass	
				Butanona	3MM Whatman			2,1		91,3	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20211216-026		16/12/2021 07:13	MB	Normal Saline	Silica gel			77,7		1,1	0	97,348 %	Pass	
				Butanona	3MM Whatman			1		78,6	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20211216-025		16/12/2021 07:13	MB	Normal Saline	Silica gel			68,8		1,5	0	96,188 %	Pass	
				Butanona	3MM Whatman			1,2		70,3	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20211216-041		16/12/2021 10:17	YD	Normal Saline	Silica gel			110,5		4,1	0	91,403 %	Pass	
				Butanona	3MM Whatman			5,2		98,4	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20211216-043		16/12/2021 10:18	YD	Normal Saline	Silica gel			57,2		2	0	93,962 %	Pass	
				Butanona	3MM Whatman			2		73,2	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20211216-042		16/12/2021 10:18	YD	Normal Saline	Silica gel			433		6	0	97,462 %	Pass	
				Butanona	3MM Whatman			5		422	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20211216-044		16/12/2021 10:19	YD	Normal Saline	Silica gel			230		2	0	92,456 %	Pass	
				Butanona	3MM Whatman			3		41,9	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			