



## Daily Pharmacy Report

### RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Daily Report Date: 04/01/2022

## Received Inventory

Container: 1011	Description:	Received By: Jacqueline Silva	Vendor: ITM
Received & Survey Date/Time: 04/01/2022 11:07		Transport Index: 0,60	Condition of Container: Bom
Radioactive: Yes	Radioactive Level: Yellow II	Status:	Delivery/Packing List #:
Placement of Packages: Lixo local		Wipe Outside Information:	Labels Removed Yes
Survey Information:		Wipe Inside Information:	
Meter: S/N:	Meter: S/N:	Meter: S/N:	
Background:	Area:	Area:	
One Meter: N/A	CPM: N/A	CPM: N/A	
Surface:	DPM:	DPM:	
	Background CPM:	Background CPM:	

Lutécio-177	Lot #:Lu-21-499-01	Cal: 03/01/2022 08:00	Exp: 07/01/2022 08:00	Amount: 750,00 mCi	Volume: 0,67 ml	Qty: 1
Lutécio-177	Lot #:Lu-21-499-01	Cal: 03/01/2022 08:00	Exp: 07/01/2022 08:00	Amount: 750,00 mCi	Volume: 0,67 ml	Qty: 1
Lutécio-177	Lot #:Lu-21-499-01	Cal: 03/01/2022 08:00	Exp: 07/01/2022 08:00	Amount: 930,00 mCi	Volume: 0,86 ml	Qty: 1
Lutécio-177	Lot #:Lu-21-499-01	Cal: 03/01/2022 08:00	Exp: 07/01/2022 08:00	Amount: 930,00 mCi	Volume: 0,86 ml	Qty: 1
Lutécio-177	Lot #:Lu-21-499-01	Cal: 03/01/2022 08:00	Exp: 07/01/2022 08:00	Amount: 930,00 mCi	Volume: 0,86 ml	Qty: 1
Lutécio-177	Lot #:Lu-21-499-01	Cal: 03/01/2022 08:00	Exp: 07/01/2022 08:00	Amount: 930,00 mCi	Volume: 0,86 ml	Qty: 1

Received Items: 1

## Processed Inventory - Eluted

Elution Date/Time:	Eluted By:	New Lot #:	Generator ID/Lot #:	Exp Date/Time:	Amount:	Final Amount:	Volume:
04/01/2022 02:28	Bruno Brum	E-20220104-001	51952 201IP0631	17/01/2022 08:00	Tecnécio-99m 1348,00	Tc99m mCi1,00	6,00
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00074184			Ratio at Exp (uCi/mCi): 0,00261177		Al+++ Content (Al+++ < 10mcg/ml) Yes Breakthrough D/T:06/01/2022 05:05		
					Dose Calibrator Used:H5 Hood Used:H5		
04/01/2022 02:30	Bruno Brum	E-20220104-002	51953 201IP0632	17/01/2022 08:00	Tecnécio-99m 1528,00	Tc99m mCi1,00	6,00
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00065445			Ratio at Exp (uCi/mCi): 0,0023041		Al+++ Content (Al+++ < 10mcg/ml) Yes Breakthrough D/T:06/01/2022 06:19		
					Dose Calibrator Used:H5 Hood Used:H5		
04/01/2022 02:48	Bruno Brum	E-20220104-003	51954 201IP0633	17/01/2022 08:00	Tecnécio-99m 1473,00	Tc99m mCi1,00	6,00
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00067889			Ratio at Exp (uCi/mCi): 0,00239014		Al+++ Content (Al+++ < 10mcg/ml) Yes Breakthrough D/T:06/01/2022 06:16		
					Dose Calibrator Used:H5 Hood Used:H5		
04/01/2022 03:39	Bruno Brum	E-20220104-004	51955 201IP0634	17/01/2022 08:00	Tecnécio-99m 1478,00	Tc99m mCi1,00	6,00
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00067659			Ratio at Exp (uCi/mCi): 0,00238205		Al+++ Content (Al+++ < 10mcg/ml) Yes Breakthrough D/T:06/01/2022 07:09		

Printed: 04/01/2022 14:42:58

Page: 1

04/01/2022 03:55	Monique Silva Bellas	E-20220104-005	51956 201IP0635	17/01/2022 08:00	Tecnécio-99m	Dose Calibrator Used:H5	Hood Used:H5
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00068966			Ratio at Exp (uCi/mCi): 0,00242805		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 07:14	
04/01/2022 04:36	Monique Silva Bellas	E-20220104-006	51635 153IP0645	10/01/2022 08:00	Tecnécio-99m	Dose Calibrator Used:H4	Hood Used:H4
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00440529			Ratio at Exp (uCi/mCi): 0,01550957		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:05/01/2022 14:14	
04/01/2022 06:28	Monique Silva Bellas	E-20220104-007	51960 201IP0985	17/01/2022 08:00	Tecnécio-99m	Dose Calibrator Used:H4	Hood Used:H4
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00056786			Ratio at Exp (uCi/mCi): 0,00199925		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 11:38	
04/01/2022 06:35	Monique Silva Bellas	E-20220104-008	51958 201IP0983	17/01/2022 08:00	Tecnécio-99m	Dose Calibrator Used:H5	Hood Used:H5
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00057571			Ratio at Exp (uCi/mCi): 0,00202687		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 11:37	
04/01/2022 06:54	Monique Silva Bellas	E-20220104-009	51562 GaGe-21-122	21/10/2022 12:00	Cloreto de Gálio-68	Dose Calibrator Used:H5	Hood Used:H5
					Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 11:37	
04/01/2022 07:09	Monique Silva Bellas	E-20220104-010	51953 201IP0632	17/01/2022 08:00	Tecnécio-99m	Dose Calibrator Used:H5	Hood Used:H5
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00151745			Ratio at Exp (uCi/mCi): 0,00534245		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 02:57	
04/01/2022 07:23	Monique Silva Bellas	E-20220104-011	51952 201IP0631	17/01/2022 08:00	Tecnécio-99m	Dose Calibrator Used:H5	Hood Used:H5
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00147929			Ratio at Exp (uCi/mCi): 0,00520809		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 03:25	
04/01/2022 07:37	Monique Silva Bellas	E-20220104-012	51954 201IP0633	17/01/2022 08:00	Tecnécio-99m	Dose Calibrator Used:H5	Hood Used:H5
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00149925			Ratio at Exp (uCi/mCi): 0,00527837		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 03:32	
04/01/2022 08:21	Monique Silva Bellas	E-20220104-013	51955 201IP0634	17/01/2022 08:00	Tecnécio-99m	Dose Calibrator Used:H5	Hood Used:H5
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00156986			Ratio at Exp (uCi/mCi): 0,00552696		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 03:49	
04/01/2022 08:31	Monique Silva Bellas	E-20220104-014	51958 201IP0983	17/01/2022 08:00	Tecnécio-99m	Dose Calibrator Used:H5	Hood Used:H5
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00068074			Ratio at Exp (uCi/mCi): 0,00239665		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 11:57	
04/01/2022 08:34	Monique Silva Bellas	E-20220104-015	51957 201IP1653	17/01/2022 08:00	Tecnécio-99m	Dose Calibrator Used:H5	Hood Used:H5
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00059207			Ratio at Exp (uCi/mCi): 0,00208447		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 13:20	
04/01/2022 09:29	Monique Silva Bellas	E-20220104-016	51953 201IP0632	17/01/2022 08:00	Tecnécio-99m	Dose Calibrator Used:H5	Hood Used:H5
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00251256			Ratio at Exp (uCi/mCi): 0,00884591		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 00:28	
04/01/2022 09:46	Jacqueline Silva	E-20220104-017	51562 GaGe-21-122	21/10/2022 12:00	Cloreto de Gálio-68	Dose Calibrator Used:H5	Hood Used:H5
					Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 00:41	
04/01/2022 10:03	Monique Silva Bellas	E-20220104-018	51952 201IP0631	17/01/2022 08:00	Tecnécio-99m	Dose Calibrator Used:H5	Hood Used:H5
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00260417			Ratio at Exp (uCi/mCi): 0,00916842		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 00:41	
					Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 00:41	

04/01/2022 10:06	Monique Silva Bellas	E-20220104-019	51959 201IP0984	17/01/2022 08:00	Tecnécio-99m	299,00	Tc99m mCi0,48	6,00
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00160535			Ratio at Exp (uCi/mCi): 0,00565191		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 05:21		
					Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 10:14	Monique Silva Bellas	E-20220104-020	51956 201IP0635	17/01/2022 08:00	Tecnécio-99m	814,00	Tc99m mCi1,00	6,00
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,0012285			Ratio at Exp (uCi/mCi): 0,00432515		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 08:03		
					Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 10:32	Jacqueline Silva	E-20220104-021	51960 201IP0985	17/01/2022 08:00	Tecnécio-99m	638,00	Tc99m mCi1,00	6,00
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,0015674			Ratio at Exp (uCi/mCi): 0,00551829		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 06:02		
					Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 10:44	Jacqueline Silva	E-20220104-022	51954 201IP0633	17/01/2022 08:00	Tecnécio-99m	454,00	Tc99m mCi1,00	6,00
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00220264			Ratio at Exp (uCi/mCi): 0,00775478		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 02:59		
					Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 11:23	Monique Silva Bellas	E-20220104-023	51959 201IP0984	17/01/2022 08:00	Tecnécio-99m	228,00	Tc99m mCi1,00	6,00
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00438596			Ratio at Exp (uCi/mCi): 0,01544154		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:05/01/2022 21:04		
					Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 11:33	Monique Silva Bellas	E-20220104-024	51955 201IP0634	17/01/2022 08:00	Tecnécio-99m	453,00	Tc99m mCi1,00	6,00
Mo99/Tc99m Ratio at Cal (uCi/mCi): 0,00220751			Ratio at Exp (uCi/mCi): 0,0077719		Al+++ Content (Al+++ < 10mcg/ml) Yes	Breakthrough D/T:06/01/2022 03:46		
					Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 12:45	Jacqueline Silva	E-20220104-025	51562 GaGe-21-122	21/10/2022 12:00	Cloreto de Gálio-68	23,20	Ga68 uCi	4,00
					Dose Calibrator Used:H5	Hood Used:H3		

Eluted: 25

Processed Inventory - Mixed Kits / Kit QC

Mix Date/Time:	Mixed By:	Product:	Exp Date/Time:	Activity:	Volume:	Saline Added:
04/01/2022 02:32	Bruno Brum	MIBI-99mTc	04/01/2022 14:30	1009,00 mCi	6,00 ml	2,023
Master Formulation Record:			Kit Lot #:K-20220104-001			
<u>Cold Kits:</u>		<u>Hot Products:</u>		Dose Calibrator Used:H5	Hood Used:H5	
MIBI Kit	11/10/2022 S000000884	1	Tecnécio-99m	04/01/2022 02:30	04/01/2022 14:30 E-20220104-002	1009,00mCi 3,977ml
QC D/T: 01/04/2022 03:13	Marcio Batista	QC Solution/Media O/M/T 1	Normal Saline	Sílica gel	1311 0,00 15	Bg: 0 % Tag:98,477 P. Size: NA
Límpido/Incolor		2.	Metanol	3MM Whatman	8 2033	pH (Low/Actual/High) 5,00 <= 5,00 <= 6,00
04/01/2022 02:33	Bruno Brum	MIBI-99mTc	04/01/2022 14:28	1024,00 mCi	6,00 ml	1,398
Master Formulation Record:			Kit Lot #:K-20220104-002			
<u>Cold Kits:</u>		<u>Hot Products:</u>		Dose Calibrator Used:H5	Hood Used:H5	
MIBI Kit	11/10/2022 S000000884	1	Tecnécio-99m	04/01/2022 02:28	04/01/2022 14:28 E-20220104-001	1024,00mCi 4,602ml
QC D/T: 01/04/2022 03:16	Marcio Batista	QC Solution/Media O/M/T 1	Normal Saline	Sílica gel	1935 0,00 26	Bg: 0 % Tag:95,796 P. Size: NA
Límpido/Incolor		2.	Metanol	3MM Whatman	69 2328	pH (Low/Actual/High) 5,00 <= 5,00 <= 6,00
04/01/2022 02:50	Bruno Brum	MIBI-99mTc	04/01/2022 14:48	1027,00 mCi	6,00 ml	1,801
Master Formulation Record:			Kit Lot #:K-20220104-003			
<u>Cold Kits:</u>		<u>Hot Products:</u>		Dose Calibrator Used:H5	Hood Used:H5	
MIBI Kit	11/10/2022 S000000884	1	Tecnécio-99m	04/01/2022 02:48	04/01/2022 14:48 E-20220104-003	1027,00mCi 4,199ml
QC D/T: 01/04/2022 03:40	Marcio Batista	QC Solution/Media O/M/T 1	Normal Saline	Sílica gel	1438 0,00 25	Bg: 0 % Tag:97,57 P. Size: NA

Printed: 04/01/2022 14:42:59

Page: 3

Límpido/Incolor				2.	Metanol	3MM Whatman	14	1926	pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00
04/01/2022 02:52		Bruno Brum	MIBI-99mTc			04/01/2022 14:28		1016,00 mCi	6,00 ml	0,788
Master Formulation Record:						Kit Lot #:K-20220104-004				
<u>Cold Kits:</u>				<u>Hot Products:</u>				Dose Calibrator Used:H5		Hood Used:H5
MIBI Kit		11/10/2022 S000000884		1	Tecnécio-99m	04/01/2022 02:28 04/01/2022 14:28		E-20220104-001	299,976mCi	1,398ml
					Tecnécio-99m	04/01/2022 02:30 04/01/2022 14:30		E-20220104-002	716,024mCi	2,933ml
					Tecnécio-99m	04/01/2022 02:48 04/01/2022 14:48		E-20220104-003	0,00mCi	0,00ml
QC D/T: 01/04/2022 03:42		Marcio Batista	QC Solution/Media O/M/T 1	Normal Saline	Silica gel	1249	0,00	42	Bg: 0	% Tag:96,555 P. Size: NA
Límpido/Incolor			2.	Metanol	3MM Whatman	4		2086	pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00
04/01/2022 03:42		Bruno Brum	MDP-99mTc			04/01/2022 13:42		535,00 mCi	6,00 ml	3,816
Master Formulation Record:						Kit Lot #:K-20220104-005				
<u>Cold Kits:</u>				<u>Hot Products:</u>				Dose Calibrator Used:H5		Hood Used:H5
MDP Kit		17/09/2022 M000000628		1	Tecnécio-99m	04/01/2022 03:39 04/01/2022 15:39		E-20220104-004	535,00mCi	2,184ml
QC D/T: 01/04/2022 04:37		Marcio Batista	QC Solution/Media O/M/T 1	Acetona	3MM Whatman	1087	0,00	7	Bg: 0	% Tag:98,392 P. Size: NA
Límpido/Incolor			2.	Normal Saline	3MM Whatman	12		1228	pH (Low/Actual/High)	4,00 <= 5,00 <= 7,80
04/01/2022 03:44		Bruno Brum	MDP-99mTc			04/01/2022 13:44		529,00 mCi	6,00 ml	3,832
Master Formulation Record:						Kit Lot #:K-20220104-006				
<u>Cold Kits:</u>				<u>Hot Products:</u>				Dose Calibrator Used:H5		Hood Used:H5
MDP Kit		17/09/2022 M000000628		1	Tecnécio-99m	04/01/2022 03:39 04/01/2022 15:39		E-20220104-004	529,00mCi	2,168ml
QC D/T: 01/04/2022 04:39		Marcio Batista	QC Solution/Media O/M/T 1	Acetona	3MM Whatman	1152	0,00	8	Bg: 0	% Tag:97,581 P. Size: NA
Límpido/Incolor			2.	Normal Saline	3MM Whatman	18		1023	pH (Low/Actual/High)	4,00 <= 4,00 <= 7,80
04/01/2022 03:48		Bruno Brum	DTPA-99mTc			04/01/2022 12:18		105,30 mCi	3,00 ml	2,565
Master Formulation Record:						Kit Lot #:K-20220104-007				
<u>Cold Kits:</u>				<u>Hot Products:</u>				Dose Calibrator Used:H5		Hood Used:H5
DTPA Kit		RPH	08/07/2023 A000000556	1	Tecnécio-99m	04/01/2022 03:39 04/01/2022 15:39		E-20220104-004	105,30mCi	0,435ml
QC D/T: 01/04/2022 04:28		Marcio Batista	QC Solution/Media O/M/T 1	Acetona	3MM Whatman	462	0,00	3	Bg: 0	% Tag:90,462 P. Size: NA
Límpido/Incolor			2.	Normal Saline	3MM Whatman	49		502	pH (Low/Actual/High)	3,80 <= 5,00 <= 7,50
04/01/2022 03:50		Bruno Brum	FITATO-99mTc			04/01/2022 13:50		30,30 mCi	2,00 ml	1,874
Master Formulation Record:						Kit Lot #:K-20220104-008				
<u>Cold Kits:</u>				<u>Hot Products:</u>				Dose Calibrator Used:H5		Hood Used:H5
FITATO Kit		30/03/2023 F00001118		1	Tecnécio-99m	04/01/2022 03:39 04/01/2022 15:39		E-20220104-004	30,30mCi	0,126ml
QC D/T: 01/04/2022 04:26		Marcio Batista	QC Solution/Media O/M/T 1	Butanona	3MM Whatman	196	0,00	2	Bg: 0	% Tag:98,99 P. Size: NA
Límpido/Incolor			2.						pH (Low/Actual/High)	5,00 <= 6,00 <= 7,00
04/01/2022 03:54		Bruno Brum	PIRO-99mTc			04/01/2022 13:54		106,50 mCi	3,00 ml	2,555
Master Formulation Record:						Kit Lot #:K-20220104-009				
<u>Cold Kits:</u>				<u>Hot Products:</u>				Dose Calibrator Used:H5		Hood Used:H5
PIRO - FRIO		26/10/2022 PF000000004		1	Tecnécio-99m	04/01/2022 03:39 04/01/2022 15:39		E-20220104-004	106,50mCi	0,445ml
QC D/T: 01/04/2022 05:09		Marcio Batista	QC Solution/Media O/M/T 1	Butanona	3MM Whatman	480	0,00	3	Bg: 0	% Tag:99,161 P. Size: NA
Límpido/Incolor			2.	Normal Saline	3MM Whatman	1		458	pH (Low/Actual/High)	5,00 <= 6,00 <= 7,00

04/01/2022 03:58 Monique Silva MIBI-99mTc				04/01/2022 15:55 1001,00 mCi 6,00 ml 1,834				
Master Formulation Record:				Kit Lot #:K-20220104-010				
<u>Cold Kits:</u>				<u>Hot Products:</u>		Dose Calibrator Used:H4 Hood Used:H4		
MIBI Kit	11/10/2022 S000000884		1	Tecnécio-99m		04/01/2022 03:55 04/01/2022 15:55 E-20220104-005 1001,00mCi 4,166ml		
QC D/T: 01/04/2022 04:56 Marcio Batista QC Solution/Media O/M/T 1	Normal Saline		Sílica gel		962	0,00	19	Bg: 0 % Tag:97,72 P. Size: NA
Límpido/Incolor	2. Metanol		3MM Whatman		6		1744	pH (Low/Actual/High) 5,00 <= 5,00 <= 6,00
04/01/2022 04:05 Bruno Brum DMSA-99mTc				04/01/2022 08:35 50,80 mCi 4,00 ml 3,786				
Master Formulation Record:				Kit Lot #:K-20220104-011				
<u>Cold Kits:</u>				<u>Hot Products:</u>		Dose Calibrator Used:H5 Hood Used:H5		
DMSA - Frio	04/09/2022 D00000238		1	Tecnécio-99m		04/01/2022 03:55 04/01/2022 15:55 E-20220104-005 50,80mCi 0,214ml		
QC D/T: 01/04/2022 04:47 Marcio Batista QC Solution/Media O/M/T 1	Butanona		3MM Whatman		183	0,00	2	Bg: 0 % Tag:91,436 P. Size: NA
Límpido/Incolor	2. Normal Saline		Sílica gel		11		136	pH (Low/Actual/High) 2,00 <= 3,00 <= 3,00
04/01/2022 04:06 Bruno Brum DMSA-99mTc				04/01/2022 08:36 48,20 mCi 4,00 ml 3,794				
Master Formulation Record:				Kit Lot #:K-20220104-012				
<u>Cold Kits:</u>				<u>Hot Products:</u>		Dose Calibrator Used:H5 Hood Used:H5		
DMSA - Frio	04/09/2022 D00000238		1	Tecnécio-99m		04/01/2022 03:39 04/01/2022 15:39 E-20220104-004 48,20mCi 0,206ml		
QC D/T: 01/04/2022 04:45 Marcio Batista QC Solution/Media O/M/T 1	Butanona		3MM Whatman		160	0,00	3	Bg: 0 % Tag:90,408 P. Size: NA
Límpido/Incolor	2. Normal Saline		Sílica gel		10		119	pH (Low/Actual/High) 2,00 <= 3,00 <= 3,00
04/01/2022 04:14 Bruno Brum MAA-99mTc				04/01/2022 14:14 95,00 mCi 8,00 ml 7,292				
Master Formulation Record:				Kit Lot #:K-20220104-013				
<u>Cold Kits:</u>				<u>Hot Products:</u>		Dose Calibrator Used:H5 Hood Used:H5		
MAA Kit (MED)	11/08/2022 MA-210204-		1	Tecnécio-99m		04/01/2022 03:55 04/01/2022 15:55 E-20220104-005 165,00mCi 0,708ml		
QC D/T: 01/04/2022 04:40 Marcio Batista QC Solution/Media O/M/T 1	Butanona		3MM Whatman		186	0,00	2	Bg: 0 % Tag:98,936 P. Size: NA
Turvo/Incolor	2.							pH (Low/Actual/High) 3,00 <= 4,00 <= 6,00
04/01/2022 06:33 Monique Silva MIBI-99mTc				04/01/2022 18:28 1010,98 mCi 6,00 ml 2,522				
Master Formulation Record:				Kit Lot #:K-20220104-014				
<u>Cold Kits:</u>				<u>Hot Products:</u>		Dose Calibrator Used:H5 Hood Used:H5		
MIBI Kit	11/10/2022 S000000884		1	Tecnécio-99m		04/01/2022 06:28 04/01/2022 18:28 E-20220104-007 1010,981mCi 3,478ml		
QC D/T: 01/04/2022 08:41 Priscila Martins QC Solution/Media O/M/T 1	Normal Saline		Sílica gel		1085	0,00	69	Bg: 0 % Tag:92,857 P. Size: NA
Límpido/Incolor	2. Metanol		3MM Whatman		25		2124	pH (Low/Actual/High) 5,00 <= 5,00 <= 6,00
04/01/2022 06:38 Monique Silva MIBI-99mTc				04/01/2022 18:35 1026,00 mCi 6,00 ml 2,435				
Master Formulation Record:				Kit Lot #:K-20220104-015				
<u>Cold Kits:</u>				<u>Hot Products:</u>		Dose Calibrator Used:H5 Hood Used:H5		
MIBI Kit	11/10/2022 S000000884		1	Tecnécio-99m		04/01/2022 06:35 04/01/2022 18:35 E-20220104-008 1026,00mCi 3,565ml		
QC D/T: 01/04/2022 08:43 Priscila Martins QC Solution/Media O/M/T 1	Normal Saline		Sílica gel		1641	0,00	201	Bg: 0 % Tag:86,855 P. Size: NA
Límpido/Incolor	2. Metanol		3MM Whatman		37		1620	pH (Low/Actual/High) 5,00 <= 5,00 <= 6,00
04/01/2022 06:41 Monique Silva DTPA-99mTc				04/01/2022 15:11 99,90 mCi 4,00 ml 0,642				
Master Formulation Record:				Kit Lot #:K-20220104-016				
<u>Cold Kits:</u>				<u>Hot Products:</u>		Dose Calibrator Used:H5 Hood Used:H5		
DTPA Kit	RPH	08/09/2023 A000000558	1	Tecnécio-99m		04/01/2022 04:36 04/01/2022 16:36 E-20220104-006 99,90mCi 3,358ml		

QC D/T: 01/04/2022 07:21 Priscila Martins QC Solution/Media O/M/T 1	Acetona	3MM Whatman	515	0,00	1	Bg: 0	% Tag:97,057	P. Size: NA
Limpido/Incolor	2. Normal Saline	3MM Whatman	19		672	pH (Low/Actual/High)	3,80 <= 6,00 <= 7,50	
04/01/2022 06:46 Monique Silva	MIBI-99mTc	04/01/2022 18:28	1031,00 mCi	6,00 ml	2,364			
Master Formulation Record:		Kit Lot #:K-20220104-017						
Cold Kits:		Hot Products:		Dose Calibrator Used:H5		Hood Used:H5		
MIBI Kit	11/10/2022 S000000884	1	Tecnécio-99m	04/01/2022 06:28	04/01/2022 18:28	E-20220104-007	715,102mCi	2,522ml
			Tecnécio-99m	04/01/2022 06:35	04/01/2022 18:35	E-20220104-008	315,898mCi	1,114ml
QC D/T: 01/04/2022 08:44 Priscila Martins QC Solution/Media O/M/T 1	Normal Saline	Sílica gel	1358	0,00	46	Bg: 0	% Tag:95,644	P. Size: NA
Limpido/Incolor	2. Metanol	3MM Whatman	22		2016	pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
04/01/2022 06:53 Monique Silva	PIRO-99mTc	04/01/2022 16:53	94,60 mCi	3,00 ml	2,662			
Master Formulation Record:		Kit Lot #:K-20220104-018						
Cold Kits:		Hot Products:		Dose Calibrator Used:H5		Hood Used:H5		
PIRO - FRIO	26/10/2022 PF000000004	1	Tecnécio-99m	04/01/2022 06:35	04/01/2022 18:35	E-20220104-008	94,60mCi	0,338ml
QC D/T: 01/04/2022 08:52 Priscila Martins QC Solution/Media O/M/T 1	Butanona	3MM Whatman	580	0,00	2	Bg: 0	% Tag:98,322	P. Size: NA
Limpido/Incolor	2. Normal Saline	3MM Whatman	6,7		495,5	pH (Low/Actual/High)	5,00 <= 5,00 <= 7,00	
04/01/2022 06:54 Monique Silva	DOTATOC-68Ga	04/01/2022 12:54	27,90 mCi	7,20 ml	3,20			
Master Formulation Record:		Kit Lot #:K-20220104-019						
Cold Kits:		Hot Products:		Dose Calibrator Used:H5		Hood Used:H3		
DOTATOC Kit	31/08/2022 DO0000178	1	Cloreto de Gálio-68	04/01/2022 06:54	04/01/2022 12:54	E-20220104-009	27,90mCi	7,20ml
QC D/T: 01/04/2022 07:30 Priscila Martins QC Solution/Media O/M/T 1	Citrato de Sódio 0,1M	Sílica gel	33,3	0,00	0,3	Bg: 0	% Tag:99,107	P. Size: NA
Limpido e Incolor	2.					pH (Low/Actual/High)	4,00 <= 6,00 <= 8,00	
04/01/2022 07:13 Monique Silva	MDP-99mTc	04/01/2022 17:13	496,00 mCi	6,00 ml	1,449			
Master Formulation Record:		Kit Lot #:K-20220104-020						
Cold Kits:		Hot Products:		Dose Calibrator Used:H5		Hood Used:H5		
MDP Kit	17/09/2022 M000000628	1	Tecnécio-99m	04/01/2022 07:09	04/01/2022 19:09	E-20220104-010	496,00mCi	4,551ml
QC D/T: 01/04/2022 07:52 Priscila Martins QC Solution/Media O/M/T 1	Acetona	3MM Whatman	1427	0,00	3	Bg: 0	% Tag:98,127	P. Size: NA
Limpido/Incolor	2. Normal Saline	3MM Whatman	32		1892	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	
04/01/2022 07:24 Monique Silva	MAA-99mTc	04/01/2022 17:24	25,00 mCi	2,00 ml	1,778			
Master Formulation Record:		Kit Lot #:K-20220104-021						
Cold Kits:		Hot Products:		Dose Calibrator Used:H5		Hood Used:H5		
MAA-F (MED)	23/01/2022 MA-210204-	1	Tecnécio-99m	04/01/2022 07:23	04/01/2022 19:23	E-20220104-011	25,00mCi	0,222ml
QC D/T: 01/04/2022 08:09 Priscila Martins QC Solution/Media O/M/T 1	Butanona	3MM Whatman	222,4	0,00	1,9	Bg: 0	% Tag:99,153	P. Size: NA
Turvo/Incolor	2.					pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00	
04/01/2022 07:27 Monique Silva	MDP-99mTc	04/01/2022 17:27	502,00 mCi	6,00 ml	1,349			
Master Formulation Record:		Kit Lot #:K-20220104-022						
Cold Kits:		Hot Products:		Dose Calibrator Used:H5		Hood Used:H5		
MDP Kit	17/09/2022 M000000628	1	Tecnécio-99m	04/01/2022 07:23	04/01/2022 19:23	E-20220104-011	520,00mCi	4,651ml
QC D/T: 01/04/2022 08:32 Priscila Martins QC Solution/Media O/M/T 1	Acetona	3MM Whatman	1651	0,00	3	Bg: 0	% Tag:98,958	P. Size: NA
Limpido/Incolor	2. Normal Saline	3MM Whatman	14		1613	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80	

04/01/2022 07:28	Monique Silva	MAA-99mTc	04/01/2022 17:28	15,80 mCi	2,00 ml	1,851
Master Formulation Record:			Kit Lot #:K-20220104-023			
<u>Cold Kits:</u>			<u>Hot Products:</u>		Dose Calibrator Used:H5	
MAA-F (MED)			23/01/2022 MA-210204-		Hood Used:H5	
			1	Tecnécio-99m	04/01/2022 07:09	04/01/2022 19:09 E-20220104-010
QC D/T: 01/04/2022 08:10	Priscila Martins	QC Solution/Media O/M/T 1	Butanona	3MM Whatman	223,6	0,00 1,4
Turvo/Incolor		2.				Bg: 0 % Tag:99,378 P. Size: NA
					pH (Low/Actual/High) 3,00 <= 5,00 <= 6,00	
04/01/2022 07:33	Monique Silva	DMSA-99mTc	04/01/2022 12:03	52,60 mCi	4,00 ml	3,524
Master Formulation Record:			Kit Lot #:K-20220104-024			
<u>Cold Kits:</u>			<u>Hot Products:</u>		Dose Calibrator Used:H5	
DMSA - Frio			04/09/2022 D00000238		Hood Used:H5	
			1	Tecnécio-99m	04/01/2022 07:23	04/01/2022 19:23 E-20220104-011
QC D/T: 01/04/2022 08:37	Priscila Martins	QC Solution/Media O/M/T 1	Butanona	3MM Whatman	186,5	0,00 2,4
Límpido/Incolor		2.	Normal Saline	Sílica gel	6	224
					Bg: 0 % Tag:96,121 P. Size: NA	
					pH (Low/Actual/High) 2,00 <= 3,00 <= 3,00	
04/01/2022 07:34	Monique Silva	DMSA-99mTc	04/01/2022 12:04	52,00 mCi	4,00 ml	3,528
Master Formulation Record:			Kit Lot #:K-20220104-025			
<u>Cold Kits:</u>			<u>Hot Products:</u>		Dose Calibrator Used:H5	
DMSA - Frio			04/09/2022 D00000238		Hood Used:H5	
			1	Tecnécio-99m	04/01/2022 07:23	04/01/2022 19:23 E-20220104-011
QC D/T: 01/04/2022 08:39	Priscila Martins	QC Solution/Media O/M/T 1	Butanona	3MM Whatman	269	0,00 4
Límpido/Incolor		2.	Normal Saline	Sílica gel	9,1	170
					Bg: 0 % Tag:93,454 P. Size: NA	
					pH (Low/Actual/High) 2,00 <= 3,00 <= 3,00	
04/01/2022 07:39	Monique Silva	DMSA-99mTc	04/01/2022 12:09	54,70 mCi	4,00 ml	3,506
Master Formulation Record:			Kit Lot #:K-20220104-026			
<u>Cold Kits:</u>			<u>Hot Products:</u>		Dose Calibrator Used:H5	
DMSA - Frio			04/09/2022 D00000238		Hood Used:H5	
			1	Tecnécio-99m	04/01/2022 07:37	04/01/2022 19:37 E-20220104-012
QC D/T: 01/04/2022 08:39	Priscila Martins	QC Solution/Media O/M/T 1	Butanona	3MM Whatman	323	0,00 4
Límpido/Incolor		2.	Normal Saline	Sílica gel	12,9	189,1
					Bg: 0 % Tag:92,391 P. Size: NA	
					pH (Low/Actual/High) 2,00 <= 3,00 <= 3,00	
04/01/2022 07:43	Monique Silva	MDP-99mTc	04/01/2022 17:43	494,00 mCi	6,00 ml	1,505
Master Formulation Record:			Kit Lot #:K-20220104-027			
<u>Cold Kits:</u>			<u>Hot Products:</u>		Dose Calibrator Used:H5	
MDP Kit			17/09/2022 M000000628		Hood Used:H5	
			1	Tecnécio-99m	04/01/2022 07:37	04/01/2022 19:37 E-20220104-012
QC D/T: 01/04/2022 08:35	Priscila Martins	QC Solution/Media O/M/T 1	Acetona	3MM Whatman	1469	0,00 4
Límpido/Incolor		2.	Normal Saline	3MM Whatman	20	1646
					Bg: 0 % Tag:98,528 P. Size: NA	
					pH (Low/Actual/High) 4,00 <= 6,00 <= 7,80	
04/01/2022 08:29	Monique Silva	FITATO-99mTc	04/01/2022 18:29	99,90 mCi	3,00 ml	2,044
Master Formulation Record:			Kit Lot #:K-20220104-028			
<u>Cold Kits:</u>			<u>Hot Products:</u>		Dose Calibrator Used:H5	
FITATO Kit			30/03/2023 F00001118		Hood Used:H5	
			1	Tecnécio-99m	04/01/2022 08:21	04/01/2022 20:21 E-20220104-013
QC D/T: 01/04/2022 09:01	Priscila Martins	QC Solution/Media O/M/T 1	Butanona	3MM Whatman	970	0,00 5
Límpido/Incolor		2.				
					Bg: 0 % Tag:99,487 P. Size: NA	
					pH (Low/Actual/High) 5,00 <= 7,00 <= 7,00	
04/01/2022 08:33	Monique Silva	MIBI-99mTc	04/01/2022 20:31	1015,00 mCi	6,00 ml	1,839
Master Formulation Record:			Kit Lot #:K-20220104-029			
<u>Cold Kits:</u>			<u>Hot Products:</u>		Dose Calibrator Used:H5	
MIBI Kit			11/10/2022 S000000884		Hood Used:H5	
			1	Tecnécio-99m	04/01/2022 08:31	04/01/2022 20:31 E-20220104-014
					1015,00mCi 4,161ml	

QC D/T: 01/04/2022	09:07	Priscila Martins	QC Solution/Media O/M/T 1	Normal Saline	Sílica gel	2731	0,00	51	Bg: 0	% Tag:95,044	P. Size: NA
Límpido/Incolor			2.	Metanol	3MM Whatman	84		2606	pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
04/01/2022	08:37	Monique Silva	MIBI-99mTc			04/01/2022 20:34	1021,00 mCi		6,00 ml		2,352
Master Formulation Record:				Kit Lot #:K-20220104-030							
Cold Kits:				Hot Products:				Dose Calibrator Used:H5		Hood Used:H5	
MIBI Kit		11/10/2022 S000000884	1	Tecnécio-99m		04/01/2022 08:34	04/01/2022 20:34	E-20220104-015	1021,00mCi		3,648ml
QC D/T: 01/04/2022	09:09	Priscila Martins	QC Solution/Media O/M/T 1	Normal Saline	Sílica gel	2309	0,00	52	Bg: 0	% Tag:96,829	P. Size: NA
Límpido/Incolor			2.	Metanol	3MM Whatman	24		2454	pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
04/01/2022	09:21	Monique Silva	MDP-99mTc			04/01/2022 19:21	494,00 mCi		6,00 ml		4,079
Master Formulation Record:				Kit Lot #:K-20220104-031							
Cold Kits:				Hot Products:				Dose Calibrator Used:H5		Hood Used:H5	
MDP Kit		17/09/2022 M000000628	1	Tecnécio-99m		04/01/2022 08:34	04/01/2022 20:34	E-20220104-015	494,00mCi		1,921ml
QC D/T: 01/04/2022	10:01	Priscila Martins	QC Solution/Media O/M/T 1	Acetona	3MM Whatman	1548	0,00	4	Bg: 0	% Tag:99,506	P. Size: NA
Límpido/Incolor			2.	Normal Saline	3MM Whatman	7		2952	pH (Low/Actual/High)	4,00 <= 5,00 <= 7,00	
04/01/2022	09:24	Monique Silva	DTPA-99mTc			04/01/2022 17:54	143,00 mCi		5,00 ml		4,353
Master Formulation Record:				Kit Lot #:K-20220104-033							
Cold Kits:				Hot Products:				Dose Calibrator Used:H5		Hood Used:H5	
DTPA Kit	RPH	08/09/2023 A000000558	1	Tecnécio-99m		04/01/2022 08:31	04/01/2022 20:31	E-20220104-014	143,00mCi		0,647ml
QC D/T: 01/04/2022	10:03	Priscila Martins	QC Solution/Media O/M/T 1	Acetona	3MM Whatman	597	0,00	8	Bg: 0	% Tag:95,998	P. Size: NA
Límpido/Incolor			2.	Normal Saline	3MM Whatman	19		690	pH (Low/Actual/High)	3,80 <= 5,00 <= 7,50	
04/01/2022	09:39	Monique Silva	MDP-99mTc			04/01/2022 19:39	375,00 mCi		6,00 ml		0,237
Master Formulation Record:				Kit Lot #:K-20220104-034							
Cold Kits:				Hot Products:				Dose Calibrator Used:H5		Hood Used:H5	
MDP Kit		17/09/2022 M000000628	1	Tecnécio-99m		04/01/2022 09:29	04/01/2022 21:29	E-20220104-016	375,00mCi		5,763ml
QC D/T: 01/04/2022	10:23	Bruno Brum	QC Solution/Media O/M/T 1	Acetona	3MM Whatman	1312	0,00	2	Bg: 0	% Tag:97,137	P. Size: NA
Límpido/Incolor			2.	Normal Saline	3MM Whatman	35		1256	pH (Low/Actual/High)	4,00 <= 5,00 <= 7,80	
04/01/2022	09:46	Jacqueline Silva	DOTATOC-68Ga			04/01/2022 15:46	20,60 mCi		7,20 ml		3,20
Master Formulation Record:				Kit Lot #:K-20220104-035							
Cold Kits:				Hot Products:				Dose Calibrator Used:H5		Hood Used:H3	
DOTATOC Kit		31/08/2022 DO0000178	1	Cloreto de Gálio-68		04/01/2022 09:46	04/01/2022 15:46	E-20220104-017	20,60mCi		7,20ml
QC D/T: 01/04/2022	10:28	Priscila Martins	QC Solution/Media O/M/T 1	Citrato de Sódio 0,1M	Sílica gel	18	0,00	0,5	Bg: 0	% Tag:97,297	P. Size: NA
Límpido e Incolor			2.						pH (Low/Actual/High)	4,00 <= 6,00 <= 8,00	
04/01/2022	10:09	Bruno Brum	TRODAT-99mTc			04/01/2022 15:09	72,10 mCi		5,00 ml		3,545
Master Formulation Record:				Kit Lot #:K-20220104-036							
Cold Kits:				Hot Products:				Dose Calibrator Used:H4		Hood Used:H4	
TRODAT Kit		03/09/2022 JC0403	1	Tecnécio-99m		04/01/2022 10:06	04/01/2022 22:06	E-20220104-019	72,10mCi		1,455ml
QC D/T: 01/04/2022	11:39	Priscila Martins	QC Solution/Media O/M/T 1	Normal Saline	Sílica gel	176,3	0,00	9,3	Bg: 0	% Tag:93,771	P. Size: NA
Límpido/Incolor			2.	Butanona	3MM Whatman	2,3		186,5	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50	

04/01/2022 10:10	Bruno Brum	TRODAT-99mTc	04/01/2022 15:10	72,00 mCi	5,00 ml	3,544
Master Formulation Record:			Kit Lot #:K-20220104-037			
<u>Cold Kits:</u>			<u>Hot Products:</u>		Dose Calibrator Used:H4	
TRODAT Kit			03/09/2022 JC0403		Hood Used:H4	
			1	Tecnécio-99m	04/01/2022 10:06 04/01/2022 22:06 E-20220104-019	72,00mCi 1,456ml
QC D/T: 01/04/2022 12:12	Bruno Brum	QC Solution/Media O/M/T 1	Normal Saline	Sílica gel	93,4 0,00 5,2	Bg: 0 % Tag:91,363 P. Size: NA
Límpido/Incolor		2.	Butanona	3MM Whatman	6 172,4	pH (Low/Actual/High) 6,50 <= 7,00 <= 8,50
04/01/2022 10:11	Bruno Brum	TRODAT-99mTc	04/01/2022 15:11	69,80 mCi	5,00 ml	3,586
Master Formulation Record:			Kit Lot #:K-20220104-038			
<u>Cold Kits:</u>			<u>Hot Products:</u>		Dose Calibrator Used:H4	
TRODAT Kit			03/09/2022 JC0403		Hood Used:H4	
			1	Tecnécio-99m	04/01/2022 10:06 04/01/2022 22:06 E-20220104-019	69,80mCi 1,414ml
QC D/T: 01/04/2022 11:44	Priscila Martins	QC Solution/Media O/M/T 1	Normal Saline	Sílica gel	267 0,00 12	Bg: 0 % Tag:92,35 P. Size: NA
Límpido/Incolor		2.	Butanona	3MM Whatman	7 202	pH (Low/Actual/High) 6,50 <= 7,00 <= 8,50
04/01/2022 10:18	Bruno Brum	MAA-99mTc	04/01/2022 20:18	172,00 mCi	8,00 ml	6,722
Master Formulation Record:			Kit Lot #:K-20220104-039			
<u>Cold Kits:</u>			<u>Hot Products:</u>		Dose Calibrator Used:H4	
MAA Kit (MED)			25/02/2023 MA-210815-		Hood Used:H4	
			1	Tecnécio-99m	04/01/2022 10:14 04/01/2022 22:14 E-20220104-020	172,00mCi 1,278ml
QC D/T: 01/04/2022 10:41	Priscila Martins	QC Solution/Media O/M/T 1	Butanona	3MM Whatman	382 0,00 4	Bg: 0 % Tag:98,964 P. Size: NA
Turvo/Incolor		2.				pH (Low/Actual/High) 3,00 <= 5,00 <= 6,00
04/01/2022 10:22	Bruno Brum	MIBI-99mTc	04/01/2022 22:14	580,00 mCi	6,00 ml	1,659
Master Formulation Record:			Kit Lot #:K-20220104-040			
<u>Cold Kits:</u>			<u>Hot Products:</u>		Dose Calibrator Used:H4	
MIBI Kit			11/10/2022 S000000884		Hood Used:H4	
			1	Tecnécio-99m	04/01/2022 10:14 04/01/2022 22:14 E-20220104-020	580,00mCi 4,341ml
QC D/T: 01/04/2022 10:52	Priscila Martins	QC Solution/Media O/M/T 1	Normal Saline	Sílica gel	230 0,00 3	Bg: 0 % Tag:98,53 P. Size: NA
Límpido/Incolor		2.	Metanol	3MM Whatman	3 1640	pH (Low/Actual/High) 5,00 <= 5,00 <= 6,00
04/01/2022 10:40	Bruno Brum	DMSA-99mTc	04/01/2022 15:10	50,50 mCi	4,00 ml	3,052
Master Formulation Record:			Kit Lot #:K-20220104-041			
<u>Cold Kits:</u>			<u>Hot Products:</u>		Dose Calibrator Used:H4	
DMSA - Frio			04/09/2022 D00000238		Hood Used:H4	
			1	Tecnécio-99m	04/01/2022 10:03 04/01/2022 22:03 E-20220104-018	56,50mCi 0,948ml
QC D/T: 01/04/2022 11:07	Priscila Martins	QC Solution/Media O/M/T 1	Butanona	3MM Whatman	218,5 0,00 0,6	Bg: 0 % Tag:93,275 P. Size: NA
Límpido/Incolor		2.	Normal Saline	Sílica gel	13 188,5	pH (Low/Actual/High) 2,00 <= 3,00 <= 3,00
04/01/2022 11:27	Monique Silva	MIBI-99mTc	04/01/2022 23:23	211,00 mCi	6,00 ml	0,404
Master Formulation Record:			Kit Lot #:K-20220104-042			
<u>Cold Kits:</u>			<u>Hot Products:</u>		Dose Calibrator Used:H5	
MIBI Kit			11/10/2022 S000000884		Hood Used:H5	
			1	Tecnécio-99m	04/01/2022 11:23 04/01/2022 23:23 E-20220104-023	211,00mCi 5,596ml
QC D/T: 01/04/2022 11:54	Priscila Martins	QC Solution/Media O/M/T 1	Normal Saline	Sílica gel	497 0,00 2	Bg: 0 % Tag:99,275 P. Size: NA
Límpido/Incolor		2.	Metanol	3MM Whatman	2 614	pH (Low/Actual/High) 5,00 <= 5,00 <= 6,00
04/01/2022 11:35	Monique Silva	MIBI-99mTc	04/01/2022 23:33	431,846 mCi	6,00 ml	0,258
Master Formulation Record:			Kit Lot #:K-20220104-043			
<u>Cold Kits:</u>			<u>Hot Products:</u>		Dose Calibrator Used:H5	
MIBI Kit			11/10/2022 S000000884		Hood Used:H5	
			1	Tecnécio-99m	04/01/2022 11:33 04/01/2022 23:33 E-20220104-024	431,846mCi 5,742ml

QC D/T: 01/04/2022 12:07 Bruno Brum	QC Solution/Media O/M/T 1	Normal Saline	Sílica gel	556	0,00	8	Bg: 0	% Tag:97,811	P. Size: NA
Límpido/Incolor	2.	Metanol	3MM Whatman	8		1030	pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
04/01/2022 12:45 Jacqueline Silva	DOTATOC-68Ga			04/01/2022 18:45	23,20 mCi	7,20 ml	3,20		
Master Formulation Record:				Kit Lot #:K-20220104-044					
Cold Kits:		Hot Products:		Dose Calibrator Used:H5			Hood Used:H3		
DOTATOC Kit	31/08/2022 DO0000178	1	Cloreto de Gálio-68	04/01/2022 12:45	04/01/2022 18:45	E-20220104-025	23,20mCi	7,20ml	
QC D/T: 01/04/2022 12:59 Jacqueline Silva	QC Solution/Media O/M/T 1	Citrato de Sódio 0,1M	Sílica gel	18,2	0,00	0,2	Bg: 0	% Tag:98,913	P. Size: NA
Límpido e Incolor	2.						pH (Low/Actual/High)	4,00 <= 5,00 <= 8,00	
Mixed Kits: 43									

## Processed & Filled Orders

Delivery D/T:	Client:	Product:	Filled By:	Pharmacist:	Filled D/T:	RX #:	Calibration D/T:	Amount/Units:	Qty
04/01/2022 05:15 AC CAMARGO		MDP-99mTc	Bruno Brum		04/01/2022 04:08	211742	04/01/2022 08:00	25,00 mCi	1
Drawn From Lot#: K-20220104-006		Amount Used: 25,794 mCi	Quantity Used: 1	Volume Used: 0,479 ml			Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15 AC CAMARGO		MDP-99mTc	Bruno Brum		04/01/2022 04:02	211743	04/01/2022 08:15	25,00 mCi	1
Drawn From Lot#: K-20220104-005		Amount Used: 25,756 mCi	Quantity Used: 1	Volume Used: 0,488 ml			Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15 AC CAMARGO		MDP-99mTc	Bruno Brum		04/01/2022 04:07	211744	04/01/2022 08:30	25,00 mCi	1
Drawn From Lot#: K-20220104-006		Amount Used: 27,017 mCi	Quantity Used: 1	Volume Used: 0,531 ml			Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15 AC CAMARGO		MDP-99mTc	Bruno Brum		04/01/2022 04:04	211745	04/01/2022 08:45	25,00 mCi	1
Drawn From Lot#: K-20220104-006		Amount Used: 26,855 mCi	Quantity Used: 1	Volume Used: 0,543 ml			Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15 AC CAMARGO		MDP-99mTc	Bruno Brum		04/01/2022 04:04	211748	04/01/2022 09:00	25,00 mCi	1
Drawn From Lot#: K-20220104-006		Amount Used: 25,412 mCi	Quantity Used: 1	Volume Used: 0,529 ml			Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15 AC CAMARGO		MDP-99mTc	Bruno Brum		04/01/2022 04:03	211749	04/01/2022 09:15	25,00 mCi	1
Drawn From Lot#: K-20220104-006		Amount Used: 26,123 mCi	Quantity Used: 1	Volume Used: 0,56 ml			Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15 AC CAMARGO		MDP-99mTc	Bruno Brum		04/01/2022 04:01	211750	04/01/2022 09:30	25,00 mCi	1
Drawn From Lot#: K-20220104-005		Amount Used: 25,974 mCi	Quantity Used: 1	Volume Used: 0,569 ml			Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15 AC CAMARGO		MDP-99mTc	Bruno Brum		04/01/2022 03:59	211751	04/01/2022 09:45	25,00 mCi	1
Drawn From Lot#: K-20220104-005		Amount Used: 25,291 mCi	Quantity Used: 1	Volume Used: 0,57 ml			Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15 AC CAMARGO		MDP-99mTc	Bruno Brum		04/01/2022 04:00	211752	04/01/2022 10:00	25,00 mCi	1
Drawn From Lot#: K-20220104-005		Amount Used: 26,672 mCi	Quantity Used: 1	Volume Used: 0,619 ml			Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15 AC CAMARGO		MDP-99mTc	Bruno Brum		04/01/2022 03:59	211753	04/01/2022 10:15	25,00 mCi	1
Drawn From Lot#: K-20220104-005		Amount Used: 25,668 mCi	Quantity Used: 1	Volume Used: 0,613 ml			Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15 ALTA JARDINS - DASA		MIBI-99mTc	Monique Silva		04/01/2022 04:13	211498	04/01/2022 08:15	30,00 mCi	1
Drawn From Lot#: K-20220104-004		Amount Used: 31,835 mCi	Quantity Used: 1	Volume Used: 0,35 ml			Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15 ALTA JARDINS - DASA		MIBI-99mTc	Monique Silva		04/01/2022 03:47	211499	04/01/2022 09:30	30,00 mCi	1
Drawn From Lot#: K-20220104-003		Amount Used: 30,194 mCi	Quantity Used: 1	Volume Used: 0,381 ml			Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15 ALTA JARDINS - DASA		MIBI-99mTc	Monique Silva		04/01/2022 03:27	211504	04/01/2022 07:15	10,00 mCi	1
Drawn From Lot#: K-20220104-002		Amount Used: 10,449 mCi	Quantity Used: 1	Volume Used: 0,105 ml			Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15 ALTA JARDINS - DASA		MIBI-99mTc	Bruno Brum		04/01/2022 03:06	211505	04/01/2022 08:30	10,00 mCi	1
Drawn From Lot#: K-20220104-001		Amount Used: 10,404 mCi	Quantity Used: 1	Volume Used: 0,123 ml			Dose Calibrator Used:H5	Hood Used:H5	

04/01/2022 05:15	ALTA JARDINS - DASA	MIBI-99mTc	Bruno Brum	04/01/2022 03:31	211506	04/01/2022 10:00	10,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 10,459 mCi	Quantity Used: 1	Volume Used: 0,147 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	BP MIRANTE	MIBI-99mTc	Monique Silva	04/01/2022 03:25	211876	04/01/2022 09:00	12,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 12,077 mCi	Quantity Used: 1	Volume Used: 0,149 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	BP MIRANTE	MIBI-99mTc	Monique Silva	04/01/2022 03:14	211877	04/01/2022 09:20	18,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 18,698 mCi	Quantity Used: 1	Volume Used: 0,24 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	BP MIRANTE	MIBI-99mTc	Monique Silva	04/01/2022 03:34	211878	04/01/2022 09:50	12,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 12,179 mCi	Quantity Used: 1	Volume Used: 0,165 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	BP MIRANTE	MIBI-99mTc	Monique Silva	04/01/2022 03:31	211879	04/01/2022 10:10	12,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 12,163 mCi	Quantity Used: 1	Volume Used: 0,172 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	CEDIMEN - SPECT	MIBI-99mTc	Monique Silva	04/01/2022 03:47	211644	04/01/2022 10:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-003	Amount Used: 30,209 mCi	Quantity Used: 1	Volume Used: 0,404 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	CEDIMEN - SPECT	MIBI-99mTc	Monique Silva	04/01/2022 03:20	211650	04/01/2022 07:25	10,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 10,488 mCi	Quantity Used: 1	Volume Used: 0,108 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	CEDIMEN - SPECT	MIBI-99mTc	Bruno Brum	04/01/2022 03:24	211651	04/01/2022 07:50	10,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 10,553 mCi	Quantity Used: 1	Volume Used: 0,116 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	CEDIMEN - SPECT	MIBI-99mTc	Monique Silva	04/01/2022 03:17	211652	04/01/2022 08:15	10,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 10,655 mCi	Quantity Used: 1	Volume Used: 0,121 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	CEDIMEN - SPECT	MIBI-99mTc	Bruno Brum	04/01/2022 03:03	211653	04/01/2022 08:40	10,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 10,251 mCi	Quantity Used: 1	Volume Used: 0,124 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	CEDIMEN - SPECT	MIBI-99mTc	Bruno Brum	04/01/2022 03:01	211654	04/01/2022 09:05	10,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 10,477 mCi	Quantity Used: 1	Volume Used: 0,133 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	CEDIMEN - SPECT	MIBI-99mTc	Bruno Brum	04/01/2022 03:14	211655	04/01/2022 09:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 10,141 mCi	Quantity Used: 1	Volume Used: 0,135 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	CENTRO DE MED. NUCLEAR D	MIBI-99mTc	Monique Silva	04/01/2022 03:37	211822	04/01/2022 08:00	20,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 20,986 mCi	Quantity Used: 1	Volume Used: 0,231 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	CENTRO DE MED. NUCLEAR D	MIBI-99mTc	Monique Silva	04/01/2022 04:17	211823	04/01/2022 10:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-010	Amount Used: 30,142 mCi	Quantity Used: 1	Volume Used: 0,362 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	CENTRO DE MED. NUCLEAR D	MIBI-99mTc	Monique Silva	04/01/2022 04:05	211824	04/01/2022 10:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-004	Amount Used: 30,313 mCi	Quantity Used: 1	Volume Used: 0,408 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	CENTRO DE MED. NUCLEAR D	MIBI-99mTc	Monique Silva	04/01/2022 04:03	211825	04/01/2022 10:25	30,00 mCi	1
Drawn From Lot#:	K-20220104-004	Amount Used: 30,362 mCi	Quantity Used: 1	Volume Used: 0,428 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	CENTRO DE MED. NUCLEAR D	MIBI-99mTc	Bruno Brum	04/01/2022 03:28	211828	04/01/2022 07:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 10,863 mCi	Quantity Used: 1	Volume Used: 0,115 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	CENTRO DE MED. NUCLEAR D	MIBI-99mTc	Monique Silva	04/01/2022 03:25	211829	04/01/2022 07:40	10,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 10,655 mCi	Quantity Used: 1	Volume Used: 0,113 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	CENTRO DE MED. NUCLEAR D	MIBI-99mTc	Bruno Brum	04/01/2022 03:25	211830	04/01/2022 07:50	10,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 10,932 mCi	Quantity Used: 1	Volume Used: 0,12 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	CENTRO DE MED. NUCLEAR D	MIBI-99mTc	Monique Silva	04/01/2022 03:19	211831	04/01/2022 08:00	10,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 10,952 mCi	Quantity Used: 1	Volume Used: 0,12 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	CENTRO DE MED. NUCLEAR D	MIBI-99mTc	Bruno Brum	04/01/2022 03:00	211832	04/01/2022 08:10	10,00 mCi	1

Drawn From Lot#: K-20220104-001	Amount Used: 10,852 mCi	Quantity Used: 1	Volume Used: 0,124 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 CENTRO DE MED. NUCLEAR DO Tecnécio-99m		Bruno Brum	04/01/2022 02:39	211833 04/01/2022 08:00	1,00 mCi 1
Drawn From Lot#: E-20220104-002	Amount Used: 1,011 mCi	Quantity Used: 1	Volume Used: 0,007 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 DELBONI RICARDO JAFET MDP-99mTc		Bruno Brum	04/01/2022 04:09	211622 04/01/2022 08:00	20,00 mCi 1
Drawn From Lot#: K-20220104-006	Amount Used: 21,869 mCi	Quantity Used: 1	Volume Used: 0,406 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 DELBONI RICARDO JAFET MDP-99mTc		Bruno Brum	04/01/2022 04:09	211623 04/01/2022 09:00	20,00 mCi 1
Drawn From Lot#: K-20220104-006	Amount Used: 20,799 mCi	Quantity Used: 1	Volume Used: 0,433 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 DELBONI RICARDO JAFET Tecnécio-99m		Bruno Brum	04/01/2022 02:42	211626 04/01/2022 06:00	1,00 mCi 1
Drawn From Lot#: E-20220104-002	Amount Used: 1,077 mCi	Quantity Used: 1	Volume Used: 0,006 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 DELBONI SUMARÉ MIBI-99mTc		Monique Silva	04/01/2022 04:02	211235 04/01/2022 08:30	30,00 mCi 1
Drawn From Lot#: K-20220104-004	Amount Used: 30,877 mCi	Quantity Used: 1	Volume Used: 0,349 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 DELBONI SUMARÉ MIBI-99mTc		Monique Silva	04/01/2022 04:30	211236 04/01/2022 08:50	30,00 mCi 1
Drawn From Lot#: K-20220104-010	Amount Used: 30,206 mCi	Quantity Used: 1	Volume Used: 0,317 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 DELBONI SUMARÉ MIBI-99mTc		Monique Silva	04/01/2022 03:52	211237 04/01/2022 09:10	30,00 mCi 1
Drawn From Lot#: K-20220104-003	Amount Used: 30,651 mCi	Quantity Used: 1	Volume Used: 0,372 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 DELBONI SUMARÉ MIBI-99mTc		Monique Silva	04/01/2022 03:50	211238 04/01/2022 09:30	30,00 mCi 1
Drawn From Lot#: K-20220104-003	Amount Used: 30,16 mCi	Quantity Used: 1	Volume Used: 0,38 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 DELBONI SUMARÉ MIBI-99mTc		Monique Silva	04/01/2022 04:19	211239 04/01/2022 09:50	30,00 mCi 1
Drawn From Lot#: K-20220104-010	Amount Used: 31,004 mCi	Quantity Used: 1	Volume Used: 0,366 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 DELBONI SUMARÉ MIBI-99mTc		Monique Silva	04/01/2022 04:22	211240 04/01/2022 10:10	30,00 mCi 1
Drawn From Lot#: K-20220104-010	Amount Used: 30,367 mCi	Quantity Used: 1	Volume Used: 0,372 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 DELBONI SUMARÉ MIBI-99mTc		Bruno Brum	04/01/2022 03:20	211242 04/01/2022 07:00	10,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 10,087 mCi	Quantity Used: 1	Volume Used: 0,10 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 DELBONI SUMARÉ MIBI-99mTc		Monique Silva	04/01/2022 03:27	211243 04/01/2022 07:10	10,00 mCi 1
Drawn From Lot#: K-20220104-002	Amount Used: 10,159 mCi	Quantity Used: 1	Volume Used: 0,101 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 DELBONI SUMARÉ MIBI-99mTc		Bruno Brum	04/01/2022 03:29	211244 04/01/2022 07:20	10,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 10,261 mCi	Quantity Used: 1	Volume Used: 0,106 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 DELBONI SUMARÉ MIBI-99mTc		Bruno Brum	04/01/2022 03:27	211245 04/01/2022 07:30	10,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 10,967 mCi	Quantity Used: 1	Volume Used: 0,116 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 DELBONI SUMARÉ MIBI-99mTc		Bruno Brum	04/01/2022 03:10	211246 04/01/2022 07:40	10,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 10,412 mCi	Quantity Used: 1	Volume Used: 0,112 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 DELBONI SUMARÉ MIBI-99mTc		Bruno Brum	04/01/2022 03:24	211247 04/01/2022 07:50	10,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 10,493 mCi	Quantity Used: 1	Volume Used: 0,115 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 DELBONI SUMARÉ MIBI-99mTc		Bruno Brum	04/01/2022 03:16	211248 04/01/2022 08:00	10,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 10,483 mCi	Quantity Used: 1	Volume Used: 0,117 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 DELBONI TATUAPÉ DTPA-99mTc		Bruno Brum	04/01/2022 04:16	211657 04/01/2022 10:00	10,00 mCi 1
Drawn From Lot#: K-20220104-007	Amount Used: 10,941 mCi	Quantity Used: 1	Volume Used: 0,637 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 DELBONI TATUAPÉ FITATO-99mTc		Bruno Brum	04/01/2022 04:20	211658 04/01/2022 07:00	1,00 mCi 1
Drawn From Lot#: K-20220104-008	Amount Used: 1,08 mCi	Quantity Used: 1	Volume Used: 0,103 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 DELBONI TATUAPÉ FITATO-99mTc		Bruno Brum	04/01/2022 04:20	211659 04/01/2022 07:30	1,00 mCi 1
Drawn From Lot#: K-20220104-008	Amount Used: 1,104 mCi	Quantity Used: 1	Volume Used: 0,111 ml	Dose Calibrator Used:H5	Hood Used:H5

04/01/2022 05:15	DELBONI TATUAPÉ	MDP-99mTc	Bruno Brum	04/01/2022 04:08	211660	04/01/2022 10:00	20,00 mCi	1
Drawn From Lot#:	K-20220104-006	Amount Used: 20,478 mCi	Quantity Used: 1	Volume Used: 0,479 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	DELBONI TATUAPÉ	Tecnécio-99m	Bruno Brum	04/01/2022 04:24	211662	04/01/2022 08:00	20,00 mCi	1
Drawn From Lot#:	E-20220104-005	Amount Used: 21,65 mCi	Quantity Used: 1	Volume Used: 0,144 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	DIMEN - HOSPITAL LEFORTE	MIBI-99mTc	Monique Silva	04/01/2022 03:32	211737	04/01/2022 09:00	20,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 20,009 mCi	Quantity Used: 1	Volume Used: 0,247 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 05:15	DIMEN VILA MARIANA	FITATO-99mTc	Bruno Brum	04/01/2022 04:19	211837	04/01/2022 07:50	1,00 mCi	1
Drawn From Lot#:	K-20220104-008	Amount Used: 1,128 mCi	Quantity Used: 1	Volume Used: 0,118 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Monique Silva	04/01/2022 03:39	211686	04/01/2022 07:15	25,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 25,347 mCi	Quantity Used: 1	Volume Used: 0,255 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 05:15	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Monique Silva	04/01/2022 03:52	211687	04/01/2022 09:00	36,00 mCi	1
Drawn From Lot#:	K-20220104-003	Amount Used: 36,778 mCi	Quantity Used: 1	Volume Used: 0,438 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 05:15	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Monique Silva	04/01/2022 03:53	211688	04/01/2022 09:30	36,00 mCi	1
Drawn From Lot#:	K-20220104-003	Amount Used: 36,402 mCi	Quantity Used: 1	Volume Used: 0,459 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 05:15	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Monique Silva	04/01/2022 04:01	211689	04/01/2022 10:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-004	Amount Used: 30,334 mCi	Quantity Used: 1	Volume Used: 0,408 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 05:15	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Bruno Brum	04/01/2022 02:58	211697	04/01/2022 07:30	12,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 12,506 mCi	Quantity Used: 1	Volume Used: 0,132 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Bruno Brum	04/01/2022 03:05	211698	04/01/2022 07:45	12,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 12,314 mCi	Quantity Used: 1	Volume Used: 0,134 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Bruno Brum	04/01/2022 03:14	211699	04/01/2022 08:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 10,292 mCi	Quantity Used: 1	Volume Used: 0,122 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Bruno Brum	04/01/2022 03:02	211700	04/01/2022 08:45	10,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 10,237 mCi	Quantity Used: 1	Volume Used: 0,125 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Monique Silva	04/01/2022 03:16	211701	04/01/2022 09:00	12,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 12,747 mCi	Quantity Used: 1	Volume Used: 0,157 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 05:15	FLEURY - HEITOR PENTEADO	Tecnécio-99m	Bruno Brum	04/01/2022 04:26	211707	04/01/2022 10:00	10,00 mCi	1
Drawn From Lot#:	E-20220104-005	Amount Used: 10,31 mCi	Quantity Used: 1	Volume Used: 0,086 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	FLEURY - PARAISO	MDP-99mTc	Bruno Brum	04/01/2022 04:01	211561	04/01/2022 08:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-005	Amount Used: 32,019 mCi	Quantity Used: 1	Volume Used: 0,59 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	FLEURY - PARAISO	MDP-99mTc	Bruno Brum	04/01/2022 03:58	211562	04/01/2022 09:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-005	Amount Used: 32,338 mCi	Quantity Used: 1	Volume Used: 0,669 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	FLEURY - PARAISO	MDP-99mTc	Bruno Brum	04/01/2022 03:57	211563	04/01/2022 10:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-005	Amount Used: 31,891 mCi	Quantity Used: 1	Volume Used: 0,74 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	FLEURY - PARAISO	MIBI-99mTc	Bruno Brum	04/01/2022 03:22	211570	04/01/2022 08:00	10,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 10,956 mCi	Quantity Used: 1	Volume Used: 0,122 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	FLEURY - PARAISO	MIBI-99mTc	Bruno Brum	04/01/2022 03:10	211571	04/01/2022 09:00	10,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 10,713 mCi	Quantity Used: 1	Volume Used: 0,134 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	FLEURY - PARAISO	MIBI-99mTc	Bruno Brum	04/01/2022 03:16	211572	04/01/2022 09:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 10,035 mCi	Quantity Used: 1	Volume Used: 0,133 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	FLEURY - PARAISO	MIBI-99mTc	Bruno Brum	04/01/2022 03:33	211573	04/01/2022 10:00	10,00 mCi	1

Drawn From Lot#: K-20220104-001	Amount Used: 10,784 mCi	Quantity Used: 1	Volume Used: 0,152 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 FLEURY - PARAISO	MIBI-99mTc	Monique Silva	04/01/2022 03:43	211582 04/01/2022 09:30	30,00 mCi 1
Drawn From Lot#: K-20220104-002	Amount Used: 30,734 mCi	Quantity Used: 1	Volume Used: 0,402 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 FLEURY - PONTE ESTAIADA	DMSA - Frio	Bruno Brum	04/01/2022 04:36	211884	1,00each 1
Drawn From Lot#: D00000238	Amount Used: 1,00 each	Quantity Used: 1	Volume Used: 1,00 vial	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 FLEURY - PONTE ESTAIADA	MDP-99mTc	Bruno Brum	04/01/2022 03:58	211844 04/01/2022 08:45	30,00 mCi 1
Drawn From Lot#: K-20220104-005	Amount Used: 30,693 mCi	Quantity Used: 1	Volume Used: 0,616 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 FLEURY - PONTE ESTAIADA	MIBI-99mTc	Monique Silva	04/01/2022 04:07	211845 04/01/2022 09:05	30,00 mCi 1
Drawn From Lot#: K-20220104-004	Amount Used: 32,247 mCi	Quantity Used: 1	Volume Used: 0,39 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 FLEURY - PONTE ESTAIADA	MIBI-99mTc	Monique Silva	04/01/2022 03:23	211848 04/01/2022 07:50	10,00 mCi 1
Drawn From Lot#: K-20220104-002	Amount Used: 10,472 mCi	Quantity Used: 1	Volume Used: 0,113 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 FLEURY - PONTE ESTAIADA	MIBI-99mTc	Bruno Brum	04/01/2022 03:07	211849 04/01/2022 09:30	10,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 10,437 mCi	Quantity Used: 1	Volume Used: 0,139 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 FLEURY - PONTE ESTAIADA	MIBI-99mTc	Monique Silva	04/01/2022 03:16	211850 04/01/2022 10:20	10,00 mCi 1
Drawn From Lot#: K-20220104-002	Amount Used: 10,265 mCi	Quantity Used: 1	Volume Used: 0,148 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 FLEURY - PONTE ESTAIADA	Tecnécio-99m	Bruno Brum	04/01/2022 02:40	211851 04/01/2022 06:30	1,00mCi 1
Drawn From Lot#: E-20220104-002	Amount Used: 1,01 mCi	Quantity Used: 1	Volume Used: 0,006 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 FLEURY - PONTE ESTAIADA	Tecnécio-99m	Bruno Brum	04/01/2022 03:34	211883 04/01/2022 09:30	40,00 mCi 1
Drawn From Lot#: E-20220104-003	Amount Used: 43,268 mCi	Quantity Used: 1	Volume Used: 0,382 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 HCOR PARAÍSO - SPECT	MIBI-99mTc	Monique Silva	04/01/2022 03:46	211738 04/01/2022 08:30	30,00 mCi 1
Drawn From Lot#: K-20220104-003	Amount Used: 30,349 mCi	Quantity Used: 1	Volume Used: 0,341 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 HCOR PARAÍSO - SPECT	MIBI-99mTc	Monique Silva	04/01/2022 03:42	211739 04/01/2022 08:30	30,00 mCi 1
Drawn From Lot#: K-20220104-002	Amount Used: 30,345 mCi	Quantity Used: 1	Volume Used: 0,353 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 HCOR PARAÍSO - SPECT	MIBI-99mTc	Bruno Brum	04/01/2022 03:09	211740 04/01/2022 07:00	10,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 10,389 mCi	Quantity Used: 1	Volume Used: 0,103 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 HCOR PARAÍSO - SPECT	MIBI-99mTc	Bruno Brum	04/01/2022 03:13	211741 04/01/2022 07:00	10,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 10,147 mCi	Quantity Used: 1	Volume Used: 0,101 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 HERMES PARDINI SANTANA	DTPA-99mTc	Bruno Brum	04/01/2022 04:17	211595 04/01/2022 07:00	10,00 mCi 1
Drawn From Lot#: K-20220104-007	Amount Used: 10,598 mCi	Quantity Used: 1	Volume Used: 0,437 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 HERMES PARDINI SANTANA	MIBI-99mTc	Monique Silva	04/01/2022 03:36	211596 04/01/2022 08:00	20,00 mCi 1
Drawn From Lot#: K-20220104-002	Amount Used: 21,306 mCi	Quantity Used: 1	Volume Used: 0,234 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 HERMES PARDINI SANTANA	MIBI-99mTc	Monique Silva	04/01/2022 03:49	211597 04/01/2022 09:00	36,00 mCi 1
Drawn From Lot#: K-20220104-003	Amount Used: 36,457 mCi	Quantity Used: 1	Volume Used: 0,434 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 HERMES PARDINI SANTANA	MIBI-99mTc	Monique Silva	04/01/2022 04:03	211598 04/01/2022 09:20	36,00 mCi 1
Drawn From Lot#: K-20220104-004	Amount Used: 36,636 mCi	Quantity Used: 1	Volume Used: 0,456 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 HERMES PARDINI SANTANA	MIBI-99mTc	Monique Silva	04/01/2022 04:29	211599 04/01/2022 10:00	36,00 mCi 1
Drawn From Lot#: K-20220104-010	Amount Used: 37,459 mCi	Quantity Used: 1	Volume Used: 0,45 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 HERMES PARDINI SANTANA	MIBI-99mTc	Bruno Brum	04/01/2022 03:12	211600 04/01/2022 07:00	12,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 12,32 mCi	Quantity Used: 1	Volume Used: 0,123 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 HERMES PARDINI SANTANA	MIBI-99mTc	Bruno Brum	04/01/2022 03:04	211601 04/01/2022 07:20	12,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 12,346 mCi	Quantity Used: 1	Volume Used: 0,128 ml	Dose Calibrator Used:H5	Hood Used:H5

04/01/2022 05:15	HERMES PARDINI SANTANA	MIBI-99mTc	Bruno Brum	04/01/2022 02:59	211602	04/01/2022 08:00	12,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 12,555 mCi	Quantity Used: 1	Volume Used: 0,14 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	DMSA-99mTc	Bruno Brum	04/01/2022 04:45	211813	04/01/2022 07:20	7,00mCi	1
Drawn From Lot#:	K-20220104-012	Amount Used: 7,304 mCi	Quantity Used: 1	Volume Used: 0,88 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	DMSA-99mTc	Bruno Brum	04/01/2022 04:43	211814	04/01/2022 07:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-011	Amount Used: 10,735 mCi	Quantity Used: 1	Volume Used: 1,254 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	DMSA-99mTc	Bruno Brum	04/01/2022 04:43	211815	04/01/2022 07:30	7,00mCi	1
Drawn From Lot#:	K-20220104-011	Amount Used: 7,464 mCi	Quantity Used: 1	Volume Used: 0,872 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	DMSA-99mTc	Bruno Brum	04/01/2022 04:44	211816	04/01/2022 07:30	7,00mCi	1
Drawn From Lot#:	K-20220104-011	Amount Used: 7,557 mCi	Quantity Used: 1	Volume Used: 0,883 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	DMSA-99mTc	Bruno Brum	04/01/2022 04:46	211817	04/01/2022 07:30	7,00mCi	1
Drawn From Lot#:	K-20220104-012	Amount Used: 7,346 mCi	Quantity Used: 1	Volume Used: 0,903 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	DMSA-99mTc	Bruno Brum	04/01/2022 04:46	211818	04/01/2022 07:30	7,00mCi	1
Drawn From Lot#:	K-20220104-012	Amount Used: 7,784 mCi	Quantity Used: 1	Volume Used: 0,956 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	FITATO-99mTc	Bruno Brum	04/01/2022 04:21	211789	04/01/2022 07:00	1,00mCi	1
Drawn From Lot#:	K-20220104-008	Amount Used: 1,089 mCi	Quantity Used: 1	Volume Used: 0,104 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	MIBI-99mTc	Monique Silva	04/01/2022 03:45	211790	04/01/2022 09:15	36,00 mCi	1
Drawn From Lot#:	K-20220104-003	Amount Used: 36,261 mCi	Quantity Used: 1	Volume Used: 0,444 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	MIBI-99mTc	Monique Silva	04/01/2022 04:16	211791	04/01/2022 09:30	39,00 mCi	1
Drawn From Lot#:	K-20220104-010	Amount Used: 40,019 mCi	Quantity Used: 1	Volume Used: 0,454 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	MIBI-99mTc	Monique Silva	04/01/2022 04:25	211792	04/01/2022 10:00	36,00 mCi	1
Drawn From Lot#:	K-20220104-010	Amount Used: 39,223 mCi	Quantity Used: 1	Volume Used: 0,472 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	MIBI-99mTc	Monique Silva	04/01/2022 04:26	211793	04/01/2022 10:00	36,00 mCi	1
Drawn From Lot#:	K-20220104-010	Amount Used: 36,455 mCi	Quantity Used: 1	Volume Used: 0,438 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	MIBI-99mTc	Bruno Brum	04/01/2022 03:12	211796	04/01/2022 07:15	12,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 12,909 mCi	Quantity Used: 1	Volume Used: 0,132 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	MIBI-99mTc	Bruno Brum	04/01/2022 02:56	211797	04/01/2022 07:30	13,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 13,579 mCi	Quantity Used: 1	Volume Used: 0,143 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	MIBI-99mTc	Bruno Brum	04/01/2022 03:01	211798	04/01/2022 08:00	12,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 12,549 mCi	Quantity Used: 1	Volume Used: 0,14 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	MIBI-99mTc	Bruno Brum	04/01/2022 03:03	211799	04/01/2022 08:30	12,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 12,37 mCi	Quantity Used: 1	Volume Used: 0,146 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	MIBI-99mTc	Bruno Brum	04/01/2022 03:19	211800	04/01/2022 08:45	12,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 12,394 mCi	Quantity Used: 1	Volume Used: 0,151 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	HERMES PARDINI TATUAPÉ	MIBI-99mTc	Bruno Brum	04/01/2022 03:30	211801	04/01/2022 09:00	12,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 12,299 mCi	Quantity Used: 1	Volume Used: 0,154 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 05:15	Hospital 9 de Julho	MIBI-99mTc	Monique Silva	04/01/2022 03:29	211666	04/01/2022 08:40	15,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 15,067 mCi	Quantity Used: 1	Volume Used: 0,179 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 05:15	Hospital 9 de Julho	MIBI-99mTc	Monique Silva	04/01/2022 03:17	211667	04/01/2022 09:00	15,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 15,252 mCi	Quantity Used: 1	Volume Used: 0,188 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 05:15	Hospital 9 de Julho	MIBI-99mTc	Monique Silva	04/01/2022 04:08	211668	04/01/2022 10:20	36,00 mCi	1

Drawn From Lot#: K-20220104-004	Amount Used: 36,087 mCi	Quantity Used: 1	Volume Used: 0,504 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Hospital 9 de Julho	MIBI-99mTc	Bruno Brum	04/01/2022 02:57	211671 04/01/2022 07:30	12,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 12,422 mCi	Quantity Used: 1	Volume Used: 0,131 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 Hospital 9 de Julho	MIBI-99mTc	Bruno Brum	04/01/2022 03:15	211672 04/01/2022 08:00	12,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 12,601 mCi	Quantity Used: 1	Volume Used: 0,141 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 Hospital 9 de Julho	MIBI-99mTc	Monique Silva	04/01/2022 03:33	211673 04/01/2022 08:20	12,00 mCi 1
Drawn From Lot#: K-20220104-002	Amount Used: 12,266 mCi	Quantity Used: 1	Volume Used: 0,14 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Hospital 9 de Julho	MIBI-99mTc	Monique Silva	04/01/2022 03:54	211674 04/01/2022 09:40	36,00 mCi 1
Drawn From Lot#: K-20220104-003	Amount Used: 36,60 mCi	Quantity Used: 1	Volume Used: 0,47 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Hospital 9 de Julho	MIBI-99mTc	Monique Silva	04/01/2022 04:27	211675 04/01/2022 10:00	36,00 mCi 1
Drawn From Lot#: K-20220104-010	Amount Used: 36,843 mCi	Quantity Used: 1	Volume Used: 0,443 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Hospital Alvorada Taguatinga	MIBI-99mTc	Bruno Brum	04/01/2022 03:28	211603 04/01/2022 07:30	10,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 10,215 mCi	Quantity Used: 1	Volume Used: 0,108 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 Hospital Alvorada Taguatinga	MIBI-99mTc	Bruno Brum	04/01/2022 03:18	211604 04/01/2022 07:45	10,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 10,352 mCi	Quantity Used: 1	Volume Used: 0,112 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 Hospital Alvorada Taguatinga	MIBI-99mTc	Bruno Brum	04/01/2022 03:21	211605 04/01/2022 08:00	10,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 10,292 mCi	Quantity Used: 1	Volume Used: 0,115 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 Hospital Alvorada Taguatinga	MIBI-99mTc	Monique Silva	04/01/2022 03:15	211606 04/01/2022 08:30	10,00 mCi 1
Drawn From Lot#: K-20220104-002	Amount Used: 10,258 mCi	Quantity Used: 1	Volume Used: 0,119 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Hospital Alvorada Taguatinga	MIBI-99mTc	Monique Silva	04/01/2022 03:51	211613 04/01/2022 09:30	30,00 mCi 1
Drawn From Lot#: K-20220104-003	Amount Used: 31,209 mCi	Quantity Used: 1	Volume Used: 0,394 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Hospital Alvorada Taguatinga	MIBI-99mTc	Monique Silva	04/01/2022 04:06	211614 04/01/2022 09:45	30,00 mCi 1
Drawn From Lot#: K-20220104-004	Amount Used: 30,011 mCi	Quantity Used: 1	Volume Used: 0,392 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Hospital Alvorada Taguatinga	MIBI-99mTc	Monique Silva	04/01/2022 03:46	211615 04/01/2022 10:00	30,00 mCi 1
Drawn From Lot#: K-20220104-003	Amount Used: 30,543 mCi	Quantity Used: 1	Volume Used: 0,408 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Hospital Alvorada Taguatinga	MIBI-99mTc	Monique Silva	04/01/2022 04:14	211616 04/01/2022 10:15	30,00 mCi 1
Drawn From Lot#: K-20220104-004	Amount Used: 30,964 mCi	Quantity Used: 1	Volume Used: 0,429 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Hospital Alvorada Taguatinga	MIBI-99mTc	Monique Silva	04/01/2022 03:40	211682 04/01/2022 08:00	20,00 mCi 1
Drawn From Lot#: K-20220104-002	Amount Used: 21,108 mCi	Quantity Used: 1	Volume Used: 0,232 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 HOSPITAL BP	MDP-99mTc	Bruno Brum	04/01/2022 04:10	211769 04/01/2022 08:30	30,00 mCi 1
Drawn From Lot#: K-20220104-006	Amount Used: 30,57 mCi	Quantity Used: 1	Volume Used: 0,601 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 HOSPITAL BP	MDP-99mTc	Bruno Brum	04/01/2022 04:10	211770 04/01/2022 09:30	30,00 mCi 1
Drawn From Lot#: K-20220104-006	Amount Used: 30,319 mCi	Quantity Used: 1	Volume Used: 0,669 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 HOSPITAL BP	MIBI-99mTc	Monique Silva	04/01/2022 03:44	211771 04/01/2022 08:30	25,00 mCi 1
Drawn From Lot#: K-20220104-002	Amount Used: 25,384 mCi	Quantity Used: 1	Volume Used: 0,296 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 HOSPITAL BP	MIBI-99mTc	Monique Silva	04/01/2022 04:34	211780 04/01/2022 07:30	18,00 mCi 1
Drawn From Lot#: K-20220104-010	Amount Used: 18,535 mCi	Quantity Used: 1	Volume Used: 0,167 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 HOSPITAL BP	MIBI-99mTc	Monique Silva	04/01/2022 04:32	211781 04/01/2022 08:30	12,00 mCi 1
Drawn From Lot#: K-20220104-010	Amount Used: 12,148 mCi	Quantity Used: 1	Volume Used: 0,123 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 HOSPITAL BP	MIBI-99mTc	Monique Silva	04/01/2022 04:31	211782 04/01/2022 08:45	12,00 mCi 1
Drawn From Lot#: K-20220104-010	Amount Used: 12,088 mCi	Quantity Used: 1	Volume Used: 0,126 ml	Dose Calibrator Used:H4	Hood Used:H4

04/01/2022 05:15	HOSPITAL BP	MIBI-99mTc	Monique Silva	04/01/2022 04:32	211783	04/01/2022 09:00	15,00 mCi	1
Drawn From Lot#:	K-20220104-010	Amount Used: 16,364 mCi	Quantity Used: 1	Volume Used: 0,175 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	HOSPITAL SANTA PAULA	DTPA-99mTc	Bruno Brum	04/01/2022 04:16	211853	04/01/2022 10:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-007	Amount Used: 10,766 mCi	Quantity Used: 1	Volume Used: 0,664 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	Hospital Sírío Libanês - SP	PIRO-99mTc	Bruno Brum	04/01/2022 04:29	209613	04/01/2022 09:30	20,00 mCi	1
Drawn From Lot#:	K-20220104-009	Amount Used: 20,795 mCi	Quantity Used: 1	Volume Used: 1,118 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	INCOR - FUNDAÇÃO ZERBINI	MAA-99mTc	Bruno Brum	04/01/2022 04:41	211553	04/01/2022 09:00	10,00 mCi	1
Drawn From Lot#:	K-20220104-013	Amount Used: 10,877 mCi	Quantity Used: 1	Volume Used: 0,914 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	INCOR - FUNDAÇÃO ZERBINI	MAA-99mTc	Bruno Brum	04/01/2022 04:37	211554	04/01/2022 09:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-013	Amount Used: 10,36 mCi	Quantity Used: 1	Volume Used: 0,922 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	INCOR - FUNDAÇÃO ZERBINI	PIRO-99mTc	Bruno Brum	04/01/2022 04:28	211550	04/01/2022 10:00	20,00 mCi	1
Drawn From Lot#:	K-20220104-009	Amount Used: 20,808 mCi	Quantity Used: 1	Volume Used: 1,185 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	LAVOISIER ANGÉLICA	FITATO-99mTc	Bruno Brum	04/01/2022 04:18	211804	04/01/2022 07:30	2,00 mCi	1
Drawn From Lot#:	K-20220104-008	Amount Used: 2,101 mCi	Quantity Used: 1	Volume Used: 0,212 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	LAVOISIER ANGÉLICA	MAA-99mTc	Bruno Brum	04/01/2022 04:38	211545	04/01/2022 08:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-013	Amount Used: 10,497 mCi	Quantity Used: 1	Volume Used: 0,833 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	LAVOISIER ANGÉLICA	MAA-99mTc	Bruno Brum	04/01/2022 04:39	211805	04/01/2022 09:00	10,00 mCi	1
Drawn From Lot#:	K-20220104-013	Amount Used: 10,654 mCi	Quantity Used: 1	Volume Used: 0,895 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	LAVOISIER ANGÉLICA	MIBI-99mTc	Monique Silva	04/01/2022 03:41	211510	04/01/2022 08:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 30,018 mCi	Quantity Used: 1	Volume Used: 0,33 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	LAVOISIER ANGÉLICA	MIBI-99mTc	Monique Silva	04/01/2022 04:10	211511	04/01/2022 08:20	30,00 mCi	1
Drawn From Lot#:	K-20220104-004	Amount Used: 31,655 mCi	Quantity Used: 1	Volume Used: 0,351 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	LAVOISIER ANGÉLICA	MIBI-99mTc	Monique Silva	04/01/2022 03:48	211512	04/01/2022 08:40	30,00 mCi	1
Drawn From Lot#:	K-20220104-003	Amount Used: 30,511 mCi	Quantity Used: 1	Volume Used: 0,349 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	LAVOISIER ANGÉLICA	MIBI-99mTc	Monique Silva	04/01/2022 04:22	211513	04/01/2022 09:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-010	Amount Used: 30,877 mCi	Quantity Used: 1	Volume Used: 0,331 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	LAVOISIER ANGÉLICA	MIBI-99mTc	Monique Silva	04/01/2022 04:00	211514	04/01/2022 09:20	30,00 mCi	1
Drawn From Lot#:	K-20220104-004	Amount Used: 31,021 mCi	Quantity Used: 1	Volume Used: 0,386 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	LAVOISIER ANGÉLICA	MIBI-99mTc	Monique Silva	04/01/2022 04:04	211515	04/01/2022 09:40	30,00 mCi	1
Drawn From Lot#:	K-20220104-004	Amount Used: 30,132 mCi	Quantity Used: 1	Volume Used: 0,39 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	LAVOISIER ANGÉLICA	MIBI-99mTc	Monique Silva	04/01/2022 03:19	211516	04/01/2022 07:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 10,121 mCi	Quantity Used: 1	Volume Used: 0,105 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 03:11	211517	04/01/2022 07:40	10,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 10,611 mCi	Quantity Used: 1	Volume Used: 0,114 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	LAVOISIER ANGÉLICA	MIBI-99mTc	Monique Silva	04/01/2022 03:20	211518	04/01/2022 07:50	10,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 10,174 mCi	Quantity Used: 1	Volume Used: 0,11 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	LAVOISIER ANGÉLICA	MIBI-99mTc	Monique Silva	04/01/2022 03:22	211519	04/01/2022 08:00	10,00 mCi	1
Drawn From Lot#:	K-20220104-002	Amount Used: 10,663 mCi	Quantity Used: 1	Volume Used: 0,117 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 05:15	LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 03:08	211520	04/01/2022 08:10	10,00 mCi	1
Drawn From Lot#:	K-20220104-001	Amount Used: 10,238 mCi	Quantity Used: 1	Volume Used: 0,117 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 05:15	LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 03:08	211521	04/01/2022 08:20	10,00 mCi	1

Drawn From Lot#: K-20220104-001	Amount Used: 10,262 mCi	Quantity Used: 1	Volume Used: 0,119 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 LAVOISIER ANGÉLICA	Tecnécio-99m	Bruno Brum	04/01/2022 02:37	211522 04/01/2022 06:30	2,00 mCi 1
Drawn From Lot#: E-20220104-002	Amount Used: 2,217 mCi	Quantity Used: 1	Volume Used: 0,014 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 LAVOISIER ANGÉLICA	Tecnécio-99m	Monique Silva	04/01/2022 04:38	211812 04/01/2022 09:30	20,00 mCi 1
Drawn From Lot#: E-20220104-006	Amount Used: 20,987 mCi	Quantity Used: 1	Volume Used: 0,976 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Onco Star SP	MIBI-99mTc	Monique Silva	04/01/2022 03:13	211639 04/01/2022 10:00	10,00 mCi 1
Drawn From Lot#: K-20220104-002	Amount Used: 10,149 mCi	Quantity Used: 1	Volume Used: 0,14 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Rede D'or São Luiz - Anália	MIBI-99mTc	Monique Silva	04/01/2022 03:49	211709 04/01/2022 09:30	30,00 mCi 1
Drawn From Lot#: K-20220104-003	Amount Used: 30,572 mCi	Quantity Used: 1	Volume Used: 0,385 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Rede D'or São Luiz - Anália	MIBI-99mTc	Monique Silva	04/01/2022 04:18	211710 04/01/2022 09:50	30,00 mCi 1
Drawn From Lot#: K-20220104-010	Amount Used: 30,736 mCi	Quantity Used: 1	Volume Used: 0,363 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Rede D'or São Luiz - Anália	MIBI-99mTc	Monique Silva	04/01/2022 04:05	211711 04/01/2022 10:10	30,00 mCi 1
Drawn From Lot#: K-20220104-004	Amount Used: 30,035 mCi	Quantity Used: 1	Volume Used: 0,412 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Rede D'or São Luiz - Anália	MIBI-99mTc	Bruno Brum	04/01/2022 03:17	211714 04/01/2022 07:00	10,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 10,485 mCi	Quantity Used: 1	Volume Used: 0,104 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 Rede D'or São Luiz - Anália	MIBI-99mTc	Monique Silva	04/01/2022 03:30	211715 04/01/2022 07:20	10,00 mCi 1
Drawn From Lot#: K-20220104-002	Amount Used: 10,474 mCi	Quantity Used: 1	Volume Used: 0,107 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 05:15 Rede D'or São Luiz - Anália	MIBI-99mTc	Bruno Brum	04/01/2022 02:59	211716 04/01/2022 07:40	10,00 mCi 1
Drawn From Lot#: K-20220104-001	Amount Used: 10,369 mCi	Quantity Used: 1	Volume Used: 0,111 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 05:15 Rede D'or São Luiz - Anália	Tecnécio-99m	Bruno Brum	04/01/2022 04:23	211719 04/01/2022 09:00	80,00 mCi 1
Drawn From Lot#: E-20220104-005	Amount Used: 80,828 mCi	Quantity Used: 1	Volume Used: 0,601 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 06:50 DIMEN - HOSPITAL LEFORTE	DOTATOC-68Ga	Monique Silva	04/01/2022 06:56	210259 04/01/2022 07:45	3,50 mCi 1
Drawn From Lot#: K-20220104-019	Amount Used: 3,601 mCi	Quantity Used: 1	Volume Used: 1,575 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 06:50 FLEURY - PARAISO	DOTATOC-68Ga	Monique Silva	04/01/2022 06:57	211560 04/01/2022 07:35	3,50 mCi 1
Drawn From Lot#: K-20220104-019	Amount Used: 3,801 mCi	Quantity Used: 1	Volume Used: 1,499 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 AC CAMARGO	MDP-99mTc	Monique Silva	04/01/2022 08:05	211746 04/01/2022 11:00	25,00 mCi 1
Drawn From Lot#: K-20220104-027	Amount Used: 25,068 mCi	Quantity Used: 1	Volume Used: 0,445 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 AC CAMARGO	MDP-99mTc	Monique Silva	04/01/2022 07:59	211747 04/01/2022 11:15	25,00 mCi 1
Drawn From Lot#: K-20220104-022	Amount Used: 25,722 mCi	Quantity Used: 1	Volume Used: 0,477 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 AC CAMARGO	MDP-99mTc	Monique Silva	04/01/2022 08:07	211754 04/01/2022 10:30	25,00 mCi 1
Drawn From Lot#: K-20220104-027	Amount Used: 25,75 mCi	Quantity Used: 1	Volume Used: 0,431 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 AC CAMARGO	MDP-99mTc	Monique Silva	04/01/2022 07:58	211755 04/01/2022 13:00	25,00 mCi 1
Drawn From Lot#: K-20220104-022	Amount Used: 25,792 mCi	Quantity Used: 1	Volume Used: 0,585 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 AC CAMARGO	MDP-99mTc	Monique Silva	04/01/2022 07:57	211756 04/01/2022 13:15	25,00 mCi 1
Drawn From Lot#: K-20220104-022	Amount Used: 26,366 mCi	Quantity Used: 1	Volume Used: 0,615 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 AC CAMARGO	MIBI-99mTc	Bruno Brum	04/01/2022 09:09	211764 04/01/2022 12:45	10,00 mCi 1
Drawn From Lot#: K-20220104-017	Amount Used: 10,561 mCi	Quantity Used: 1	Volume Used: 0,123 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 AC CAMARGO	MIBI-99mTc	Bruno Brum	04/01/2022 09:11	211765 04/01/2022 12:30	10,00 mCi 1
Drawn From Lot#: K-20220104-017	Amount Used: 10,093 mCi	Quantity Used: 1	Volume Used: 0,114 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 AC CAMARGO	MIBI-99mTc	Bruno Brum	04/01/2022 09:07	211766 04/01/2022 13:00	10,00 mCi 1
Drawn From Lot#: K-20220104-017	Amount Used: 10,414 mCi	Quantity Used: 1	Volume Used: 0,124 ml	Dose Calibrator Used:H4	Hood Used:H4

04/01/2022 08:45	AC CAMARGO	MIBI-99mTc	Bruno Brum	04/01/2022 09:02	211767	04/01/2022 13:15	10,00 mCi	1
Drawn From Lot#:	K-20220104-017	Amount Used: 10,88 mCi	Quantity Used: 1	Volume Used: 0,134 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	ALTA JARDINS - DASA	MIBI-99mTc	Marcio Batista	04/01/2022 07:23	211500	04/01/2022 11:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-014	Amount Used: 31,49 mCi	Quantity Used: 1	Volume Used: 0,312 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	BP MIRANTE	MDP-99mTc	Monique Silva	04/01/2022 07:51	211871	04/01/2022 10:30	30,00 mCi	1
Drawn From Lot#:	K-20220104-020	Amount Used: 30,198 mCi	Quantity Used: 1	Volume Used: 0,534 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 08:45	BP MIRANTE	MIBI-99mTc	Bruno Brum	04/01/2022 08:59	211872	04/01/2022 11:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-017	Amount Used: 32,17 mCi	Quantity Used: 1	Volume Used: 0,305 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	BP MIRANTE	MIBI-99mTc	Bruno Brum	04/01/2022 08:56	211873	04/01/2022 11:20	45,00 mCi	1
Drawn From Lot#:	K-20220104-017	Amount Used: 47,457 mCi	Quantity Used: 1	Volume Used: 0,468 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	BP MIRANTE	MIBI-99mTc	Bruno Brum	04/01/2022 08:57	211874	04/01/2022 11:50	30,00 mCi	1
Drawn From Lot#:	K-20220104-017	Amount Used: 31,19 mCi	Quantity Used: 1	Volume Used: 0,326 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	BP MIRANTE	MIBI-99mTc	Marcio Batista	04/01/2022 07:21	211875	04/01/2022 12:10	30,00 mCi	1
Drawn From Lot#:	K-20220104-014	Amount Used: 30,458 mCi	Quantity Used: 1	Volume Used: 0,346 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	CEDIMEN - SPECT	MIBI-99mTc	Bruno Brum	04/01/2022 09:00	211645	04/01/2022 10:50	30,00 mCi	1
Drawn From Lot#:	K-20220104-017	Amount Used: 30,513 mCi	Quantity Used: 1	Volume Used: 0,284 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	CEDIMEN - SPECT	MIBI-99mTc	Bruno Brum	04/01/2022 08:58	211646	04/01/2022 11:40	30,00 mCi	1
Drawn From Lot#:	K-20220104-017	Amount Used: 31,05 mCi	Quantity Used: 1	Volume Used: 0,318 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	CEDIMEN - SPECT	MIBI-99mTc	Bruno Brum	04/01/2022 08:56	211647	04/01/2022 12:30	30,00 mCi	1
Drawn From Lot#:	K-20220104-017	Amount Used: 31,473 mCi	Quantity Used: 1	Volume Used: 0,355 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	CENTRO DE MED. NUCLEAR D	DMSA-99mTc	Bruno Brum	04/01/2022 08:54	211820	04/01/2022 10:30	3,00 mCi	1
Drawn From Lot#:	K-20220104-026	Amount Used: 3,292 mCi	Quantity Used: 1	Volume Used: 0,335 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	CENTRO DE MED. NUCLEAR D	DMSA-99mTc	Bruno Brum	04/01/2022 08:53	211821	04/01/2022 10:40	5,00 mCi	1
Drawn From Lot#:	K-20220104-026	Amount Used: 5,145 mCi	Quantity Used: 1	Volume Used: 0,533 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	CENTRO DE MED. NUCLEAR D	MIBI-99mTc	Bruno Brum	04/01/2022 09:03	211826	04/01/2022 10:50	30,00 mCi	1
Drawn From Lot#:	K-20220104-017	Amount Used: 31,992 mCi	Quantity Used: 1	Volume Used: 0,298 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	CENTRO DE MED. NUCLEAR D	MIBI-99mTc	Marcio Batista	04/01/2022 07:35	211827	04/01/2022 11:40	30,00 mCi	1
Drawn From Lot#:	K-20220104-014	Amount Used: 30,778 mCi	Quantity Used: 1	Volume Used: 0,33 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	DELBONI RICARDO JAFET	DMSA-99mTc	Bruno Brum	04/01/2022 08:49	211618	04/01/2022 10:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-025	Amount Used: 10,829 mCi	Quantity Used: 1	Volume Used: 1,168 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	DELBONI RICARDO JAFET	DMSA-99mTc	Bruno Brum	04/01/2022 08:48	211619	04/01/2022 10:40	10,00 mCi	1
Drawn From Lot#:	K-20220104-024	Amount Used: 10,158 mCi	Quantity Used: 1	Volume Used: 1,107 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	DELBONI RICARDO JAFET	DMSA-99mTc	Marcio Batista	04/01/2022 08:46	211620	04/01/2022 10:50	10,00 mCi	1
Drawn From Lot#:	K-20220104-024	Amount Used: 10,163 mCi	Quantity Used: 1	Volume Used: 1,129 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 08:45	DELBONI RICARDO JAFET	DTPA-99mTc	Monique Silva	04/01/2022 07:05	211621	04/01/2022 12:00	10,00 mCi	1
Drawn From Lot#:	K-20220104-016	Amount Used: 10,83 mCi	Quantity Used: 1	Volume Used: 0,801 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 08:45	DELBONI RICARDO JAFET	MDP-99mTc	Monique Silva	04/01/2022 08:04	211624	04/01/2022 13:00	20,00 mCi	1
Drawn From Lot#:	K-20220104-027	Amount Used: 0,00 mCi	Quantity Used: 1	Volume Used: 0,00 ml	Dose Calibrator Used:H5	Hood Used:H5		
Drawn From Lot#:	K-20220104-022	Amount Used: 20,00 mCi	Quantity Used: 1	Volume Used: 0,454 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 08:45	DELBONI SUMARÉ	DTPA-99mTc	Monique Silva	04/01/2022 07:06	211233	04/01/2022 11:50	10,00 mCi	1
Drawn From Lot#:	K-20220104-016	Amount Used: 10,194 mCi	Quantity Used: 1	Volume Used: 0,739 ml	Dose Calibrator Used:H5	Hood Used:H5		

04/01/2022 08:45	DELBONI SUMARÉ	DTPA-99mTc	Monique Silva	04/01/2022 07:04	211234	04/01/2022 12:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-016	Amount Used: 10,257 mCi	Quantity Used: 1	Volume Used: 0,804 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	DELBONI SUMARÉ	FITATO-99mTc	Monique Silva	04/01/2022 08:44	211885	04/01/2022 14:00	2,00 mCi	1
Drawn From Lot#:	K-20220104-028	Amount Used: 2,167 mCi	Quantity Used: 1	Volume Used: 0,123 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	DELBONI SUMARÉ	MDP-99mTc	Monique Silva	04/01/2022 07:49	211886	04/01/2022 13:30	30,00 mCi	1
Drawn From Lot#:	K-20220104-020	Amount Used: 30,053 mCi	Quantity Used: 1	Volume Used: 0,751 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	DELBONI SUMARÉ	MIBI-99mTc	Marcio Batista	04/01/2022 07:26	211241	04/01/2022 10:30	30,00 mCi	1
Drawn From Lot#:	K-20220104-014	Amount Used: 31,096 mCi	Quantity Used: 1	Volume Used: 0,291 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	DELBONI TATUAPÉ	DMSA-99mTc	Bruno Brum	04/01/2022 08:50	211656	04/01/2022 10:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-025	Amount Used: 10,601 mCi	Quantity Used: 1	Volume Used: 1,144 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	DELBONI TATUAPÉ	MDP-99mTc	Monique Silva	04/01/2022 07:56	211661	04/01/2022 12:00	20,00 mCi	1
Drawn From Lot#:	K-20220104-022	Amount Used: 20,515 mCi	Quantity Used: 1	Volume Used: 0,415 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	DIMEN VILA MARIANA	DTPA-99mTc	Monique Silva	04/01/2022 07:01	211835	04/01/2022 10:50	5,00 mCi	1
Drawn From Lot#:	K-20220104-007	Amount Used: 5,118 mCi	Quantity Used: 1	Volume Used: 0,328 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	DIMEN VILA MARIANA	DTPA-99mTc	Monique Silva	04/01/2022 07:03	211836	04/01/2022 11:50	5,00 mCi	1
Drawn From Lot#:	K-20220104-016	Amount Used: 5,378 mCi	Quantity Used: 1	Volume Used: 0,39 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	DIMEN VILA MARIANA	FITATO-99mTc	Jacqueline Silva	04/01/2022 09:10	211895	04/01/2022 12:40	1,00 mCi	1
Drawn From Lot#:	K-20220104-028	Amount Used: 1,044 mCi	Quantity Used: 1	Volume Used: 0,051 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	DIMEN VILA MARIANA	MDP-99mTc	Monique Silva	04/01/2022 07:57	211838	04/01/2022 10:40	33,00 mCi	1
Drawn From Lot#:	K-20220104-022	Amount Used: 34,059 mCi	Quantity Used: 1	Volume Used: 0,59 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	DIMEN VILA MARIANA	MDP-99mTc	Monique Silva	04/01/2022 07:55	211839	04/01/2022 11:00	35,00 mCi	1
Drawn From Lot#:	K-20220104-022	Amount Used: 36,013 mCi	Quantity Used: 1	Volume Used: 0,648 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	DIMEN VILA MARIANA	MDP-99mTc	Monique Silva	04/01/2022 07:56	211840	04/01/2022 11:20	27,00 mCi	1
Drawn From Lot#:	K-20220104-022	Amount Used: 28,438 mCi	Quantity Used: 1	Volume Used: 0,532 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	DIMEN VILA MARIANA	MDP-99mTc	Monique Silva	04/01/2022 07:46	211841	04/01/2022 11:40	40,00 mCi	1
Drawn From Lot#:	K-20220104-020	Amount Used: 41,318 mCi	Quantity Used: 1	Volume Used: 0,835 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Marcio Batista	04/01/2022 07:08	211690	04/01/2022 10:30	30,00 mCi	1
Drawn From Lot#:	K-20220104-014	Amount Used: 30,852 mCi	Quantity Used: 1	Volume Used: 0,289 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Marcio Batista	04/01/2022 07:10	211691	04/01/2022 11:00	36,00 mCi	1
Drawn From Lot#:	K-20220104-014	Amount Used: 38,168 mCi	Quantity Used: 1	Volume Used: 0,379 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Marcio Batista	04/01/2022 07:18	211702	04/01/2022 12:15	12,00 mCi	1
Drawn From Lot#:	K-20220104-014	Amount Used: 13,105 mCi	Quantity Used: 1	Volume Used: 0,15 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Marcio Batista	04/01/2022 07:14	211703	04/01/2022 12:45	12,00 mCi	1
Drawn From Lot#:	K-20220104-014	Amount Used: 12,486 mCi	Quantity Used: 1	Volume Used: 0,152 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Bruno Brum	04/01/2022 09:05	211704	04/01/2022 13:00	10,00 mCi	1
Drawn From Lot#:	K-20220104-017	Amount Used: 10,755 mCi	Quantity Used: 1	Volume Used: 0,128 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	FLEURY - PARAISO	MDP-99mTc	Monique Silva	04/01/2022 07:50	211564	04/01/2022 12:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-020	Amount Used: 30,295 mCi	Quantity Used: 1	Volume Used: 0,636 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	FLEURY - PARAISO	MDP-99mTc	Monique Silva	04/01/2022 07:48	211565	04/01/2022 13:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-020	Amount Used: 30,788 mCi	Quantity Used: 1	Volume Used: 0,726 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	FLEURY - PARAISO	MIBI-99mTc	Marcio Batista	04/01/2022 06:57	211574	04/01/2022 11:00	10,00 mCi	1

Drawn From Lot#: K-20220104-014	Amount Used: 10,215 mCi	Quantity Used: 1	Volume Used: 0,101 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 FLEURY - PARAISO	MIBI-99mTc	Marcio Batista	04/01/2022 06:59	211575 04/01/2022 11:30	10,00 mCi 1
Drawn From Lot#: K-20220104-014	Amount Used: 10,51 mCi	Quantity Used: 1	Volume Used: 0,11 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 FLEURY - PARAISO	MIBI-99mTc	Bruno Brum	04/01/2022 09:10	211576 04/01/2022 12:00	10,00 mCi 1
Drawn From Lot#: K-20220104-017	Amount Used: 10,24 mCi	Quantity Used: 1	Volume Used: 0,109 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 FLEURY - PARAISO	MIBI-99mTc	Bruno Brum	04/01/2022 09:09	211577 04/01/2022 12:30	10,00 mCi 1
Drawn From Lot#: K-20220104-017	Amount Used: 10,259 mCi	Quantity Used: 1	Volume Used: 0,116 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 FLEURY - PARAISO	MIBI-99mTc	Bruno Brum	04/01/2022 09:01	211583 04/01/2022 10:30	30,00 mCi 1
Drawn From Lot#: K-20220104-017	Amount Used: 30,506 mCi	Quantity Used: 1	Volume Used: 0,273 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 FLEURY - PARAISO	MIBI-99mTc	Bruno Brum	04/01/2022 09:04	211584 04/01/2022 11:00	30,00 mCi 1
Drawn From Lot#: K-20220104-017	Amount Used: 32,803 mCi	Quantity Used: 1	Volume Used: 0,311 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 FLEURY - PARAISO	MIBI-99mTc	Marcio Batista	04/01/2022 07:29	211585 04/01/2022 11:30	30,00 mCi 1
Drawn From Lot#: K-20220104-014	Amount Used: 30,321 mCi	Quantity Used: 1	Volume Used: 0,319 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 FLEURY - PARAISO	MIBI-99mTc	Marcio Batista	04/01/2022 07:15	211586 04/01/2022 12:30	30,00 mCi 1
Drawn From Lot#: K-20220104-014	Amount Used: 30,283 mCi	Quantity Used: 1	Volume Used: 0,357 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 FLEURY - PARAISO	MIBI-99mTc	Marcio Batista	04/01/2022 07:25	211587 04/01/2022 13:00	30,00 mCi 1
Drawn From Lot#: K-20220104-014	Amount Used: 32,397 mCi	Quantity Used: 1	Volume Used: 0,405 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 FLEURY - PONTE ESTAIADA	MIBI-99mTc	Bruno Brum	04/01/2022 09:20	211846 04/01/2022 10:45	30,00 mCi 1
Drawn From Lot#: K-20220104-017	Amount Used: 32,013 mCi	Quantity Used: 1	Volume Used: 0,295 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 FLEURY - PONTE ESTAIADA	MIBI-99mTc	Marcio Batista	04/01/2022 07:27	211847 04/01/2022 11:35	30,00 mCi 1
Drawn From Lot#: K-20220104-014	Amount Used: 30,538 mCi	Quantity Used: 1	Volume Used: 0,324 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 HERMES PARDINI TATUAPÉ	MDP-99mTc	Monique Silva	04/01/2022 08:02	211819 04/01/2022 11:15	30,00 mCi 1
Drawn From Lot#: K-20220104-022	Amount Used: 30,494 mCi	Quantity Used: 1	Volume Used: 0,565 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 HERMES PARDINI TATUAPÉ	MIBI-99mTc	Marcio Batista	04/01/2022 07:05	211794 04/01/2022 10:30	36,00 mCi 1
Drawn From Lot#: K-20220104-014	Amount Used: 36,202 mCi	Quantity Used: 1	Volume Used: 0,339 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 HERMES PARDINI TATUAPÉ	MIBI-99mTc	Marcio Batista	04/01/2022 07:31	211795 04/01/2022 10:45	36,00 mCi 1
Drawn From Lot#: K-20220104-014	Amount Used: 36,291 mCi	Quantity Used: 1	Volume Used: 0,35 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 Hospital 9 de Julho	FITATO-99mTc	Monique Silva	04/01/2022 08:58	211663 04/01/2022 12:30	2,00 mCi 1
Drawn From Lot#: K-20220104-028	Amount Used: 2,002 mCi	Quantity Used: 1	Volume Used: 0,096 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 Hospital 9 de Julho	FITATO-99mTc	Jacqueline Silva	04/01/2022 09:07	211664 04/01/2022 12:30	2,00 mCi 1
Drawn From Lot#: K-20220104-028	Amount Used: 2,179 mCi	Quantity Used: 1	Volume Used: 0,104 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 Hospital 9 de Julho	FITATO-99mTc	Jacqueline Silva	04/01/2022 09:08	211665 04/01/2022 12:30	2,00 mCi 1
Drawn From Lot#: K-20220104-028	Amount Used: 2,15 mCi	Quantity Used: 1	Volume Used: 0,103 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 Hospital 9 de Julho	MIBI-99mTc	Marcio Batista	04/01/2022 07:02	211669 04/01/2022 10:40	45,00 mCi 1
Drawn From Lot#: K-20220104-014	Amount Used: 47,41 mCi	Quantity Used: 1	Volume Used: 0,452 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 Hospital 9 de Julho	MIBI-99mTc	Monique Silva	04/01/2022 04:40	211670 04/01/2022 11:00	45,00 mCi 1
Drawn From Lot#: K-20220104-010	Amount Used: 46,084 mCi	Quantity Used: 1	Volume Used: 0,622 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 Hospital 9 de Julho	Tecnécio-99m	Monique Silva	04/01/2022 07:18	211676 04/01/2022 13:00	20,00 mCi 1
Drawn From Lot#: E-20220104-010	Amount Used: 21,498 mCi	Quantity Used: 1	Volume Used: 0,384 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 Hospital Alvorada Taguatinga	MIBI-99mTc	Bruno Brum	04/01/2022 09:06	211607 04/01/2022 11:30	10,00 mCi 1
Drawn From Lot#: K-20220104-017	Amount Used: 10,598 mCi	Quantity Used: 1	Volume Used: 0,106 ml	Dose Calibrator Used:H4	Hood Used:H4

04/01/2022 08:45	Hospital Alvorada Taguatinga	MIBI-99mTc	Bruno Brum	04/01/2022 09:18	211608	04/01/2022 12:00	10,00 mCi	1
Drawn From Lot#:	K-20220104-017	Amount Used: 10,472 mCi	Quantity Used: 1	Volume Used: 0,111 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	Hospital Alvorada Taguatinga	MIBI-99mTc	Bruno Brum	04/01/2022 09:14	211609	04/01/2022 12:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-017	Amount Used: 10,632 mCi	Quantity Used: 1	Volume Used: 0,12 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	Hospital Alvorada Taguatinga	MIBI-99mTc	Bruno Brum	04/01/2022 09:08	211610	04/01/2022 13:00	10,00 mCi	1
Drawn From Lot#:	K-20220104-017	Amount Used: 10,753 mCi	Quantity Used: 1	Volume Used: 0,128 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	Hospital Alvorada Taguatinga	MIBI-99mTc	Marcio Batista	04/01/2022 07:12	211611	04/01/2022 13:15	10,00 mCi	1
Drawn From Lot#:	K-20220104-014	Amount Used: 10,249 mCi	Quantity Used: 1	Volume Used: 0,132 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	HOSPITAL BP	DMSA-99mTc	Bruno Brum	04/01/2022 08:55	211768	04/01/2022 11:00	5,00 mCi	1
Drawn From Lot#:	K-20220104-026	Amount Used: 5,434 mCi	Quantity Used: 1	Volume Used: 0,585 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	HOSPITAL BP	MDP-99mTc	Monique Silva	04/01/2022 08:08	211852	04/01/2022 10:30	30,00 mCi	1
Drawn From Lot#:	K-20220104-027	Amount Used: 30,592 mCi	Quantity Used: 1	Volume Used: 0,512 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	HOSPITAL BP	MIBI-99mTc	Bruno Brum	04/01/2022 09:27	211772	04/01/2022 09:30	45,00 mCi	1
Drawn From Lot#:	K-20220104-029	Amount Used: 45,238 mCi	Quantity Used: 1	Volume Used: 0,298 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	HOSPITAL BP	MIBI-99mTc	Bruno Brum	04/01/2022 09:29	211773	04/01/2022 10:30	30,00 mCi	1
Drawn From Lot#:	K-20220104-029	Amount Used: 30,146 mCi	Quantity Used: 1	Volume Used: 0,223 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	HOSPITAL BP	MIBI-99mTc	Bruno Brum	04/01/2022 09:29	211774	04/01/2022 10:45	30,00 mCi	1
Drawn From Lot#:	K-20220104-029	Amount Used: 32,313 mCi	Quantity Used: 1	Volume Used: 0,246 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	HOSPITAL BP	MIBI-99mTc	Bruno Brum	04/01/2022 09:30	211775	04/01/2022 12:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-029	Amount Used: 32,374 mCi	Quantity Used: 1	Volume Used: 0,285 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	HOSPITAL BP	MIBI-99mTc	Bruno Brum	04/01/2022 09:25	211784	04/01/2022 10:00	12,00 mCi	1
Drawn From Lot#:	K-20220104-029	Amount Used: 12,809 mCi	Quantity Used: 1	Volume Used: 0,09 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	HOSPITAL BP	MIBI-99mTc	Bruno Brum	04/01/2022 09:22	211785	04/01/2022 10:25	12,00 mCi	1
Drawn From Lot#:	K-20220104-017	Amount Used: 12,845 mCi	Quantity Used: 1	Volume Used: 0,114 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	HOSPITAL BP	MIBI-99mTc	Bruno Brum	04/01/2022 09:21	211786	04/01/2022 11:40	18,00 mCi	1
Drawn From Lot#:	K-20220104-017	Amount Used: 18,446 mCi	Quantity Used: 1	Volume Used: 0,189 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	HOSPITAL BP	MIBI-99mTc	Bruno Brum	04/01/2022 09:28	211890	04/01/2022 11:30	30,00 mCi	1
Drawn From Lot#:	K-20220104-029	Amount Used: 30,212 mCi	Quantity Used: 1	Volume Used: 0,251 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	HOSPITAL BP	MIBI-99mTc	Bruno Brum	04/01/2022 09:26	211891	04/01/2022 09:30	12,00 mCi	1
Drawn From Lot#:	K-20220104-029	Amount Used: 12,672 mCi	Quantity Used: 1	Volume Used: 0,084 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 08:45	HOSPITAL SANTA PAULA	MDP-99mTc	Monique Silva	04/01/2022 08:05	211854	04/01/2022 13:00	20,00 mCi	1
Drawn From Lot#:	K-20220104-027	Amount Used: 21,49 mCi	Quantity Used: 1	Volume Used: 0,48 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	IBCC	MDP-99mTc	Monique Silva	04/01/2022 07:54	211641	04/01/2022 12:30	28,00 mCi	1
Drawn From Lot#:	K-20220104-022	Amount Used: 28,584 mCi	Quantity Used: 1	Volume Used: 0,612 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	IBCC	MDP-99mTc	Monique Silva	04/01/2022 07:47	211642	04/01/2022 13:00	28,00 mCi	1
Drawn From Lot#:	K-20220104-020	Amount Used: 29,413 mCi	Quantity Used: 1	Volume Used: 0,693 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	IBCC	MDP-99mTc	Monique Silva	04/01/2022 07:51	211677	04/01/2022 12:30	28,00 mCi	1
Drawn From Lot#:	K-20220104-020	Amount Used: 28,01 mCi	Quantity Used: 1	Volume Used: 0,623 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	IBCC	MDP-99mTc	Monique Silva	04/01/2022 07:52	211678	04/01/2022 13:00	28,00 mCi	1
Drawn From Lot#:	K-20220104-020	Amount Used: 28,593 mCi	Quantity Used: 1	Volume Used: 0,674 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 08:45	INCOR - FUNDAÇÃO ZERBINI	PIRO-99mTc	Monique Silva	04/01/2022 08:11	211551	04/01/2022 10:30	20,00 mCi	1

Drawn From Lot#: K-20220104-018	Amount Used: 20,36 mCi	Quantity Used: 1	Volume Used: 0,98 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 INCOR - FUNDAÇÃO ZERBINI PIRO-99mTc	Monique Silva	04/01/2022 08:10	211552 04/01/2022 11:00	20,00 mCi	1
Drawn From Lot#: K-20220104-018	Amount Used: 21,202 mCi	Quantity Used: 1	Volume Used: 1,081 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 LAVOISIER ANGÉLICA DMSA-99mTc	Bruno Brum	04/01/2022 08:48	211548 04/01/2022 10:40	10,00 mCi	1
Drawn From Lot#: K-20220104-024	Amount Used: 10,134 mCi	Quantity Used: 1	Volume Used: 1,104 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 LAVOISIER ANGÉLICA DMSA-99mTc	Bruno Brum	04/01/2022 08:51	211802 04/01/2022 10:30	10,00 mCi	1
Drawn From Lot#: K-20220104-025	Amount Used: 10,721 mCi	Quantity Used: 1	Volume Used: 1,157 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 LAVOISIER ANGÉLICA MDP-99mTc	Monique Silva	04/01/2022 07:53	211546 04/01/2022 10:30	20,00 mCi	1
Drawn From Lot#: K-20220104-020	Amount Used: 21,441 mCi	Quantity Used: 1	Volume Used: 0,379 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 LAVOISIER ANGÉLICA MDP-99mTc	Monique Silva	04/01/2022 08:00	211547 04/01/2022 12:30	20,00 mCi	1
Drawn From Lot#: K-20220104-022	Amount Used: 20,288 mCi	Quantity Used: 1	Volume Used: 0,434 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 LAVOISIER ANGÉLICA MDP-99mTc	Monique Silva	04/01/2022 08:08	211806 04/01/2022 11:00	25,00 mCi	1
Drawn From Lot#: K-20220104-027	Amount Used: 25,716 mCi	Quantity Used: 1	Volume Used: 0,456 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 LAVOISIER ANGÉLICA MIBI-99mTc	Bruno Brum	04/01/2022 09:17	211537 04/01/2022 12:00	10,00 mCi	1
Drawn From Lot#: K-20220104-017	Amount Used: 10,89 mCi	Quantity Used: 1	Volume Used: 0,116 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 LAVOISIER ANGÉLICA MIBI-99mTc	Bruno Brum	04/01/2022 09:15	211538 04/01/2022 12:10	10,00 mCi	1
Drawn From Lot#: K-20220104-017	Amount Used: 10,642 mCi	Quantity Used: 1	Volume Used: 0,115 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 LAVOISIER ANGÉLICA MIBI-99mTc	Bruno Brum	04/01/2022 09:13	211539 04/01/2022 12:20	10,00 mCi	1
Drawn From Lot#: K-20220104-017	Amount Used: 10,189 mCi	Quantity Used: 1	Volume Used: 0,113 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 LAVOISIER ANGÉLICA MIBI-99mTc	Bruno Brum	04/01/2022 09:06	211540 04/01/2022 12:30	10,00 mCi	1
Drawn From Lot#: K-20220104-017	Amount Used: 10,538 mCi	Quantity Used: 1	Volume Used: 0,119 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 LAVOISIER ANGÉLICA MIBI-99mTc	Bruno Brum	04/01/2022 09:03	211541 04/01/2022 13:00	10,00 mCi	1
Drawn From Lot#: K-20220104-017	Amount Used: 10,904 mCi	Quantity Used: 1	Volume Used: 0,13 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 Onco Star SP MIBI-99mTc	Marcio Batista	04/01/2022 07:30	211638 04/01/2022 11:30	30,00 mCi	1
Drawn From Lot#: K-20220104-014	Amount Used: 30,759 mCi	Quantity Used: 1	Volume Used: 0,323 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 08:45 Prevent Senior Private MAA-99mTc	Monique Silva	04/01/2022 08:19	211631 04/01/2022 13:20	10,00 mCi	1
Drawn From Lot#: K-20220104-023	Amount Used: 10,538 mCi	Quantity Used: 1	Volume Used: 2,625 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 08:45 UDDO - ITAPEVA MAA-99mTc	Monique Silva	04/01/2022 08:13	211887 04/01/2022 10:30	5,00 mCi	1
Drawn From Lot#: K-20220104-021	Amount Used: 5,317 mCi	Quantity Used: 1	Volume Used: 0,608 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 09:50 AC CAMARGO DOTATOC-68Ga	Bruno Brum	04/01/2022 09:47	211637 04/01/2022 10:35	3,50 mCi	1
Drawn From Lot#: K-20220104-035	Amount Used: 3,694 mCi	Quantity Used: 1	Volume Used: 2,144 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 09:50 DIMEN VILA MARIANA DOTATOC-68Ga	Bruno Brum	04/01/2022 09:48	210677 04/01/2022 10:40	3,50 mCi	1
Drawn From Lot#: K-20220104-035	Amount Used: 3,847 mCi	Quantity Used: 1	Volume Used: 2,351 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 12:00 AC CAMARGO MDP-99mTc	Monique Silva	04/01/2022 09:46	211757 04/01/2022 13:30	25,00 mCi	1
Drawn From Lot#: K-20220104-031	Amount Used: 25,286 mCi	Quantity Used: 1	Volume Used: 0,496 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 12:00 AC CAMARGO MDP-99mTc	Monique Silva	04/01/2022 09:48	211758 04/01/2022 13:45	25,00 mCi	1
Drawn From Lot#: K-20220104-031	Amount Used: 25,358 mCi	Quantity Used: 1	Volume Used: 0,512 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 12:00 AC CAMARGO MDP-99mTc	Monique Silva	04/01/2022 09:49	211759 04/01/2022 14:00	25,00 mCi	1
Drawn From Lot#: K-20220104-031	Amount Used: 25,549 mCi	Quantity Used: 1	Volume Used: 0,531 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 12:00 AC CAMARGO MDP-99mTc	Monique Silva	04/01/2022 11:14	211760 04/01/2022 14:45	25,00 mCi	1
Drawn From Lot#: K-20220104-034	Amount Used: 25,258 mCi	Quantity Used: 1	Volume Used: 0,728 ml	Dose Calibrator Used:H5	Hood Used:H5

04/01/2022 12:00	AC CAMARGO	MDP-99mTc	Monique Silva	04/01/2022 11:15	211761	04/01/2022 15:00	25,00 mCi	1
Drawn From Lot#:	K-20220104-034	Amount Used: 25,561 mCi	Quantity Used: 1	Volume Used: 0,758 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 12:00	AC CAMARGO	MDP-99mTc	Monique Silva	04/01/2022 11:17	211762	04/01/2022 15:15	25,00 mCi	1
Drawn From Lot#:	K-20220104-034	Amount Used: 26,637 mCi	Quantity Used: 1	Volume Used: 0,813 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 12:00	AC CAMARGO	MDP-99mTc	Monique Silva	04/01/2022 11:08	211763	04/01/2022 15:30	25,00 mCi	1
Drawn From Lot#:	K-20220104-031	Amount Used: 25,375 mCi	Quantity Used: 1	Volume Used: 0,627 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 12:00	ALTA JARDINS - DASA	MIBI-99mTc	Bruno Brum	04/01/2022 10:54	211501	04/01/2022 14:30	30,00 mCi	1
Drawn From Lot#:	K-20220104-030	Amount Used: 30,759 mCi	Quantity Used: 1	Volume Used: 0,356 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 12:00	ALTA JARDINS - DASA	MIBI-99mTc	Bruno Brum	04/01/2022 10:57	211502	04/01/2022 16:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-040	Amount Used: 31,772 mCi	Quantity Used: 1	Volume Used: 0,63 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 12:00	ALTA JARDINS - DASA	MIBI-99mTc	Bruno Brum	04/01/2022 10:53	211503	04/01/2022 17:30	30,00 mCi	1
Drawn From Lot#:	K-20220104-030	Amount Used: 30,897 mCi	Quantity Used: 1	Volume Used: 0,506 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 12:00	ALTA JARDINS - DASA	MIBI-99mTc	Bruno Brum	04/01/2022 09:57	211507	04/01/2022 13:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-030	Amount Used: 10,423 mCi	Quantity Used: 1	Volume Used: 0,108 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 12:00	ALTA JARDINS - DASA	MIBI-99mTc	Bruno Brum	04/01/2022 11:44	211508	04/01/2022 15:00	10,00 mCi	1
Drawn From Lot#:	K-20220104-042	Amount Used: 10,769 mCi	Quantity Used: 1	Volume Used: 0,461 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 12:00	ALTA JARDINS - DASA	MIBI-99mTc	Bruno Brum	04/01/2022 11:45	211509	04/01/2022 16:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-042	Amount Used: 10,752 mCi	Quantity Used: 1	Volume Used: 0,548 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 12:00	BP MIRANTE	MAA-99mTc	Bruno Brum	04/01/2022 10:31	211862	04/01/2022 13:30	3,00 mCi	1
Drawn From Lot#:	K-20220104-039	Amount Used: 3,062 mCi	Quantity Used: 1	Volume Used: 0,206 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 12:00	BP MIRANTE	MAA-99mTc	Bruno Brum	04/01/2022 10:33	211863	04/01/2022 13:30	3,00 mCi	1
Drawn From Lot#:	K-20220104-039	Amount Used: 3,28 mCi	Quantity Used: 1	Volume Used: 0,221 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 12:00	BP MIRANTE	MAA-99mTc	Bruno Brum	04/01/2022 10:35	211864	04/01/2022 13:30	3,00 mCi	1
Drawn From Lot#:	K-20220104-039	Amount Used: 3,328 mCi	Quantity Used: 1	Volume Used: 0,224 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 12:00	CEDIMEN - SPECT	MIBI-99mTc	Bruno Brum	04/01/2022 09:34	211648	04/01/2022 13:20	30,00 mCi	1
Drawn From Lot#:	K-20220104-029	Amount Used: 30,237 mCi	Quantity Used: 1	Volume Used: 0,31 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 12:00	CEDIMEN - SPECT	MIBI-99mTc	Bruno Brum	04/01/2022 09:38	211649	04/01/2022 14:30	30,00 mCi	1
Drawn From Lot#:	K-20220104-029	Amount Used: 31,537 mCi	Quantity Used: 1	Volume Used: 0,37 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 12:00	DELBONI RICARDO JAFET	MDP-99mTc	Monique Silva	04/01/2022 09:46	211625	04/01/2022 14:00	20,00 mCi	1
Drawn From Lot#:	K-20220104-031	Amount Used: 20,309 mCi	Quantity Used: 1	Volume Used: 0,422 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 12:00	DIMEN VILA MARIANA	DMSA-99mTc	Monique Silva	04/01/2022 11:06	211834	04/01/2022 13:50	7,00 mCi	1
Drawn From Lot#:	K-20220104-041	Amount Used: 7,383 mCi	Quantity Used: 1	Volume Used: 0,843 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 12:00	DIMEN VILA MARIANA	TRODAT-99mTc	Monique Silva	04/01/2022 10:55	209616	04/01/2022 13:30	25,00 mCi	1
Drawn From Lot#:	K-20220104-036	Amount Used: 25,311 mCi	Quantity Used: 1	Volume Used: 2,584 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 12:00	DIMEN VILA MARIANA	TRODAT-99mTc	Monique Silva	04/01/2022 11:02	211842	04/01/2022 13:30	25,00 mCi	1
Drawn From Lot#:	K-20220104-037	Amount Used: 1,327 mCi	Quantity Used: 1	Volume Used: 0,135 ml		Dose Calibrator Used:H5	Hood Used:H5	
Drawn From Lot#:	K-20220104-036	Amount Used: 23,673 mCi	Quantity Used: 1	Volume Used: 2,416 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 12:00	FLEURY - HEITOR PENTEADO	DMSA-99mTc	Monique Silva	04/01/2022 11:05	211685	04/01/2022 13:30	5,00 mCi	1
Drawn From Lot#:	K-20220104-041	Amount Used: 5,41 mCi	Quantity Used: 1	Volume Used: 0,594 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 12:00	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Bruno Brum	04/01/2022 09:43	211692	04/01/2022 14:00	36,00 mCi	1
Drawn From Lot#:	K-20220104-030	Amount Used: 36,969 mCi	Quantity Used: 1	Volume Used: 0,404 ml		Dose Calibrator Used:H4	Hood Used:H4	

04/01/2022 12:00	FLEURY - HEITOR PENTEADO MIBI-99mTc	Bruno Brum	04/01/2022 09:40	211705	04/01/2022 13:45	10,00 mCi	1
Drawn From Lot#: K-20220104-029	Amount Used: 10,363 mCi	Quantity Used: 1	Volume Used: 0,112 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 12:00	FLEURY - HEITOR PENTEADO MIBI-99mTc	Bruno Brum	04/01/2022 09:54	211706	04/01/2022 14:00	10,00 mCi	1
Drawn From Lot#: K-20220104-030	Amount Used: 10,904 mCi	Quantity Used: 1	Volume Used: 0,119 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 12:00	FLEURY - PARAISO MIBI-99mTc	Bruno Brum	04/01/2022 09:58	211578	04/01/2022 13:30	10,00 mCi	1
Drawn From Lot#: K-20220104-030	Amount Used: 10,909 mCi	Quantity Used: 1	Volume Used: 0,113 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 12:00	FLEURY - PARAISO MIBI-99mTc	Bruno Brum	04/01/2022 09:52	211579	04/01/2022 14:00	10,00 mCi	1
Drawn From Lot#: K-20220104-030	Amount Used: 10,366 mCi	Quantity Used: 1	Volume Used: 0,113 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 12:00	FLEURY - PARAISO MIBI-99mTc	Bruno Brum	04/01/2022 09:39	211588	04/01/2022 13:30	30,00 mCi	1
Drawn From Lot#: K-20220104-029	Amount Used: 30,526 mCi	Quantity Used: 1	Volume Used: 0,319 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 12:00	FLEURY - PARAISO MIBI-99mTc	Bruno Brum	04/01/2022 09:44	211589	04/01/2022 14:00	30,00 mCi	1
Drawn From Lot#: K-20220104-030	Amount Used: 30,803 mCi	Quantity Used: 1	Volume Used: 0,337 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 12:00	HCOR PARAÍSO - SPECT TRODAT-99mTc	Monique Silva	04/01/2022 10:59	210967	04/01/2022 13:30	25,00 mCi	1
Drawn From Lot#: K-20220104-037	Amount Used: 25,729 mCi	Quantity Used: 1	Volume Used: 2,625 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 12:00	Hospital Alvorada Taguatinga MIBI-99mTc	Bruno Brum	04/01/2022 09:49	211617	04/01/2022 13:30	30,00 mCi	1
Drawn From Lot#: K-20220104-030	Amount Used: 30,728 mCi	Quantity Used: 1	Volume Used: 0,317 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 12:00	Hospital Alvorada Taguatinga MIBI-99mTc	Bruno Brum	04/01/2022 09:34	211627	04/01/2022 13:45	30,00 mCi	1
Drawn From Lot#: K-20220104-029	Amount Used: 30,548 mCi	Quantity Used: 1	Volume Used: 0,329 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 12:00	Hospital Alvorada Taguatinga MIBI-99mTc	Bruno Brum	04/01/2022 09:45	211628	04/01/2022 14:00	30,00 mCi	1
Drawn From Lot#: K-20220104-030	Amount Used: 32,885 mCi	Quantity Used: 1	Volume Used: 0,36 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 12:00	Hospital Alvorada Taguatinga MIBI-99mTc	Bruno Brum	04/01/2022 09:31	211629	04/01/2022 14:15	30,00 mCi	1
Drawn From Lot#: K-20220104-029	Amount Used: 30,812 mCi	Quantity Used: 1	Volume Used: 0,352 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 12:00	Hospital Alvorada Taguatinga MIBI-99mTc	Bruno Brum	04/01/2022 09:37	211630	04/01/2022 14:30	30,00 mCi	1
Drawn From Lot#: K-20220104-029	Amount Used: 30,454 mCi	Quantity Used: 1	Volume Used: 0,358 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 12:00	Hospital Alvorada Taguatinga TRODAT-99mTc	Monique Silva	04/01/2022 11:01	211612	04/01/2022 13:30	25,00 mCi	1
Drawn From Lot#: K-20220104-038	Amount Used: 26,581 mCi	Quantity Used: 1	Volume Used: 2,792 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 12:00	HOSPITAL BP MIBI-99mTc	Bruno Brum	04/01/2022 10:02	211776	04/01/2022 12:25	30,00 mCi	1
Drawn From Lot#: K-20220104-030	Amount Used: 32,814 mCi	Quantity Used: 1	Volume Used: 0,299 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 12:00	HOSPITAL BP MIBI-99mTc	Bruno Brum	04/01/2022 10:01	211777	04/01/2022 13:40	45,00 mCi	1
Drawn From Lot#: K-20220104-030	Amount Used: 47,974 mCi	Quantity Used: 1	Volume Used: 0,505 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 12:00	HOSPITAL BP MIBI-99mTc	Bruno Brum	04/01/2022 10:03	211787	04/01/2022 13:45	12,00 mCi	1
Drawn From Lot#: K-20220104-030	Amount Used: 12,985 mCi	Quantity Used: 1	Volume Used: 0,138 ml	Dose Calibrator Used:H4	Hood Used:H4		
04/01/2022 12:00	IBCC MDP-99mTc	Monique Silva	04/01/2022 09:45	211679	04/01/2022 13:30	28,00 mCi	1
Drawn From Lot#: K-20220104-031	Amount Used: 29,453 mCi	Quantity Used: 1	Volume Used: 0,577 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 12:00	IBCC MDP-99mTc	Monique Silva	04/01/2022 09:47	211680	04/01/2022 14:00	28,00 mCi	1
Drawn From Lot#: K-20220104-031	Amount Used: 28,40 mCi	Quantity Used: 1	Volume Used: 0,59 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 12:00	LAVOISIER ANGÉLICA DTPA-99mTc	Monique Silva	04/01/2022 09:41	211544	04/01/2022 16:30	10,00 mCi	1
Drawn From Lot#: K-20220104-033	Amount Used: 10,565 mCi	Quantity Used: 1	Volume Used: 0,838 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 12:00	LAVOISIER ANGÉLICA DTPA-99mTc	Monique Silva	04/01/2022 09:42	211803	04/01/2022 13:00	10,00 mCi	1
Drawn From Lot#: K-20220104-033	Amount Used: 10,933 mCi	Quantity Used: 1	Volume Used: 0,579 ml	Dose Calibrator Used:H5	Hood Used:H5		
04/01/2022 12:00	LAVOISIER ANGÉLICA MDP-99mTc	Monique Silva	04/01/2022 09:51	211807	04/01/2022 13:30	25,00 mCi	1

Drawn From Lot#: K-20220104-031	Amount Used: 27,367 mCi	Quantity Used: 1	Volume Used: 0,537 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 12:00 LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 09:38	211530 04/01/2022 13:30	30,00 mCi 1
Drawn From Lot#: K-20220104-029	Amount Used: 30,338 mCi	Quantity Used: 1	Volume Used: 0,317 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 12:00 LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 09:32	211531 04/01/2022 13:50	30,00 mCi 1
Drawn From Lot#: K-20220104-029	Amount Used: 30,686 mCi	Quantity Used: 1	Volume Used: 0,334 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 12:00 LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 09:36	211532 04/01/2022 14:10	30,00 mCi 1
Drawn From Lot#: K-20220104-029	Amount Used: 30,818 mCi	Quantity Used: 1	Volume Used: 0,348 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 12:00 LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 09:44	211533 04/01/2022 14:30	30,00 mCi 1
Drawn From Lot#: K-20220104-030	Amount Used: 32,422 mCi	Quantity Used: 1	Volume Used: 0,376 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 12:00 LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 09:56	211542 04/01/2022 13:40	10,00 mCi 1
Drawn From Lot#: K-20220104-030	Amount Used: 10,725 mCi	Quantity Used: 1	Volume Used: 0,113 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 12:00 LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 09:55	211543 04/01/2022 13:50	10,00 mCi 1
Drawn From Lot#: K-20220104-030	Amount Used: 10,245 mCi	Quantity Used: 1	Volume Used: 0,11 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 12:00 LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 09:59	211810 04/01/2022 13:20	10,00 mCi 1
Drawn From Lot#: K-20220104-030	Amount Used: 10,191 mCi	Quantity Used: 1	Volume Used: 0,103 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 12:00 LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 10:00	211811 04/01/2022 13:30	10,00 mCi 1
Drawn From Lot#: K-20220104-030	Amount Used: 10,55 mCi	Quantity Used: 1	Volume Used: 0,109 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 12:00 Prevent Senior Private	MAA-99mTc	Bruno Brum	04/01/2022 10:26	211632 04/01/2022 13:30	10,00 mCi 1
Drawn From Lot#: K-20220104-039	Amount Used: 10,599 mCi	Quantity Used: 1	Volume Used: 0,713 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 12:00 Prevent Senior Private	MAA-99mTc	Bruno Brum	04/01/2022 10:25	211633 04/01/2022 14:00	10,00 mCi 1
Drawn From Lot#: K-20220104-039	Amount Used: 10,78 mCi	Quantity Used: 1	Volume Used: 0,768 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 12:00 Prevent Senior Private	MAA-99mTc	Bruno Brum	04/01/2022 10:24	211634 04/01/2022 14:30	10,00 mCi 1
Drawn From Lot#: K-20220104-039	Amount Used: 10,904 mCi	Quantity Used: 1	Volume Used: 0,823 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 12:00 Rede D'or São Luiz - Anália	FITATO-99mTc	Jacqueline Silva	04/01/2022 09:04	211708 04/01/2022 14:00	2,00 mCi 1
Drawn From Lot#: K-20220104-028	Amount Used: 2,088 mCi	Quantity Used: 1	Volume Used: 0,119 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 12:00 Rede D'or São Luiz - Anália	MIBI-99mTc	Bruno Brum	04/01/2022 09:54	211717 04/01/2022 14:00	10,00 mCi 1
Drawn From Lot#: K-20220104-030	Amount Used: 10,966 mCi	Quantity Used: 1	Volume Used: 0,12 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 12:00 Rede D'or São Luiz - Anália	MIBI-99mTc	Bruno Brum	04/01/2022 09:51	211718 04/01/2022 14:20	10,00 mCi 1
Drawn From Lot#: K-20220104-030	Amount Used: 10,552 mCi	Quantity Used: 1	Volume Used: 0,12 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 12:50 BP MIRANTE	DOTATOC-68Ga	Jacqueline Silva	04/01/2022 12:49	210227 04/01/2022 13:35	3,50 mCi 1
Drawn From Lot#: K-20220104-044	Amount Used: 3,752 mCi	Quantity Used: 1	Volume Used: 1,953 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 12:50 CEDIMEN - PET	DOTATOC-68Ga	Jacqueline Silva	04/01/2022 12:48	210639 04/01/2022 13:45	3,50 mCi 1
Drawn From Lot#: K-20220104-044	Amount Used: 3,809 mCi	Quantity Used: 1	Volume Used: 2,199 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 12:50 HOSPITAL BP	DOTATOC-68Ga	Jacqueline Silva	04/01/2022 12:50	210278 04/01/2022 13:40	3,50 mCi 1
Drawn From Lot#: K-20220104-044	Amount Used: 3,84 mCi	Quantity Used: 1	Volume Used: 2,106 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 13:30 BP MIRANTE	FITATO-99mTc	Monique Silva	04/01/2022 11:21	211856 04/01/2022 15:30	2,00 mCi 1
Drawn From Lot#: K-20220104-028	Amount Used: 2,119 mCi	Quantity Used: 1	Volume Used: 0,143 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 13:30 BP MIRANTE	FITATO-99mTc	Monique Silva	04/01/2022 11:19	211857 04/01/2022 16:00	2,00 mCi 1
Drawn From Lot#: K-20220104-028	Amount Used: 2,062 mCi	Quantity Used: 1	Volume Used: 0,147 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 13:30 BP MIRANTE	MAA-99mTc	Bruno Brum	04/01/2022 10:43	211865 04/01/2022 15:30	2,00 mCi 1
Drawn From Lot#: K-20220104-039	Amount Used: 2,079 mCi	Quantity Used: 1	Volume Used: 0,176 ml	Dose Calibrator Used:H4	Hood Used:H4

04/01/2022 13:30	BP MIRANTE	MAA-99mTc	Bruno Brum	04/01/2022 10:44	211866	04/01/2022 16:00	2,00 mCi	1
Drawn From Lot#:	K-20220104-039	Amount Used: 2,151 mCi	Quantity Used: 1	Volume Used: 0,193 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 13:30	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Bruno Brum	04/01/2022 10:56	211693	04/01/2022 14:30	36,00 mCi	1
Drawn From Lot#:	K-20220104-040	Amount Used: 38,43 mCi	Quantity Used: 1	Volume Used: 0,64 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 13:30	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Bruno Brum	04/01/2022 11:01	211694	04/01/2022 15:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-040	Amount Used: 30,188 mCi	Quantity Used: 1	Volume Used: 0,533 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 13:30	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Monique Silva	04/01/2022 12:11	211695	04/01/2022 15:30	30,00 mCi	1
Drawn From Lot#:	K-20220104-043	Amount Used: 30,28 mCi	Quantity Used: 1	Volume Used: 0,661 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 13:30	FLEURY - HEITOR PENTEADO	MIBI-99mTc	Bruno Brum	04/01/2022 10:58	211696	04/01/2022 16:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-040	Amount Used: 32,729 mCi	Quantity Used: 1	Volume Used: 0,649 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 13:30	FLEURY - PARAISO	MIBI-99mTc	Monique Silva	04/01/2022 12:05	211580	04/01/2022 14:30	10,00 mCi	1
Drawn From Lot#:	K-20220104-042	Amount Used: 10,971 mCi	Quantity Used: 1	Volume Used: 0,444 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 13:30	FLEURY - PARAISO	MIBI-99mTc	Monique Silva	04/01/2022 12:06	211581	04/01/2022 15:45	10,00 mCi	1
Drawn From Lot#:	K-20220104-042	Amount Used: 10,763 mCi	Quantity Used: 1	Volume Used: 0,503 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 13:30	FLEURY - PARAISO	MIBI-99mTc	Monique Silva	04/01/2022 12:12	211590	04/01/2022 15:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-043	Amount Used: 30,694 mCi	Quantity Used: 1	Volume Used: 0,633 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 13:30	FLEURY - PARAISO	MIBI-99mTc	Monique Silva	04/01/2022 12:08	211591	04/01/2022 15:30	30,00 mCi	1
Drawn From Lot#:	K-20220104-042	Amount Used: 30,174 mCi	Quantity Used: 1	Volume Used: 1,369 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 13:30	FLEURY - PARAISO	MIBI-99mTc	Bruno Brum	04/01/2022 10:58	211592	04/01/2022 16:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-040	Amount Used: 30,323 mCi	Quantity Used: 1	Volume Used: 0,601 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 13:30	FLEURY - PARAISO	MIBI-99mTc	Bruno Brum	04/01/2022 10:55	211593	04/01/2022 17:15	30,00 mCi	1
Drawn From Lot#:	K-20220104-040	Amount Used: 32,408 mCi	Quantity Used: 1	Volume Used: 0,742 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 13:30	HOSPITAL BP	MIBI-99mTc	Monique Silva	04/01/2022 12:07	211778	04/01/2022 15:45	30,00 mCi	1
Drawn From Lot#:	K-20220104-042	Amount Used: 30,116 mCi	Quantity Used: 1	Volume Used: 1,407 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 13:30	HOSPITAL BP	MIBI-99mTc	Monique Silva	04/01/2022 12:10	211779	04/01/2022 17:00	30,00 mCi	1
Drawn From Lot#:	K-20220104-043	Amount Used: 31,203 mCi	Quantity Used: 1	Volume Used: 0,81 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 13:30	HOSPITAL BP	MIBI-99mTc	Monique Silva	04/01/2022 12:04	211788	04/01/2022 15:00	12,00 mCi	1
Drawn From Lot#:	K-20220104-042	Amount Used: 12,048 mCi	Quantity Used: 1	Volume Used: 0,516 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 13:30	HOSPITAL SANTA PAULA	MDP-99mTc	Monique Silva	04/01/2022 11:10	211855	04/01/2022 15:00	20,00 mCi	1
Drawn From Lot#:	K-20220104-031	Amount Used: 21,333 mCi	Quantity Used: 1	Volume Used: 0,497 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 13:30	IBCC	MDP-99mTc	Monique Silva	04/01/2022 11:16	211681	04/01/2022 14:30	28,00 mCi	1
Drawn From Lot#:	K-20220104-034	Amount Used: 28,303 mCi	Quantity Used: 1	Volume Used: 0,792 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 13:30	IBCC	MDP-99mTc	Monique Silva	04/01/2022 11:09	211683	04/01/2022 15:30	28,00 mCi	1
Drawn From Lot#:	K-20220104-031	Amount Used: 28,451 mCi	Quantity Used: 1	Volume Used: 0,703 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 13:30	IBCC	MDP-99mTc	Monique Silva	04/01/2022 11:11	211684	04/01/2022 16:00	28,00 mCi	1
Drawn From Lot#:	K-20220104-034	Amount Used: 28,278 mCi	Quantity Used: 1	Volume Used: 0,941 ml		Dose Calibrator Used:H5	Hood Used:H5	
04/01/2022 13:30	LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 11:02	211534	04/01/2022 14:50	30,00 mCi	1
Drawn From Lot#:	K-20220104-040	Amount Used: 30,38 mCi	Quantity Used: 1	Volume Used: 0,526 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 13:30	LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 10:51	211535	04/01/2022 15:10	30,00 mCi	1
Drawn From Lot#:	K-20220104-030	Amount Used: 31,112 mCi	Quantity Used: 1	Volume Used: 0,389 ml		Dose Calibrator Used:H4	Hood Used:H4	
04/01/2022 13:30	LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 11:00	211536	04/01/2022 15:30	30,00 mCi	1

Drawn From Lot#: K-20220104-040	Amount Used: 30,70 mCi	Quantity Used: 1	Volume Used: 0,574 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 13:30 LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 10:59	211808 04/01/2022 16:00	30,00 mCi 1
Drawn From Lot#: K-20220104-040	Amount Used: 32,846 mCi	Quantity Used: 1	Volume Used: 0,651 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 13:30 LAVOISIER ANGÉLICA	MIBI-99mTc	Bruno Brum	04/01/2022 10:52	211809 04/01/2022 16:30	30,00 mCi 1
Drawn From Lot#: K-20220104-030	Amount Used: 31,271 mCi	Quantity Used: 1	Volume Used: 0,456 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 13:30 Prevent Senior Private	MAA-99mTc	Bruno Brum	04/01/2022 10:39	211635 04/01/2022 15:00	10,00 mCi 1
Drawn From Lot#: K-20220104-039	Amount Used: 10,412 mCi	Quantity Used: 1	Volume Used: 0,833 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 13:30 Prevent Senior Private	MAA-99mTc	Bruno Brum	04/01/2022 10:42	211636 04/01/2022 15:30	10,00 mCi 1
Drawn From Lot#: K-20220104-039	Amount Used: 10,23 mCi	Quantity Used: 1	Volume Used: 0,867 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 15:00 BP MIRANTE	FITATO-99mTc	Monique Silva	04/01/2022 12:18	211858 04/01/2022 16:30	2,00 mCi 1
Drawn From Lot#: K-20220104-028	Amount Used: 2,131 mCi	Quantity Used: 1	Volume Used: 0,161 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 15:00 BP MIRANTE	FITATO-99mTc	Monique Silva	04/01/2022 12:19	211859 04/01/2022 16:30	2,00 mCi 1
Drawn From Lot#: K-20220104-028	Amount Used: 2,185 mCi	Quantity Used: 1	Volume Used: 0,165 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 15:00 BP MIRANTE	FITATO-99mTc	Monique Silva	04/01/2022 11:31	211860 04/01/2022 17:00	2,00 mCi 1
Drawn From Lot#: K-20220104-028	Amount Used: 2,008 mCi	Quantity Used: 1	Volume Used: 0,161 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 15:00 BP MIRANTE	FITATO-99mTc	Monique Silva	04/01/2022 12:16	211861 04/01/2022 17:00	2,00 mCi 1
Drawn From Lot#: K-20220104-028	Amount Used: 2,178 mCi	Quantity Used: 1	Volume Used: 0,175 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 15:00 BP MIRANTE	MAA-99mTc	Bruno Brum	04/01/2022 10:47	211867 04/01/2022 16:30	2,00 mCi 1
Drawn From Lot#: K-20220104-039	Amount Used: 2,063 mCi	Quantity Used: 1	Volume Used: 0,196 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 15:00 BP MIRANTE	MAA-99mTc	Bruno Brum	04/01/2022 10:49	211868 04/01/2022 16:30	2,00 mCi 1
Drawn From Lot#: K-20220104-039	Amount Used: 2,18 mCi	Quantity Used: 1	Volume Used: 0,207 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 15:00 BP MIRANTE	MAA-99mTc	Bruno Brum	04/01/2022 10:45	211869 04/01/2022 17:00	2,00 mCi 1
Drawn From Lot#: K-20220104-039	Amount Used: 2,013 mCi	Quantity Used: 1	Volume Used: 0,203 ml	Dose Calibrator Used:H4	Hood Used:H4
04/01/2022 15:00 BP MIRANTE	MAA-99mTc	Bruno Brum	04/01/2022 10:46	211870 04/01/2022 17:00	2,00 mCi 1
Drawn From Lot#: K-20220104-039	Amount Used: 2,056 mCi	Quantity Used: 1	Volume Used: 0,207 ml	Dose Calibrator Used:H4	Hood Used:H4
03/01/2022 15:00 CDI	Serviço de Manipulação de MAA	Flávia Lapa	FL	04/01/2022 10:59	211938 1,00 each 3
03/01/2022 15:00 CRA ANÁPOLIS	Serviço de Manipulação de MAA	Danilo Saga	DS	04/01/2022 09:40	211896 1,00 each 1
04/01/2022 15:00 Rede D'or São Luiz - Anália	MIBI-99mTc	Monique Silva	04/01/2022 12:14	211712 04/01/2022 16:30	30,00 mCi 1
Drawn From Lot#: K-20220104-043	Amount Used: 32,515 mCi	Quantity Used: 1	Volume Used: 0,797 ml	Dose Calibrator Used:H5	Hood Used:H5
04/01/2022 15:00 Rede D'or São Luiz - Anália	MIBI-99mTc	Monique Silva	04/01/2022 12:13	211713 04/01/2022 16:50	30,00 mCi 1
Drawn From Lot#: K-20220104-043	Amount Used: 32,343 mCi	Quantity Used: 1	Volume Used: 0,824 ml	Dose Calibrator Used:H5	Hood Used:H5

Processed & Filled Orders: 378

Code Name Key:	Dose Calibrator Code Name	Dose Calibrator Name	Hood Code Name	Hood Name
	H4	Capintec Capela 1	H4	CAPELA 1
	H5	Capintec Capela 2	H5	CAPELA 2
			H3	CAPELA IODO