



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 06/01/2022 To 06/01/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220106-009		06/01/2022	04:03	PM	Butanona Normal Saline	3MM Whatman Sílica gel	286 6		2 229	0	pH (Low/Actual/High)	96,752 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220106-025		06/01/2022	07:36	GS	Butanona Normal Saline	3MM Whatman Sílica gel	179,9 2,2		1 106,2	0	pH (Low/Actual/High)	97,418 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220106-027		06/01/2022	08:03	GS	Butanona Normal Saline	3MM Whatman Sílica gel	166,1 3		0,3 113,8	0	pH (Low/Actual/High)	97,251 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20220106-017		06/01/2022	06:55	BB	Citrato de Sódio 0,1M	Sílica gel	14,5		0,4	0	pH (Low/Actual/High)	97,315 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220106-047		06/01/2022	12:47	JS	Citrato de Sódio 0,1M	Sílica gel	43,1		0,5	0	pH (Low/Actual/High)	98,853 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20220106-013	RPH	06/01/2022	04:14	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman	1199 13		6 963	0	pH (Low/Actual/High)	98,17 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220106-022	RPH	06/01/2022	07:18	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman	288 16		1 209	0	pH (Low/Actual/High)	92,543 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220106-040	RPH	06/01/2022	11:14	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman	294 13		6 386	0	pH (Low/Actual/High)	94,742 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
FITATO-99mTc Lot # K-20220106-006		06/01/2022	03:42	PM	Butanona	3MM Whatman	794		17	0	pH (Low/Actual/High)	97,904 %	Pass 5,00 <= 7,00 <= 7,00
						Límpido/Incolor							
FITATO-99mTc Lot # K-20220106-026		06/01/2022	07:40	GS	Butanona	3MM Whatman	438		2	0	pH (Low/Actual/High)	99,545 %	Pass 5,00 <= 5,00 <= 7,00
						Límpido/Incolor							
MAA-99mTc Lot # K-20220106-011		06/01/2022	04:09	PM	Butanona	3MM Whatman	575		7	0	pH (Low/Actual/High)	98,797 %	Pass 3,00 <= 5,00 <= 6,00
						Turvo/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20220106-023		06/01/2022 07:22	GS	Butanona		3MM Whatman		167,9		0,9	0		99,467 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20220106-024		06/01/2022 07:23	GS	Butanona		3MM Whatman		81,3		0,5	0		99,389 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20220106-037		06/01/2022 10:31	WG	Butanona		3MM Whatman		449		2	0		99,557 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
												Turvo/Incolor		
MDP-99mTc Lot # K-20220106-003		06/01/2022 03:14	PM	Acetona		3MM Whatman		2103		5	0		99,498 %	Pass
				Normal Saline		3MM Whatman		6		2262		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20220106-004		06/01/2022 03:17	PM	Acetona		3MM Whatman		1509		3	0		98,315 %	Pass
				Normal Saline		3MM Whatman		20		1325		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20220106-005		06/01/2022 03:20	PM	Acetona		3MM Whatman		210		1	0		99,417 %	Pass
				Normal Saline		3MM Whatman		2		1834		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20220106-010		06/01/2022 04:05	PM	Acetona		3MM Whatman		248		3	0		98,454 %	Pass
				Normal Saline		3MM Whatman		6		1704		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20220106-016		06/01/2022 06:46	GS	Acetona		3MM Whatman		573		5	0		98,908 %	Pass
				Normal Saline		3MM Whatman		1		440		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20220106-021		06/01/2022 07:13	BB	Acetona		3MM Whatman		917		7	0		95,853 %	Pass
				Normal Saline		3MM Whatman		22		627		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20220106-028		06/01/2022 08:24	GS	Acetona		3MM Whatman		663		5	0		98,617 %	Pass
				Normal Saline		3MM Whatman		3		470		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20220106-029		06/01/2022 08:30	GS	Acetona		3MM Whatman		937		2	0		98,375 %	Pass
				Normal Saline		3MM Whatman		12		838		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20220106-036		06/01/2022 10:26	WG	Acetona		3MM Whatman		344		1	0		98,793 %	Pass
				Normal Saline		3MM Whatman		2		216		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20220106-039		06/01/2022 11:09	WG	Acetona		3MM Whatman		279		3	0		97,34 %	Pass
				Normal Saline		3MM Whatman		6		370		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
												Límpido/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220106-041		06/01/2022 11:20	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman			274 4		2 218	0 pH (Low/Actual/High)	97,474 %		Pass 4,00 <= 6,00 <= 7,80
														Límpido/Incolor
MIBI-99mTc Lot # K-20220106-001		06/01/2022 02:53	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			210 4		3 270	0 pH (Low/Actual/High)	97,132 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220106-002		06/01/2022 02:56	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1712 3		26 205	0 pH (Low/Actual/High)	97,062 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220106-007		06/01/2022 03:55	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			229 18		4 1634	0 pH (Low/Actual/High)	97,194 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220106-008		06/01/2022 04:01	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1918 7		27 281	0 pH (Low/Actual/High)	96,181 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220106-014		06/01/2022 06:27	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			1074 13		13 999	0 pH (Low/Actual/High)	97,519 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220106-015		06/01/2022 06:41	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			869 4		11 1891	0 pH (Low/Actual/High)	98,539 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220106-034		06/01/2022 10:15	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			815 3		22 1472	0 pH (Low/Actual/High)	97,168 %		Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220106-035		06/01/2022 10:19	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			713 11		10 374	0 pH (Low/Actual/High)	95,76 %		Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220106-038		06/01/2022 10:58	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			566 4		3 684	0 pH (Low/Actual/High)	98,891 %		Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220106-042		06/01/2022 11:40	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			158,5 0,7		1,6 119	0 pH (Low/Actual/High)	98,416 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220106-043		06/01/2022 12:05	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			275 2		2 317	0 pH (Low/Actual/High)	98,651 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220106-044		06/01/2022 12:07	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			235 1		4 346	0 pH (Low/Actual/High)	98,038 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220106-045	06/01/2022	12:12	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			552 6		1 952	0	pH (Low/Actual/High)	99,193 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220106-046	06/01/2022	12:26	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			326 6		2 597	0	pH (Low/Actual/High)	98,395 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
PIRO-99mTc Lot # K-20220106-012	06/01/2022	04:11	PM	Butanona Normal Saline	3MM Whatman 3MM Whatman			1062 9		10 967	0	pH (Low/Actual/High)	98,145 %	Pass 5,00 <= 6,00 <= 7,00
														Límpido/Incolor
PSMA-68Ga Lot # K-20220106-030	06/01/2022	09:57	BB	Acetato de amônio 1M:Metanol	Sílica gel			0,1		11,5	0	pH (Low/Actual/High)	99,138 %	Pass 4,00 <= 5,00 <= 8,00
														Límpido e Incolor
PSMA-68Ga Lot # K-20220106-048	06/01/2022	15:38	JS	Acetato de amônio 1M:Metanol	Sílica gel			0,9		38,9	0	pH (Low/Actual/High)	97,739 %	Pass 4,00 <= 5,00 <= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-001	06/01/2022	02:49	PM	Butanona	3MM Whatman			7		191	0	pH (Low/Actual/High)	96,465 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-002	06/01/2022	02:54	PM	Butanona	3MM Whatman			8		983	0	pH (Low/Actual/High)	99,193 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-003	06/01/2022	03:11	PM	Butanona	3MM Whatman			3		456	0	pH (Low/Actual/High)	99,346 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-004	06/01/2022	03:15	PM	Butanona	3MM Whatman			3		847	0	pH (Low/Actual/High)	99,647 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-005	06/01/2022	03:34	PM	Butanona	3MM Whatman			19		532	0	pH (Low/Actual/High)	96,552 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-006	06/01/2022	03:39	PM	Butanona	3MM Whatman			25		600	0	pH (Low/Actual/High)	96,00 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-007	06/01/2022	03:51	PM	Butanona	3MM Whatman			4		833	0	pH (Low/Actual/High)	99,522 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-008	06/01/2022	03:57	PM	Butanona	3MM Whatman			25		622	0	pH (Low/Actual/High)	96,136 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220106-009		06/01/2022 03:59 PM	Butanona		3MM	Whatman		6		579	0		98,974 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-010		06/01/2022 04:03 PM	Butanona		3MM	Whatman		3		279	0		98,936 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-011		06/01/2022 06:22 GS	Butanona		3MM	Whatman		17		1871	0		99,10 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-012		06/01/2022 06:37 GS	Butanona		3MM	Whatman		14		836	0		98,353 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-013		06/01/2022 06:43 GS	Butanona		3MM	Whatman		10		519	0		98,11 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-015		06/01/2022 07:01 GS	Butanona		3MM	Whatman		1		971	0		99,897 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-016		06/01/2022 07:01 GS	Butanona		3MM	Whatman		7		937	0		99,258 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-017		06/01/2022 07:30 GS	Butanona		3MM	Whatman		2		1079	0		99,815 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-018		06/01/2022 07:34 GS	Butanona		3MM	Whatman		6		376	0		98,429 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-019		06/01/2022 07:49 GS	Butanona		3MM	Whatman		2		426	0		99,533 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-020		06/01/2022 08:27 MB	Butanona		3MM	Whatman		12		378	0		96,923 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-021		06/01/2022 09:53 GS	Butanona		3MM	Whatman		2		486	0		99,59 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-023		06/01/2022 10:13 GS	Butanona		3MM	Whatman		3		534	0		99,441 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220106-024		06/01/2022 10:16	GS	Butanona		3MM Whatman		10		241	0		96,016 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-025		06/01/2022 10:19	WG	Butanona		3MM Whatman		6		354	0		98,333 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-026		06/01/2022 10:26	WG	Butanona		3MM Whatman		5,5		183,2	0		97,085 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-027		06/01/2022 10:56	WG	Butanona		3MM Whatman		2,9		181,3	0		98,426 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-028		06/01/2022 11:06	WG	Butanona		3MM Whatman		1		138	0		99,281 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-029		06/01/2022 11:11	WG	Butanona		3MM Whatman		3		459	0		99,351 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-030		06/01/2022 11:18	WG	Butanona		3MM Whatman		5		367	0		98,656 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-031		06/01/2022 11:36	JS	Butanona		3MM Whatman		1		82,4	0		98,801 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-033		06/01/2022 12:02	BB	Butanona		3MM Whatman		1		304	0		99,672 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-032		06/01/2022 12:02	BB	Butanona		3MM Whatman		1,2		93,1	0		98,727 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-034		06/01/2022 12:10	BB	Butanona		3MM Whatman		0,3		191,5	0		99,844 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-035		06/01/2022 12:24	BB	Butanona		3MM Whatman		2,3		125,5	0		98,20 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220106-036		06/01/2022 12:44	JS	Butanona		3MM Whatman		17		901	0		98,148 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc Lot # K-20220106-018		06/01/2022 07:07 GS	Normal Saline Butanona		Sílica gel 3MM Whatman			113,2 2,1		3 193,2	0 pH (Low/Actual/High)		96,343 %	Pass 6,50 <= 7,00 <= 8,50
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20220106-019		06/01/2022 07:07 GS	Normal Saline Butanona		Sílica gel 3MM Whatman			71,7 1,1		1,6 98,8	0 pH (Low/Actual/High)		96,716 %	Pass 6,50 <= 7,00 <= 8,50
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20220106-020		06/01/2022 07:08 GS	Normal Saline Butanona		Sílica gel 3MM Whatman			103,5 2,2		1 143,9	0 pH (Low/Actual/High)		97,537 %	Pass 6,50 <= 7,00 <= 8,50
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20220106-031		06/01/2022 09:59 WG	Normal Saline Butanona		Sílica gel 3MM Whatman			82,3 1,1		0,6 134,8	0 pH (Low/Actual/High)		98,467 %	Pass 6,50 <= 7,00 <= 8,50
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20220106-032		06/01/2022 09:59 WG	Normal Saline Butanona		Sílica gel 3MM Whatman			134,9 2,2		4,2 84,1	0 pH (Low/Actual/High)		94,431 %	Pass 6,50 <= 7,00 <= 8,50
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20220106-033		06/01/2022 10:00 WG	Normal Saline Butanona		Sílica gel 3MM Whatman			169,6 3,4		1,2 138,1	0 pH (Low/Actual/High)		96,895 %	Pass 6,50 <= 7,00 <= 8,50
							Límpido/Incolor							