



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 07/01/2022 To 07/01/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220107-025		07/01/2022	07:36	MB	Butanona Normal Saline	3MM Whatman Sílica gel	278,7 3,4		3,5 158,8	0 pH (Low/Actual/High)		96,664 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220107-026		07/01/2022	07:37	MB	Butanona Normal Saline	3MM Whatman Sílica gel	171,2 4,3		0,6 123,7	0 pH (Low/Actual/High)		96,291 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220107-027		07/01/2022	07:38	MB	Butanona Normal Saline	3MM Whatman Sílica gel	160,3 10,2		3,2 139,9	0 pH (Low/Actual/High)		91,247 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220107-028		07/01/2022	07:39	MB	Butanona Normal Saline	3MM Whatman Sílica gel	308,9 9,7		2,8 210,5	0 pH (Low/Actual/High)		94,697 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220107-032		07/01/2022	08:03	MB	Butanona Normal Saline	3MM Whatman Sílica gel	184 7		4 136	0 pH (Low/Actual/High)		92,977 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220107-038		07/01/2022	10:21	BB	Butanona Normal Saline	3MM Whatman Sílica gel	212 3,6		3 138	0 pH (Low/Actual/High)		96,062 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20220107-039		07/01/2022	12:40	JS	Citrato de Sódio 0,1M	Sílica gel	15,57		0,3	0 pH (Low/Actual/High)		98,11 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220107-040		07/01/2022	15:48	JS	Citrato de Sódio 0,1M	Sílica gel	43		0,3	0 pH (Low/Actual/High)		99,307 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20220107-011	RPH	07/01/2022	03:30	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman	1403 5		2 1187	0 pH (Low/Actual/High)		99,438 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220107-012	RPH	07/01/2022	03:33	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman	2069 14		20 1330	0 pH (Low/Actual/High)		98,001 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220107-022	RPH	07/01/2022	06:58	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	644 17		2 652	0 pH (Low/Actual/High)		97,149 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20220107-035	RPH	07/01/2022 08:57	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			538 23		1 546	0	pH (Low/Actual/High)	95,772 %	Pass 3,80 <= 5,00 <= 7,50
Límpido/Incolor														
FITATO-99mTc Lot # K-20220107-014		07/01/2022 03:40	PM	Butanona	3MM Whatman			661,4		20,8	0	pH (Low/Actual/High)	96,951 %	Pass 5,00 <= 7,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20220107-015		07/01/2022 04:09	PM	Butanona	3MM Whatman			1631		9	0	pH (Low/Actual/High)	99,451 %	Pass 5,00 <= 7,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20220107-031		07/01/2022 08:01	MB	Butanona	3MM Whatman			325		5	0	pH (Low/Actual/High)	98,485 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
MAA-99mTc Lot # K-20220107-016		07/01/2022 04:12	BB	Butanona	3MM Whatman			838		2	0	pH (Low/Actual/High)	99,762 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220107-029		07/01/2022 07:41	MB	Butanona	3MM Whatman			59,5		2,6	0	pH (Low/Actual/High)	95,813 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220107-037		07/01/2022 10:11	MB	Butanona	3MM Whatman			221		1	0	pH (Low/Actual/High)	99,55 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MDP-99mTc Lot # K-20220107-008		07/01/2022 03:23	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman			2452 14		3 2264	0	pH (Low/Actual/High)	99,263 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220107-009		07/01/2022 03:25	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman			2932 28		3 2571	0	pH (Low/Actual/High)	98,82 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220107-010		07/01/2022 03:27	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman			2174 35		6 4107	0	pH (Low/Actual/High)	98,88 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220107-021		07/01/2022 06:47	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			854 17		1 1231	0	pH (Low/Actual/High)	98,521 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220107-023		07/01/2022 07:01	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			890 4		1 838	0	pH (Low/Actual/High)	99,413 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220107-024		07/01/2022 07:02	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			1088 30		2 1143	0	pH (Low/Actual/High)	97,259 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220107-030		07/01/2022 07:58 MB	Acetona Normal Saline		3MM Whatman 3MM Whatman			1588 30		4 1138	0 pH (Low/Actual/High)	97,18 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220107-034		07/01/2022 08:48 MB	Acetona Normal Saline		3MM Whatman 3MM Whatman			1069 32		1 1378	0 pH (Low/Actual/High)	97,637 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220107-001		07/01/2022 02:18 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			962 26		8 1918	0 pH (Low/Actual/High)	97,838 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220107-002		07/01/2022 02:22 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			963 1		16 202	0 pH (Low/Actual/High)	97,873 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220107-003		07/01/2022 02:22 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1182 10		10 1856	0 pH (Low/Actual/High)	98,625 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220107-004		07/01/2022 02:30 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			271 5		3 259	0 pH (Low/Actual/High)	97,011 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220107-005		07/01/2022 02:31 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			275 8		2 413	0 pH (Low/Actual/High)	97,378 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220107-006		07/01/2022 02:32 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			338 10		4 448	0 pH (Low/Actual/High)	96,647 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220107-007		07/01/2022 02:45 BB	Normal Saline Metanol		Sílica gel 3MM Whatman			3600 44		7 3647	0 pH (Low/Actual/High)	98,614 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220107-017		07/01/2022 06:36 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1853 22		31 2232	0 pH (Low/Actual/High)	97,379 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220107-019		07/01/2022 06:37 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1402 19		40 1879	0 pH (Low/Actual/High)	96,225 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220107-020		07/01/2022 06:38 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1242 43		19 2069	0 pH (Low/Actual/High)	96,457 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220107-033		07/01/2022 08:45 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1460 10		16 1502	0 pH (Low/Actual/High)	98,255 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PIRO-99mTc Lot # K-20220107-013		07/01/2022 03:36 PM	Butanona Normal Saline		3MM Whatman			1330 10		4 1047	0	pH (Low/Actual/High)	98,754 %	Pass 5,00 <= 6,00 <= 7,00
							Límpido/Incolor							
PSMA-68Ga Lot # K-20220107-018		07/01/2022 06:36 MB	Acetato de amônio 1M:Metanol		Sílica gel			0,3		36,2	0	pH (Low/Actual/High)	99,178 %	Pass 4,00 <= 6,00 <= 8,00
							Límpido e Incolor							
PSMA-68Ga Lot # K-20220107-036		07/01/2022 09:50 MB	Acetato de amônio 1M:Metanol		Sílica gel			0,3		35,3	0	pH (Low/Actual/High)	99,157 %	Pass 4,00 <= 6,00 <= 8,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220107-001		07/01/2022 02:16 PM	Butanona		3MM Whatman			18		1390	0	pH (Low/Actual/High)	98,722 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220107-002		07/01/2022 02:24 PM	Butanona		3MM Whatman			15		1230	0	pH (Low/Actual/High)	98,795 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220107-003		07/01/2022 03:21 PM	Butanona		3MM Whatman			41		1451	0	pH (Low/Actual/High)	97,252 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220107-004		07/01/2022 06:29 MB	Butanona		3MM Whatman			46		5030	0	pH (Low/Actual/High)	99,094 %	Pass 5,00 <= 5,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220107-006		07/01/2022 06:54 MB	Butanona		3MM Whatman			5		9480	0	pH (Low/Actual/High)	99,947 %	Pass 5,00 <= 5,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220107-007		07/01/2022 07:31 MB	Butanona		3MM Whatman			21		1502	0	pH (Low/Actual/High)	98,621 %	Pass 5,00 <= 5,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220107-008		07/01/2022 08:08 JS	Butanona		3MM Whatman			2		384	0	pH (Low/Actual/High)	99,482 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220107-009		07/01/2022 08:11 JS	Butanona		3MM Whatman			1		291	0	pH (Low/Actual/High)	99,658 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220107-010		07/01/2022 09:13 MB	Butanona		3MM Whatman			45		11797	0	pH (Low/Actual/High)	99,62 %	Pass 5,00 <= 5,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220107-011		07/01/2022 09:15 MB	Butanona		3MM Whatman			202		8498	0	pH (Low/Actual/High)	97,678 %	Pass 5,00 <= 5,00 <= 6,00
							Límpido e Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220107-012		07/01/2022 09:19	MB	Butanona		3MM Whatman		5	11586		0		99,957 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220107-014		07/01/2022 09:59	MB	Butanona		3MM Whatman		8	1425		0		99,442 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor