



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 11/01/2022 To 11/01/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220111-010		11/01/2022	04:01	PM	Butanona Normal Saline	3MM Whatman Sílica gel	373 13		2 224	0	pH (Low/Actual/High)	93,981 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220111-011		11/01/2022	04:01	PM	Butanona Normal Saline	3MM Whatman Sílica gel	352,2 21		0,5 330,9	0	pH (Low/Actual/High)	93,891 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220111-025		11/01/2022	07:33	PM	Butanona Normal Saline	3MM Whatman Sílica gel	371,8 4,7		1,6 259,7	0	pH (Low/Actual/High)	97,794 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220111-026		11/01/2022	07:33	PM	Butanona Normal Saline	3MM Whatman Sílica gel	416,2 22,6		14,1 420,5	0	pH (Low/Actual/High)	91,623 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220111-027		11/01/2022	07:35	PM	Butanona Normal Saline	3MM Whatman Sílica gel	381,8 10		0,7 323,3	0	pH (Low/Actual/High)	96,817 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20220111-019		11/01/2022	06:52	PM	Citrato de Sódio 0,1M	Sílica gel	57,9		1	0	pH (Low/Actual/High)	98,302 %	Pass 4,00 <= 6,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220111-037		11/01/2022	10:04	VS	Citrato de Sódio 0,1M	Sílica gel	1741		7	0	pH (Low/Actual/High)	99,60 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220111-049		11/01/2022	13:00	VS	Citrato de Sódio 0,1M	Sílica gel	935		9	0	pH (Low/Actual/High)	99,047 %	Pass 4,00 <= 6,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20220111-007	RPH	11/01/2022	03:38	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman	998,1 9		62 1309	0	pH (Low/Actual/High)	93,469 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220111-013	RPH	11/01/2022	04:17	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman	565,7 29		3,8 486,2	0	pH (Low/Actual/High)	93,704 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220111-022	RPH	11/01/2022	07:15	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman	610 10		2 648	0	pH (Low/Actual/High)	98,153 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20220111-031	RPH	11/01/2022 09:13	VS	Acetona Normal Saline	3MM Whatman 3MM Whatman			892 4		5 714	0 pH (Low/Actual/High)	98,885 % 3,80 <= 6,00 <= 7,50	Pass	
											Límpido/Incolor			
FITATO-99mTc Lot # K-20220111-008		11/01/2022 03:40	PM	Butanona	3MM Whatman			1184		4	0 pH (Low/Actual/High)	99,663 % 5,00 <= 7,00 <= 7,00	Pass	
											Límpido/Incolor			
FITATO-99mTc Lot # K-20220111-033		11/01/2022 09:35	VS	Butanona	3MM Whatman			986		4	0 pH (Low/Actual/High)	99,596 % 5,00 <= 6,00 <= 7,00	Pass	
											Límpido/Incolor			
MAA-99mTc Lot # K-20220111-012		11/01/2022 04:14	PM	Butanona	3MM Whatman			436,1		2,7	0 pH (Low/Actual/High)	99,385 % 3,00 <= 6,00 <= 6,00	Pass	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220111-021		11/01/2022 07:06	PM	Butanona	3MM Whatman			214,1		11	0 pH (Low/Actual/High)	95,113 % 3,00 <= 6,00 <= 6,00	Pass	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220111-028		11/01/2022 07:47	PM	Butanona	3MM Whatman			800		5	0 pH (Low/Actual/High)	99,379 % 3,00 <= 5,00 <= 6,00	Pass	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220111-032		11/01/2022 09:17	VS	Butanona	3MM Whatman			257		2	0 pH (Low/Actual/High)	99,228 % 3,00 <= 5,00 <= 6,00	Pass	
											Turvo/Incolor			
MDP-99mTc Lot # K-20220111-006		11/01/2022 03:36	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman			2166 9		4 1124	0 pH (Low/Actual/High)	99,021 % 4,00 <= 6,00 <= 7,80	Pass	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220111-015		11/01/2022 04:24	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman			1415 4		4 1867	0 pH (Low/Actual/High)	99,504 % 4,00 <= 6,00 <= 7,80	Pass	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220111-024		11/01/2022 07:28	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman			1603 51		11 1781	0 pH (Low/Actual/High)	96,535 % 4,00 <= 6,00 <= 7,80	Pass	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220111-029		11/01/2022 07:48	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman			2480 3		9 1647	0 pH (Low/Actual/High)	99,457 % 4,00 <= 6,00 <= 7,80	Pass	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220111-040		11/01/2022 10:07	VS	Acetona Normal Saline	3MM Whatman 3MM Whatman			552 3		5 553	0 pH (Low/Actual/High)	98,563 % 4,00 <= 6,00 <= 7,80	Pass	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220111-042		11/01/2022 10:34	VS	Acetona Normal Saline	3MM Whatman 3MM Whatman			209 2		3 271	0 pH (Low/Actual/High)	97,852 % 4,00 <= 6,00 <= 7,80	Pass	
											Límpido/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220111-043		11/01/2022 10:35 VS	Acetona Normal Saline		3MM Whatman 3MM Whatman			420 4		2 698	0 pH (Low/Actual/High)	98,956 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220111-044		11/01/2022 11:12 VS	Acetona Normal Saline		3MM Whatman 3MM Whatman			878 5		1 1193	0 pH (Low/Actual/High)	99,469 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-001		11/01/2022 02:37 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			3986 44		65 4191	0 pH (Low/Actual/High)	97,356 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-002		11/01/2022 02:43 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			4003 85		17 3147	0 pH (Low/Actual/High)	96,947 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-003		11/01/2022 02:44 BB	Normal Saline Metanol		Sílica gel 3MM Whatman			1796 68		44 3849	0 pH (Low/Actual/High)	95,873 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-004		11/01/2022 03:31 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			3011 89		48 3305	0 pH (Low/Actual/High)	95,809 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-005		11/01/2022 03:32 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2889 75		65 2789	0 pH (Low/Actual/High)	95,181 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-009		11/01/2022 03:57 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2895 74		32 2766	0 pH (Low/Actual/High)	96,301 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-016		11/01/2022 05:49 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1021 17		9 1131	0 pH (Low/Actual/High)	97,645 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-017		11/01/2022 06:41 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1315 5		15 1641	0 pH (Low/Actual/High)	98,568 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-018		11/01/2022 06:43 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2840 27		30 4160	0 pH (Low/Actual/High)	98,31 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-023		11/01/2022 07:21 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1966 26		26 2260	0 pH (Low/Actual/High)	97,557 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-030		11/01/2022 08:21 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2606 41		29 3753	0 pH (Low/Actual/High)	97,819 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220111-034		11/01/2022 09:43 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			619 8		3 389	0	pH (Low/Actual/High)	97,503 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-041		11/01/2022 10:21 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			201 7		4 325	0	pH (Low/Actual/High)	95,94 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-045		11/01/2022 11:18 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			1772 2		11 436	0	pH (Low/Actual/High)	98,926 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-046		11/01/2022 11:34 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			245 5		8 484	0	pH (Low/Actual/High)	95,815 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-047		11/01/2022 12:06 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			237 5		2 331	0	pH (Low/Actual/High)	97,675 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220111-048		11/01/2022 12:12 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			1693 6		1 378	0	pH (Low/Actual/High)	98,378 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20220111-014		11/01/2022 04:22 PM	Butanona Normal Saline		3MM Whatman 3MM Whatman			1030 27,2		2 764	0	pH (Low/Actual/High)	96,368 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20220111-020		11/01/2022 07:02 PM	Butanona Normal Saline		3MM Whatman 3MM Whatman			1050 10		7 1284	0	pH (Low/Actual/High)	98,565 %	Pass 5,00 <= 5,00 <= 7,00
Límpido/Incolor														
Tecnécio-99m Lot # E-20220111-001		11/01/2022 02:34 PM	Butanona		3MM Whatman			20,2		532,5	0	pH (Low/Actual/High)	96,345 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220111-002		11/01/2022 02:39 PM	Butanona		3MM Whatman			23		2831	0	pH (Low/Actual/High)	99,194 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220111-004		11/01/2022 03:27 PM	Butanona		3MM Whatman			31		1666	0	pH (Low/Actual/High)	98,173 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220111-003		11/01/2022 03:27 PM	Butanona		3MM Whatman			13		1077	0	pH (Low/Actual/High)	98,807 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220111-005		11/01/2022 03:54 PM	Butanona		3MM Whatman			22		933,1	0	pH (Low/Actual/High)	97,697 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220111-006		11/01/2022 04:12 PM	Butanona		3MM	Whatman		12,1		272	0		95,741 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-007		11/01/2022 04:21 PM	Butanona		3MM	Whatman		7,1		903,5	0		99,22 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-008		11/01/2022 05:21 JS	Butanona		3MM	Whatman		2		354	0		99,438 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-009		11/01/2022 05:27 JS	Butanona		3MM	Whatman		1		492	0		99,797 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-010		11/01/2022 05:42 JS	Butanona		3MM	Whatman		2		808	0		99,753 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-011		11/01/2022 06:35 PM	Butanona		3MM	Whatman		20		937	0		97,91 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-013		11/01/2022 07:00 PM	Butanona		3MM	Whatman		10		924	0		98,929 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-014		11/01/2022 07:12 PM	Butanona		3MM	Whatman		6		1185	0		99,496 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-015		11/01/2022 07:18 PM	Butanona		3MM	Whatman		17		879	0		98,103 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-016		11/01/2022 07:27 PM	Butanona		3MM	Whatman		10		1419	0		99,30 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-017		11/01/2022 07:45 PM	Butanona		3MM	Whatman		20		3520	0		99,435 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-018		11/01/2022 08:20 PM	Butanona		3MM	Whatman		17		776	0		97,856 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-019		11/01/2022 09:05 PM	Butanona		3MM	Whatman		35		971	0		96,521 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220111-020		11/01/2022 09:24 VS	Butanona		3MM Whatman			13		1362	0		99,055 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-021		11/01/2022 09:34 VS	Butanona		3MM Whatman			11		783	0		98,615 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-022		11/01/2022 09:55 VS	Butanona		3MM Whatman			5		303	0		98,377 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-024		11/01/2022 10:18 VS	Butanona		3MM Whatman			7		673	0		98,971 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-025		11/01/2022 10:31 VS	Butanona		3MM Whatman			4		906	0		99,56 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-026		11/01/2022 10:31 VS	Butanona		3MM Whatman			7		1416	0		99,508 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-027		11/01/2022 11:07 VS	Butanona		3MM Whatman			8		905	0		99,124 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-028		11/01/2022 11:17 VS	Butanona		3MM Whatman			9		1608	0		99,443 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-029		11/01/2022 11:33 VS	Butanona		3MM Whatman			13		775	0		98,35 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-030		11/01/2022 12:05 VS	Butanona		3MM Whatman			11		1068	0		98,981 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220111-031		11/01/2022 12:11 VS	Butanona		3MM Whatman			16		1585	0		99,001 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
TRODAT-99mTc Lot # K-20220111-035		11/01/2022 10:03 VS	Normal Saline		Sílica gel			197,9		1,7	0		98,413 %	Pass
			Butanona		3MM Whatman			2		270		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor
TRODAT-99mTc Lot # K-20220111-036		11/01/2022 10:03 VS	Normal Saline		Sílica gel			173,3		3,2	0		97,891 %	Pass
			Butanona		3MM Whatman			1		337		pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc		11/01/2022 10:04	VS	Normal Saline	Silica gel			387		2	0	98,149 %	Pass	
Lot # K-20220111-038				Butanona	3MM Whatman			2,3		169,8	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc		11/01/2022 10:05	VS	Normal Saline	Silica gel			487		3	0	98,143 %	Pass	
Lot # K-20220111-039				Butanona	3MM Whatman			3		238	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			