



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 12/01/2022 To 12/01/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220112-011		12/01/2022	04:02	PM	Butanona Normal Saline	3MM Whatman Sílica gel	310,4 12,9		2,7 236	0	pH (Low/Actual/High)	93,955 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220112-025		12/01/2022	07:30	MB	Butanona Normal Saline	3MM Whatman Sílica gel	118 4		2 76	0	pH (Low/Actual/High)	93,333 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220112-027		12/01/2022	07:47	BB	Butanona Normal Saline	3MM Whatman Sílica gel	118,6 8		1,2 114	0	pH (Low/Actual/High)	92,441 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220112-042		12/01/2022	11:02	YD	Butanona Normal Saline	3MM Whatman Sílica gel	140,2 10,5		2,3 129,5	0	pH (Low/Actual/High)	90,886 %	Pass <= 2,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20220112-036		12/01/2022	09:56	VS	Citrato de Sódio 0,1M	Sílica gel	562		5	0	pH (Low/Actual/High)	99,118 %	Pass <= 6,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20220112-014	RPH	12/01/2022	04:09	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman	1214 16		3 925	0	pH (Low/Actual/High)	98,053 %	Pass <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220112-024	RPH	12/01/2022	07:25	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	459 14		3 392	0	pH (Low/Actual/High)	95,902 %	Pass <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220112-034	RPH	12/01/2022	09:46	VS	Acetona Normal Saline	3MM Whatman 3MM Whatman	647 6		3 1165	0	pH (Low/Actual/High)	99,026 %	Pass <= 5,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220112-040	RPH	12/01/2022	10:46	VS	Acetona Normal Saline	3MM Whatman 3MM Whatman	248 5		2 829	0	pH (Low/Actual/High)	98,60 %	Pass <= 6,00 <= 7,50
						Límpido/Incolor							
FITATO-99mTc Lot # K-20220112-010		12/01/2022	03:59	PM	Butanona	3MM Whatman	883		5	0	pH (Low/Actual/High)	99,437 %	Pass <= 7,00 <= 7,00
						Límpido/Incolor							
FITATO-99mTc Lot # K-20220112-030		12/01/2022	07:54	MB	Butanona	3MM Whatman	336		2	0	pH (Low/Actual/High)	99,408 %	Pass <= 7,00 <= 7,00
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20220112-013		12/01/2022 04:05 PM	Butanona		3MM	Whatman		640,6		1	0	99,844 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220112-028		12/01/2022 07:49 MB	Butanona		3MM	Whatman		114		2	0	98,276 %	Pass	
											pH (Low/Actual/High)	3,00 <= 3,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220112-029		12/01/2022 07:52 MB	Butanona		3MM	Whatman		26		1	0	96,296 %	Pass	
											pH (Low/Actual/High)	3,00 <= 3,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220112-037		12/01/2022 10:08 VS	Butanona		3MM	Whatman		1043		7	0	99,333 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MDP-99mTc Lot # K-20220112-016		12/01/2022 04:24 PM	Acetona		3MM	Whatman		1654		3	0	99,255 %	Pass	
			Normal Saline		3MM	Whatman		9		1586	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220112-017		12/01/2022 04:26 BB	Acetona		3MM	Whatman		1233		8	0	98,571 %	Pass	
			Normal Saline		3MM	Whatman		11		1392	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220112-026		12/01/2022 07:42 MB	Acetona		3MM	Whatman		1587		9	0	98,832 %	Pass	
			Normal Saline		3MM	Whatman		7		1151	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220112-031		12/01/2022 07:57 MB	Acetona		3MM	Whatman		797		5	0	98,109 %	Pass	
			Normal Saline		3MM	Whatman		11		857	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220112-035		12/01/2022 09:51 VS	Acetona		3MM	Whatman		861		4	0	99,308 %	Pass	
			Normal Saline		3MM	Whatman		3		1305	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220112-039		12/01/2022 10:34 VS	Acetona		3MM	Whatman		1017		3	0	99,294 %	Pass	
			Normal Saline		3MM	Whatman		1		242	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220112-043		12/01/2022 11:09 YD	Acetona		3MM	Whatman		440		3	0	97,335 %	Pass	
			Normal Saline		3MM	Whatman		10		493	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220112-045		12/01/2022 12:04 VS	Acetona		3MM	Whatman		223		1	0	97,533 %	Pass	
			Normal Saline		3MM	Whatman		8		388	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MIBI-99mTc Lot # K-20220112-004		12/01/2022 02:51 PM	Normal Saline		Sílica gel			2148		22	0	98,925 %	Pass	
			Metanol		3MM	Whatman		2		3245	pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220112-005		12/01/2022 02:53 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			3225 58		48 3882	0	pH (Low/Actual/High)	97,061 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220112-006		12/01/2022 03:07 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2754 15		38 3290	0	pH (Low/Actual/High)	98,185 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220112-007		12/01/2022 03:07 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2456 28		33 4264	0	pH (Low/Actual/High)	98,022 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220112-008		12/01/2022 03:57 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2200 20		38 2871	0	pH (Low/Actual/High)	97,61 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220112-009		12/01/2022 03:58 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1964 77		26 3408	0	pH (Low/Actual/High)	96,484 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220112-015		12/01/2022 04:20 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2033 6		6 2250	0	pH (Low/Actual/High)	99,44 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220112-018		12/01/2022 05:08 BB	Normal Saline Metanol		Sílica gel 3MM Whatman			1420 4		13 1322	0	pH (Low/Actual/High)	98,791 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220112-020		12/01/2022 07:01 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1410 8		24 1667	0	pH (Low/Actual/High)	97,849 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220112-021		12/01/2022 07:05 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			931 38		3 1187	0	pH (Low/Actual/High)	96,577 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220112-022		12/01/2022 07:15 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			675 2		9 1165	0	pH (Low/Actual/High)	98,513 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220112-023		12/01/2022 07:19 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			461 14		6 587	0	pH (Low/Actual/High)	96,386 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220112-032		12/01/2022 08:14 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			560 4		6 768	0	pH (Low/Actual/High)	98,422 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220112-033		12/01/2022 09:26 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			1675 3		12 1466	0	pH (Low/Actual/High)	99,084 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220112-038	12/01/2022	10:11 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			1215 3		7 480	0 pH (Low/Actual/High)	98,806 %		Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220112-041	12/01/2022	10:55 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			724 2		3 651	0 pH (Low/Actual/High)	99,281 %		Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220112-044	12/01/2022	11:12 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			609 6		6 650	0 pH (Low/Actual/High)	98,11 %		Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
PIRO-99mTc Lot # K-20220112-012	12/01/2022	04:03 PM	Butanona Normal Saline		3MM Whatman 3MM Whatman			903 2		3 895	0 pH (Low/Actual/High)	99,446 %		Pass 5,00 <= 6,00 <= 7,00
							Límpido/Incolor							
PSMA-177Lu Lot # K-20220112-001	12/01/2022	01:00 BB	Citrato de Sódio 0,1M		Sílica gel			709		5	0 pH (Low/Actual/High)	99,30 %		Pass 4,00 <= 4,50 <= 5,00
							Límpido							
QC Notes: HPLC: 95,42%														
PSMA-177Lu Lot # K-20220112-002	12/01/2022	01:12 BB	Citrato de Sódio 0,1M		Sílica gel			799		4	0 pH (Low/Actual/High)	99,502 %		Pass 4,00 <= 4,50 <= 5,00
							Límpido							
QC Notes: HPLC: 96,96%														
PSMA-177Lu Lot # K-20220112-003	12/01/2022	01:32 BB	Citrato de Sódio 0,1M		Sílica gel			473		1	0 pH (Low/Actual/High)	99,789 %		Pass 4,00 <= 4,50 <= 5,00
							Límpido							
QC Notes: HPLC: 96,46%														
PSMA-68Ga Lot # K-20220112-019	12/01/2022	06:44 MB	Acetato de amônio 1M:Metanol		Sílica gel			1,4		27,5	0 pH (Low/Actual/High)	95,156 %		Pass 4,00 <= 5,00 <= 8,00
							Límpido e Incolor							
PSMA-68Ga Lot # K-20220112-046	12/01/2022	12:54 YD	Acetato de amônio 1M:Metanol		Sílica gel			0,4		29,9	0 pH (Low/Actual/High)	98,68 %		Pass 4,00 <= 5,00 <= 8,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220112-001	12/01/2022	02:48 PM	Butanona		3MM Whatman			11		683	0 pH (Low/Actual/High)	98,415 %		Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220112-002	12/01/2022	02:52 PM	Butanona		3MM Whatman			6		1344	0 pH (Low/Actual/High)	99,556 %		Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220112-003	12/01/2022	02:58 PM	Butanona		3MM Whatman			14		938	0 pH (Low/Actual/High)	98,529 %		Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220112-004		12/01/2022 03:03 PM	Butanona		3MM	Whatman		5		260	0		98,113 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)		5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220112-005		12/01/2022 03:03 PM	Butanona		3MM	Whatman		3		880	0		99,66 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)		5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220112-006		12/01/2022 03:53 PM	Butanona		3MM	Whatman		20		649	0		97,01 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)		5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220112-007		12/01/2022 03:54 PM	Butanona		3MM	Whatman		10		1103	0		99,102 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)		5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220112-008		12/01/2022 04:19 PM	Butanona		3MM	Whatman		14		1948	0		99,286 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)		5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220112-009		12/01/2022 04:22 PM	Butanona		3MM	Whatman		5		2056	0		99,757 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)		5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220112-011		12/01/2022 06:59 MB	Butanona		3MM	Whatman		2		748	0		99,733 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)		5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220112-012		12/01/2022 07:03 MB	Butanona		3MM	Whatman		4		211	0		98,14 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)		5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220112-013		12/01/2022 07:13 MB	Butanona		3MM	Whatman		4		186	0		97,895 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)		5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220112-014		12/01/2022 07:16 MB	Butanona		3MM	Whatman		7		388	0		98,228 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)		5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220112-015		12/01/2022 07:23 MB	Butanona		3MM	Whatman		2		339	0		99,413 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)		5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220112-016		12/01/2022 07:40 MB	Butanona		3MM	Whatman		3		208	0		98,578 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)		5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220112-017		12/01/2022 07:43 MB	Butanona		3MM	Whatman		6		405	0		98,54 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)		5,00 <= 5,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220112-018		12/01/2022 07:55	MB	Butanona		3MM Whatman		3		241	0	98,77 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20220112-019		12/01/2022 08:11	MB	Butanona		3MM Whatman		8		730	0	98,916 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20220112-020		12/01/2022 09:12	MB	Butanona		3MM Whatman		21		1374	0	98,495 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20220112-021		12/01/2022 09:41	VS	Butanona		3MM Whatman		7		703	0	99,014 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220112-022		12/01/2022 09:41	VS	Butanona		3MM Whatman		10		208	0	95,413 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220112-023		12/01/2022 09:47	VS	Butanona		3MM Whatman		1		711	0	99,86 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220112-025		12/01/2022 10:05	VS	Butanona		3MM Whatman		6		732	0	99,187 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220112-026		12/01/2022 10:09	VS	Butanona		3MM Whatman		3		609	0	99,51 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220112-027		12/01/2022 10:25	VS	Butanona		3MM Whatman		9		254	0	96,578 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220112-028		12/01/2022 10:43	VS	Butanona		3MM Whatman		9		355	0	97,527 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220112-029		12/01/2022 11:04	VS	Butanona		3MM Whatman		5		284	0	98,27 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220112-030		12/01/2022 11:04	YD	Butanona		3MM Whatman		86		2700	0	96,913 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220112-031		12/01/2022 11:56	YD	Butanona		3MM Whatman		12		1150	0	98,967 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220112-033		12/01/2022 13:41												%
Tecnécio-99m Lot # E-20220112-034		12/01/2022 13:42												%
Tecnécio-99m Lot # E-20220112-035		12/01/2022 13:50												%
Tecnécio-99m Lot # E-20220112-036		12/01/2022 14:02												%
Tecnécio-99m Lot # E-20220112-037		12/01/2022 14:17												%