



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 13/01/2022 To 13/01/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220113-009		13/01/2022	04:04	MB	Butanona Normal Saline	3MM Whatman Sílica gel	9179 5		1 110	0	pH (Low/Actual/High)	95,641 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220113-023		13/01/2022	07:30	WG	Butanona Normal Saline	3MM Whatman Sílica gel	153,1 2,4		0,9 116,4	0	pH (Low/Actual/High)	97,395 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220113-022		13/01/2022	07:30	WG	Butanona Normal Saline	3MM Whatman Sílica gel	139,3 5,5		0,4 98,2	0	pH (Low/Actual/High)	94,41 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20220113-016		13/01/2022	06:51	PM	Citrato de Sódio 0,1M	Sílica gel	74		1,3	0	pH (Low/Actual/High)	98,274 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220113-051		13/01/2022	13:09	YD	Citrato de Sódio 0,1M	Sílica gel	80,4		0,7	0	pH (Low/Actual/High)	99,137 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20220113-014	RPH	13/01/2022	04:31	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	353 9		4 264	0	pH (Low/Actual/High)	95,583 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220113-018	RPH	13/01/2022	07:04	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman	356 9		3 378	0	pH (Low/Actual/High)	96,839 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220113-041	RPH	13/01/2022	10:36	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman	332 1		4 302	0	pH (Low/Actual/High)	98,479 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
FITATO-99mTc Lot # K-20220113-005		13/01/2022	03:21	MB	Butanona	3MM Whatman	219		5	0	pH (Low/Actual/High)	97,768 %	Pass 5,00 <= 6,00 <= 7,00
						Límpido/Incolor							
FITATO-99mTc Lot # K-20220113-024		13/01/2022	07:41	WG	Butanona	3MM Whatman	364		2	0	pH (Low/Actual/High)	99,454 %	Pass 5,00 <= 6,00 <= 7,00
						Límpido/Incolor							
MAA-99mTc Lot # K-20220113-012		13/01/2022	04:23	MB	Butanona	3MM Whatman	307		2	0	pH (Low/Actual/High)	99,353 %	Pass 3,00 <= 5,00 <= 6,00
						Turvo/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20220113-025		13/01/2022 07:43	WG	Butanona		3MM Whatman		139,9		3,1	0	97,832 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220113-040		13/01/2022 10:34	WG	Butanona		3MM Whatman		155,8		3,4	0	97,864 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220113-048		13/01/2022 12:08	WG	Butanona		3MM Whatman		202		1	0	99,507 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20220113-006		13/01/2022 03:28	MB	Acetona		3MM Whatman		375		1	0	96,522 %	Pass	
				Normal Saline		3MM Whatman		15		452	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
														Límpido/Incolor
MDP-99mTc Lot # K-20220113-007		13/01/2022 03:50	MB	Acetona		3MM Whatman		1168		24	0	97,818 %	Pass	
				Normal Saline		3MM Whatman		2		1184	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
														Límpido/Incolor
MDP-99mTc Lot # K-20220113-008		13/01/2022 03:52	MB	Acetona		3MM Whatman		1233		17	0	96,762 %	Pass	
				Normal Saline		3MM Whatman		17		888	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
														Límpido/Incolor
MDP-99mTc Lot # K-20220113-011		13/01/2022 04:22	MB	Acetona		3MM Whatman		905		13	0	97,277 %	Pass	
				Normal Saline		3MM Whatman		14		1057	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
														Límpido/Incolor
MDP-99mTc Lot # K-20220113-013		13/01/2022 04:28	MB	Acetona		3MM Whatman		414		2	0	98,422 %	Pass	
				Normal Saline		3MM Whatman		6		541	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
														Límpido/Incolor
MDP-99mTc Lot # K-20220113-021		13/01/2022 07:26	WG	Acetona		3MM Whatman		695		5	0	99,082 %	Pass	
				Normal Saline		3MM Whatman		1		489	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
														Límpido/Incolor
MDP-99mTc Lot # K-20220113-028		13/01/2022 08:11	WG	Acetona		3MM Whatman		448		3	0	98,638 %	Pass	
				Normal Saline		3MM Whatman		5		713	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
														Límpido/Incolor
MDP-99mTc Lot # K-20220113-029		13/01/2022 08:14	WG	Acetona		3MM Whatman		708		1	0	97,811 %	Pass	
				Normal Saline		3MM Whatman		11		526	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
														Límpido/Incolor
MDP-99mTc Lot # K-20220113-037		13/01/2022 10:10	WG	Acetona		3MM Whatman		545		2	0	98,164 %	Pass	
				Normal Saline		3MM Whatman		5		335	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
														Límpido/Incolor
MDP-99mTc Lot # K-20220113-043		13/01/2022 11:02	WG	Acetona		3MM Whatman		599		1	0	99,533 %	Pass	
				Normal Saline		3MM Whatman		2		664	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220113-049		13/01/2022 12:17	WG	Acetona Normal Saline	3MM	Whatman		632 7		3 596	0 pH (Low/Actual/High)	98,367 %		Pass 4,00 <= 6,00 <= 7,80
														Límpido/Incolor
MIBI-99mTc Lot # K-20220113-001		13/01/2022 02:53	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	761 9		8 894	0 pH (Low/Actual/High)	97,963 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220113-002		13/01/2022 02:56	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	606 1		7 780	0 pH (Low/Actual/High)	98,73 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220113-003		13/01/2022 03:12	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	738 32		8 975	0 pH (Low/Actual/High)	95,75 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220113-004		13/01/2022 03:15	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	629 23		7 838	0 pH (Low/Actual/High)	96,228 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220113-010		13/01/2022 04:08	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1332 18		12 1922	0 pH (Low/Actual/High)	98,179 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220113-015		13/01/2022 06:48	PM	Normal Saline Metanol	Sílica gel	3MM	Whatman	2657 41		6 2256	0 pH (Low/Actual/High)	97,99 %		Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220113-019		13/01/2022 07:05	WG	Normal Saline Metanol	Sílica gel	3MM	Whatman	987 9		8 1159	0 pH (Low/Actual/High)	98,425 %		Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220113-020		13/01/2022 07:19	WG	Normal Saline Metanol	Sílica gel	3MM	Whatman	828 2		18 599	0 pH (Low/Actual/High)	97,54 %		Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220113-026		13/01/2022 07:59	WG	Normal Saline Metanol	Sílica gel	3MM	Whatman	442 6		8 642	0 pH (Low/Actual/High)	97,296 %		Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220113-027		13/01/2022 08:08	WG	Normal Saline Metanol	Sílica gel	3MM	Whatman	593 4		2 796	0 pH (Low/Actual/High)	99,164 %		Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220113-030		13/01/2022 08:14	WG	Normal Saline Metanol	Sílica gel	3MM	Whatman	346 14		6 440	0 pH (Low/Actual/High)	95,212 %		Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220113-036		13/01/2022 10:05	WG	Normal Saline Metanol	Sílica gel	3MM	Whatman	488 3		4 471	0 pH (Low/Actual/High)	98,554 %		Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220113-038		13/01/2022 10:16	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			322 1		5 680	0	pH (Low/Actual/High)	98,324 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220113-039		13/01/2022 10:30	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			494 6		4 672	0	pH (Low/Actual/High)	98,312 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220113-042		13/01/2022 10:46	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			176,4 2,1		2,6 182,9	0	pH (Low/Actual/High)	97,412 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220113-044		13/01/2022 11:52	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			276 5		1 240	0	pH (Low/Actual/High)	97,598 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220113-047		13/01/2022 12:01	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			894 5		3 560	0	pH (Low/Actual/High)	98,781 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220113-046		13/01/2022 12:06	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			137,9 0,2		2 88,6	0	pH (Low/Actual/High)	98,345 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220113-050		13/01/2022 12:48	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			692 3		12 1095	0	pH (Low/Actual/High)	98,022 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20220113-031		13/01/2022 09:46	WG	Acetato de amônio 1M:Metanol	Sílica gel			1,6		94,7	0	pH (Low/Actual/High)	98,339 %	Pass 4,00 <= 7,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220113-001		13/01/2022 02:51	MB	Butanona	3MM Whatman			1		109	0	pH (Low/Actual/High)	99,091 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220113-002		13/01/2022 02:54	MB	Butanona	3MM Whatman			22		466	0	pH (Low/Actual/High)	95,492 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220113-003		13/01/2022 03:09	MB	Butanona	3MM Whatman			1		103	0	pH (Low/Actual/High)	99,038 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220113-004		13/01/2022 03:13	MB	Butanona	3MM Whatman			2		239	0	pH (Low/Actual/High)	99,17 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220113-005		13/01/2022 03:18	MB	Butanona	3MM Whatman			3		201	0	pH (Low/Actual/High)	98,529 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220113-006		13/01/2022 03:28	MB	Butanona		3MM Whatman		3		126	0	97,674 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
Tecnécio-99m Lot # E-20220113-007		13/01/2022 03:48	MB	Butanona		3MM Whatman		11		608	0	98,223 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
Tecnécio-99m Lot # E-20220113-008		13/01/2022 03:54	MB	Butanona		3MM Whatman		2		196	0	98,99 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
Tecnécio-99m Lot # E-20220113-009		13/01/2022 04:02	MB	Butanona		3MM Whatman		6		179	0	96,757 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
Tecnécio-99m Lot # E-20220113-010		13/01/2022 04:06	MB	Butanona		3MM Whatman		1		448	0	99,777 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
Tecnécio-99m Lot # E-20220113-011		13/01/2022 04:20	MB	Butanona		3MM Whatman		4		278	0	98,582 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
Tecnécio-99m Lot # E-20220113-012		13/01/2022 04:22	MB	Butanona		3MM Whatman		0,7		103,7	0	99,33 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
Tecnécio-99m Lot # E-20220113-013		13/01/2022 04:29	MB	Butanona		3MM Whatman		1		604	0	99,835 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
Tecnécio-99m Lot # E-20220113-014		13/01/2022 04:53	MB	Butanona		3MM Whatman		3		320	0	99,071 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
Tecnécio-99m Lot # E-20220113-015		13/01/2022 06:45	PM	Butanona		3MM Whatman		2		1756	0	99,886 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
Tecnécio-99m Lot # E-20220113-016		13/01/2022 06:51	PM	Butanona		3MM Whatman		10		1742	0	99,429 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
Tecnécio-99m Lot # E-20220113-018		13/01/2022 07:02	PM	Butanona		3MM Whatman		5		130,5	0	96,31 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
Tecnécio-99m Lot # E-20220113-019		13/01/2022 07:16	PM	Butanona		3MM Whatman		9		540	0	98,361 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220113-020		13/01/2022 07:21	WG	Butanona		3MM Whatman		2		219	0		99,095 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-021		13/01/2022 07:38	WG	Butanona		3MM Whatman		6		363	0		98,374 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-022		13/01/2022 07:53	WG	Butanona		3MM Whatman		2,5		136,3	0		98,199 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-023		13/01/2022 08:04	WG	Butanona		3MM Whatman		15		1376	0		98,922 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-024		13/01/2022 08:09	WG	Butanona		3MM Whatman		5		133,4	0		96,387 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-025		13/01/2022 08:12	WG	Butanona		3MM Whatman		6		259	0		97,736 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-026		13/01/2022 08:33	WG	Butanona		3MM Whatman		9		391	0		97,75 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-028		13/01/2022 09:49	WG	Butanona		3MM Whatman		4		323	0		98,777 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-029		13/01/2022 10:01	WG	Butanona		3MM Whatman		3		221	0		98,661 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-030		13/01/2022 10:07	WG	Butanona		3MM Whatman		1		203	0		99,51 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-031		13/01/2022 10:14	WG	Butanona		3MM Whatman		3		226	0		98,69 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-032		13/01/2022 10:28	WG	Butanona		3MM Whatman		1		220	0		99,548 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-033		13/01/2022 10:32	WG	Butanona		3MM Whatman		2		394	0		99,495 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220113-034		13/01/2022 10:44	WG	Butanona		3MM Whatman		5		213	0	97,706 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-035		13/01/2022 10:59	WG	Butanona		3MM Whatman		5		300	0	98,361 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-036		13/01/2022 11:47	WG	Butanona		3MM Whatman		5		250	0	98,039 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-037		13/01/2022 11:55	WG	Butanona		3MM Whatman		2		217	0	99,087 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-038		13/01/2022 11:58	WG	Butanona		3MM Whatman		1		109,3	0	99,093 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-039		13/01/2022 12:04	WG	Butanona		3MM Whatman		5		238	0	97,942 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220113-040		13/01/2022 12:46	VS	Butanona		3MM Whatman		4		144,8	0	97,312 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
TRODAT-99mTc Lot # K-20220113-017		13/01/2022 07:00	WG	Normal Saline		Sílica gel		98,2		1,6	0	96,321 %	Pass	
				Butanona		3MM Whatman		3		141,5	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20220113-032		13/01/2022 09:59	WG	Normal Saline		Sílica gel		161,4		3,5	0	96,492 %	Pass	
				Butanona		3MM Whatman		2,3		163,7	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20220113-033		13/01/2022 10:00	WG	Normal Saline		Sílica gel		144,7		3,2	0	96,919 %	Pass	
				Butanona		3MM Whatman		1,6		172,8	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20220113-034		13/01/2022 10:00	WG	Normal Saline		Sílica gel		87,2		0,7	0	96,375 %	Pass	
				Butanona		3MM Whatman		4		137,4	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20220113-035		13/01/2022 10:02	WG	Normal Saline		Sílica gel		47,9		2,7	0	92,437 %	Pass	
				Butanona		3MM Whatman		2,2		96,6	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							