



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10  
 R: Maestro Cardim, 769 - São Paulo/SP  
 Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 14/01/2022 To 14/01/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220114-010		14/01/2022	04:05	MB	Butanona	3MM Whatman	226		2	0		91,31 %	Pass
					Normal Saline	Silica gel	10		118	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	
					Límpido/Incolor								
DMSA-99mTc Lot # K-20220114-022		14/01/2022	07:35	GS	Butanona	3MM Whatman	23,6		0,2	0		95,113 %	Pass
					Normal Saline	Silica gel	3,8		90,1	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	
					Límpido/Incolor								
DMSA-99mTc Lot # K-20220114-023		14/01/2022	07:36	GS	Butanona	3MM Whatman	113		1,2	0		91,193 %	Pass
					Normal Saline	Silica gel	6,5		77,3	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	
					Límpido/Incolor								
DMSA-99mTc Lot # K-20220114-024		14/01/2022	07:37	GS	Butanona	3MM Whatman	111,2		1,5	0		95,163 %	Pass
					Normal Saline	Silica gel	1,9		52,3	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	
					Límpido/Incolor								
DMSA-99mTc Lot # K-20220114-027		14/01/2022	08:04	GS	Butanona	3MM Whatman	156,2		0,2	0		94,597 %	Pass
					Normal Saline	Silica gel	6,8		122,1	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	
					Límpido/Incolor								
DMSA-99mTc Lot # K-20220114-028		14/01/2022	08:05	GS	Butanona	3MM Whatman	192,8		0,9	0		94,231 %	Pass
					Normal Saline	Silica gel	8,9		158,9	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	
					Límpido/Incolor								
DMSA-99mTc Lot # K-20220114-039		14/01/2022	10:32	WG	Butanona	3MM Whatman	136,6		2,3	0		96,07 %	Pass
					Normal Saline	Silica gel	3		128,9	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	
					Límpido/Incolor								
DMSA-99mTc Lot # K-20220114-040		14/01/2022	10:35	WG	Butanona	3MM Whatman	124,3		0,8	0		95,227 %	Pass
					Normal Saline	Silica gel	5,7		132,2	pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00	
					Límpido/Incolor								
DOTATOC-68Ga Lot # K-20220114-042		14/01/2022	12:29										%
DTPA-99mTc Lot # K-20220114-005	RPH	14/01/2022	02:47	MB	Acetona	3MM Whatman	728		1	0		96,968 %	Pass
					Normal Saline	3MM Whatman	22		738	pH (Low/Actual/High)	3,80 <= 6,00	<= 7,50	
					Límpido/Incolor								
DTPA-99mTc Lot # K-20220114-011	RPH	14/01/2022	04:08	MB	Acetona	3MM Whatman	232		3	0		95,004 %	Pass
					Normal Saline	3MM Whatman	9		233	pH (Low/Actual/High)	3,80 <= 5,00	<= 7,50	
					Límpido/Incolor								

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20220114-038	RPH	14/01/2022 10:29	WG	Acetona Normal Saline	3MM	Whatman		368 9		2 522	0	pH (Low/Actual/High)	97,765 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
FITATO-99mTc Lot # K-20220114-004		14/01/2022 02:44	MB	Butanona	3MM	Whatman		355		10	0	pH (Low/Actual/High)	97,26 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20220114-020		14/01/2022 07:13	GS	Butanona	3MM	Whatman		161,4		0,1	0	pH (Low/Actual/High)	99,938 %	Pass 5,00 <= 5,00 <= 7,00
Límpido/Incolor														
MAA-99mTc Lot # K-20220114-012		14/01/2022 04:11	MB	Butanona	3MM	Whatman		316		4	0	pH (Low/Actual/High)	98,75 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220114-025		14/01/2022 07:58	GS	Butanona	3MM	Whatman		56,1		0,8	0	pH (Low/Actual/High)	98,594 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220114-026		14/01/2022 08:03	GS	Butanona	3MM	Whatman		84,9		1,8	0	pH (Low/Actual/High)	97,924 %	Pass 3,00 <= 3,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220114-036		14/01/2022 10:23	WG	Butanona	3MM	Whatman		149,5		0,3	0	pH (Low/Actual/High)	99,80 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220114-037		14/01/2022 10:25	WG	Butanona	3MM	Whatman		214		2	0	pH (Low/Actual/High)	99,074 %	Pass 3,00 <= 6,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220114-043		14/01/2022 13:26	YD	Butanona	3MM	Whatman		56,2		1	0	pH (Low/Actual/High)	98,252 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MDP-99mTc Lot # K-20220114-007		14/01/2022 03:31	MB	Acetona Normal Saline	3MM	Whatman		440 17		3 430	0	pH (Low/Actual/High)	95,52 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220114-008		14/01/2022 03:33	MB	Acetona Normal Saline	3MM	Whatman		1133 1		2 1105	0	pH (Low/Actual/High)	99,733 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220114-014		14/01/2022 04:31	MB	Acetona Normal Saline	3MM	Whatman		1325 16		2 1215	0	pH (Low/Actual/High)	98,55 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220114-017		14/01/2022 06:44	GS	Acetona Normal Saline	3MM	Whatman		332 2		1 295	0	pH (Low/Actual/High)	99,026 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220114-019		14/01/2022 07:10	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman			362 4		2 234	0 pH (Low/Actual/High)	97,77 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220114-021		14/01/2022 07:17	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman			382 1		3 302	0 pH (Low/Actual/High)	98,891 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220114-029		14/01/2022 08:07	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman			292 18		1 633	0 pH (Low/Actual/High)	96,894 %	Pass	4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220114-031		14/01/2022 08:45	VS	Acetona Normal Saline	3MM Whatman 3MM Whatman			328 5		1 346	0 pH (Low/Actual/High)	98,272 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220114-034		14/01/2022 10:08	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman			644 2		11 490	0 pH (Low/Actual/High)	97,914 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220114-041		14/01/2022 10:45	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman			1085 4		15 1232	0 pH (Low/Actual/High)	98,313 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220114-001		14/01/2022 02:37	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			1583 11		28 2081	0 pH (Low/Actual/High)	97,736 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220114-002		14/01/2022 02:38	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1433 12		23 2268	0 pH (Low/Actual/High)	97,894 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220114-003		14/01/2022 02:39	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1330 62		12 2074	0 pH (Low/Actual/High)	96,203 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220114-006		14/01/2022 02:58	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			950 7		18 1253	0 pH (Low/Actual/High)	97,585 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220114-009		14/01/2022 04:00	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			576 9		5 602	0 pH (Low/Actual/High)	97,666 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220114-013		14/01/2022 04:16	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			721 5		4 419	0 pH (Low/Actual/High)	98,269 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220114-015		14/01/2022 06:34	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1040 20		16 1038	0 pH (Low/Actual/High)	96,594 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220114-016		14/01/2022 06:40	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1241 1		20 268	0	pH (Low/Actual/High)	98,042 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220114-030		14/01/2022 08:41	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			488 9		1 682	0	pH (Low/Actual/High)	98,493 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220114-032		14/01/2022 09:37	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			1090 14		3 1221	0	pH (Low/Actual/High)	98,592 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
PSMA-68Ga Lot # K-20220114-018		14/01/2022 06:49	GS	Acetato de amônio 1M:Metanol	Sílica gel			1,4		29,9	0	pH (Low/Actual/High)	95,527 %	Pass 4,00 <= 5,00 <= 8,00
														Límpido e Incolor
PSMA-68Ga Lot # K-20220114-033		14/01/2022 09:40	JS	Acetato de amônio 1M:Metanol	Sílica gel			0,5		39,6	0	pH (Low/Actual/High)	98,753 %	Pass 4,00 <= 5,00 <= 8,00
														Límpido e Incolor
PSMA-68Ga Lot # K-20220114-035		14/01/2022 10:13	WG	Acetato de amônio 1M:Metanol	Sílica gel			0,3		11,7	0	pH (Low/Actual/High)	97,50 %	Pass 4,00 <= 7,00 <= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220114-001		14/01/2022 02:31	MB	Butanona	3MM Whatman			3		214	0	pH (Low/Actual/High)	98,618 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220114-002		14/01/2022 02:55	MB	Butanona	3MM Whatman			2		249	0	pH (Low/Actual/High)	99,203 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220114-003		14/01/2022 03:28	MB	Butanona	3MM Whatman			1		523	0	pH (Low/Actual/High)	99,809 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220114-004		14/01/2022 03:28	MB	Butanona	3MM Whatman			2		282	0	pH (Low/Actual/High)	99,296 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220114-005		14/01/2022 03:57	MB	Butanona	3MM Whatman			5		386	0	pH (Low/Actual/High)	98,721 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220114-006		14/01/2022 04:01	MB	Butanona	3MM Whatman			12		1578	0	pH (Low/Actual/High)	99,245 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220114-007		14/01/2022 04:14	MB	Butanona	3MM Whatman			2		345	0	pH (Low/Actual/High)	99,424 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220114-008		14/01/2022 04:27	MB	Butanona		3MM Whatman		26		1697	0	98,491 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220114-009		14/01/2022 06:31	GS	Butanona		3MM Whatman		10		365	0	97,333 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220114-010		14/01/2022 06:36	GS	Butanona		3MM Whatman		5		837	0	99,406 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220114-012		14/01/2022 07:07	GS	Butanona		3MM Whatman		33		1044	0	96,936 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220114-014		14/01/2022 07:29	GS	Butanona		3MM Whatman		0,3		152,4	0	99,804 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220114-015		14/01/2022 07:55	GS	Butanona		3MM Whatman		6,9		151,2	0	95,636 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220114-016		14/01/2022 08:01	GS	Butanona		3MM Whatman		1,7		184,7	0	99,088 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220114-017		14/01/2022 08:40	GS	Butanona		3MM Whatman		2		212	0	99,065 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220114-018		14/01/2022 08:43	GS	Butanona		3MM Whatman		0,5		165,9	0	99,70 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220114-013		14/01/2022 09:14	GS	Butanona		3MM Whatman		0,7		35,2	0	98,05 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220114-019		14/01/2022 09:15	VS	Butanona		3MM Whatman		5		803	0	99,381 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220114-020		14/01/2022 09:16	VS	Butanona		3MM Whatman		7		1079	0	99,355 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220114-021		14/01/2022 09:34	WG	Butanona		3MM Whatman		1		452	0	99,779 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
											Límpido e Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220114-023		14/01/2022 10:06	WG	Butanona		3MM Whatman		0,9		99,8	0		99,106 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220114-025		14/01/2022 10:27	WG	Butanona		3MM Whatman		0,8		122,3	0		99,35 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220114-026		14/01/2022 10:43	WG	Butanona		3MM Whatman		3		455	0		99,345 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220114-028		14/01/2022 13:19	YD	Butanona		3MM Whatman		3		410	0		99,274 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220114-029		14/01/2022 13:38	JS	Butanona		3MM Whatman		6		1500	0		99,602 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220114-030		14/01/2022 13:39	JS	Butanona		3MM Whatman		1		521	0		99,808 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220114-031		14/01/2022 13:39	JS	Butanona		3MM Whatman		1		601	0		99,834 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220114-032		14/01/2022 13:40	JS	Butanona		3MM Whatman		1,8		144	0		98,765 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor