



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 18/01/2022 To 18/01/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220118-011		18/01/2022	04:02	MB	Butanona Normal Saline	3MM Whatman Sílica gel	164 3,7		5 100,7	0	pH (Low/Actual/High)	93,497 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220118-012		18/01/2022	04:03	MB	Butanona Normal Saline	3MM Whatman Sílica gel	135,9 4,3		1,6 104,5	0	pH (Low/Actual/High)	94,884 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220118-021		18/01/2022	07:35	WG	Butanona Normal Saline	3MM Whatman Sílica gel	172,7 1,1		3 146,1	0	pH (Low/Actual/High)	97,545 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220118-024		18/01/2022	07:46	WG	Butanona Normal Saline	3MM Whatman Sílica gel	167,2 4,4		2,7 171,8	0	pH (Low/Actual/High)	95,914 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20220118-019		18/01/2022	06:51	BB	Citrato de Sódio 0,1M	Sílica gel	28,2		0,5	0	pH (Low/Actual/High)	98,258 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220118-035		18/01/2022	09:58	FN	Citrato de Sódio 0,1M	Sílica gel	45,9		0,7	0	pH (Low/Actual/High)	98,498 %	Pass 4,00 <= 7,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220118-045		18/01/2022	11:00	WG	Citrato de Sódio 0,1M	Sílica gel	24,7		0,2	0	pH (Low/Actual/High)	99,197 %	Pass 4,00 <= 7,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220118-046		18/01/2022	13:02	WG	Citrato de Sódio 0,1M	Sílica gel	71,3		2,3	0	pH (Low/Actual/High)	96,875 %	Pass 4,00 <= 7,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20220118-009	RPH	18/01/2022	03:30	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	429 2		5 428	0	pH (Low/Actual/High)	98,383 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220118-025	RPH	18/01/2022	07:50	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman	385 20		3 542	0	pH (Low/Actual/High)	95,668 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220118-028	RPH	18/01/2022	09:04	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	426 12		25 285	0	pH (Low/Actual/High)	90,416 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20220118-010	18/01/2022	03:32	MB	Butanona	3MM	Whatman		286		1	0	99,652 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00
														Límpido/Incolor
FITATO-99mTc Lot # K-20220118-022	18/01/2022	07:38	FN	Butanona	3MM	Whatman		518		10	0	98,106 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00
														Límpido/Incolor
MAA-99mTc Lot # K-20220118-014	18/01/2022	04:09	MB	Butanona	3MM	Whatman		253		1	0	99,606 %	Pass	
												pH (Low/Actual/High)	3,00 <= 3,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220118-015	18/01/2022	04:12	MB	Butanona	3MM	Whatman		304		2	0	99,346 %	Pass	
												pH (Low/Actual/High)	3,00 <= 3,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220118-031	18/01/2022	09:37	FN	Butanona	3MM	Whatman		369		6	0	98,40 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20220118-006	18/01/2022	03:03	MB	Acetona	3MM	Whatman		495		2	0	96,645 %	Pass	
				Normal Saline	3MM	Whatman		15		493		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220118-008	18/01/2022	03:26	MB	Acetona	3MM	Whatman		879		2	0	99,648 %	Pass	
				Normal Saline	3MM	Whatman		1		798		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220118-018	18/01/2022	06:40	FN	Acetona	3MM	Whatman		370		5	0	97,618 %	Pass	
				Normal Saline	3MM	Whatman		3		283		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220118-020	18/01/2022	07:05	FN	Acetona	3MM	Whatman		1123		2	0	99,353 %	Pass	
				Normal Saline	3MM	Whatman		4		848		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220118-023	18/01/2022	07:42	FN	Acetona	3MM	Whatman		909		2	0	99,256 %	Pass	
				Normal Saline	3MM	Whatman		6		1137		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220118-029	18/01/2022	09:11	FN	Acetona	3MM	Whatman		663		2	0	99,167 %	Pass	
				Normal Saline	3MM	Whatman		4		747		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220118-032	18/01/2022	09:39	FN	Acetona	3MM	Whatman		839		12	0	97,334 %	Pass	
				Normal Saline	3MM	Whatman		10		786		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220118-033	18/01/2022	09:45	FN	Acetona	3MM	Whatman		684		16	0	97,12 %	Pass	
				Normal Saline	3MM	Whatman		3		502		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220118-034	18/01/2022	09:52	WG	Acetona Normal Saline	3MM	Whatman		482 4		3 783	0 pH (Low/Actual/High)	98,873 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220118-001	18/01/2022	02:00	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1559 31		23 2013	0 pH (Low/Actual/High)	97,03 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220118-002	18/01/2022	02:02	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1290 3		20 1820	0 pH (Low/Actual/High)	98,309 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220118-003	18/01/2022	02:33	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	927 8		21 1070	0 pH (Low/Actual/High)	97,043 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220118-004	18/01/2022	02:36	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	2019 6		8 2299	0 pH (Low/Actual/High)	99,345 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220118-005	18/01/2022	03:00	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	901 7		17 1446	0 pH (Low/Actual/High)	97,666 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220118-007	18/01/2022	03:22	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1650 6		20 1814	0 pH (Low/Actual/High)	98,473 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220118-013	18/01/2022	04:06	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1188 8		10 2127	0 pH (Low/Actual/High)	98,791 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220118-016	18/01/2022	06:32	FN	Normal Saline Metanol	Sílica gel	3MM	Whatman	543 3		3 580	0 pH (Low/Actual/High)	98,936 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220118-017	18/01/2022	06:33	FN	Normal Saline Metanol	Sílica gel	3MM	Whatman	1154 12		20 739	0 pH (Low/Actual/High)	96,699 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220118-027	18/01/2022	08:30	FN	Normal Saline Metanol	Sílica gel	3MM	Whatman	877 7		9 690	0 pH (Low/Actual/High)	97,98 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220118-030	18/01/2022	09:23	FN	Normal Saline Metanol	Sílica gel	3MM	Whatman	1785 3		26 529	0 pH (Low/Actual/High)	98,00 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220118-043	18/01/2022	10:26	WG	Normal Saline Metanol	Sílica gel	3MM	Whatman	791 35		2 1282	0 pH (Low/Actual/High)	97,09 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220118-044	18/01/2022	10:49	WG	Normal Saline Metanol	Sílica gel 3MM Whatman			968 17		9 1678	0	pH (Low/Actual/High)	98,076 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
PIRO-99mTc Lot # K-20220118-026	18/01/2022	08:02	WG	Butanona Normal Saline	3MM Whatman 3MM Whatman			447 3		1 490	0	pH (Low/Actual/High)	99,168 %	Pass 5,00 <= 6,00 <= 7,00
														Límpido/Incolor
Tecnécio-99m Lot # E-20220118-001	18/01/2022	01:46	MB	Butanona	3MM Whatman			46		3634	0	pH (Low/Actual/High)	98,75 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-002	18/01/2022	01:53	MB	Butanona	3MM Whatman			14		3305	0	pH (Low/Actual/High)	99,578 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-003	18/01/2022	02:31	MB	Butanona	3MM Whatman			10		610	0	pH (Low/Actual/High)	98,387 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-004	18/01/2022	02:58	MB	Butanona	3MM Whatman			20		486	0	pH (Low/Actual/High)	96,047 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-005	18/01/2022	03:21	MB	Butanona	3MM Whatman			5		203	0	pH (Low/Actual/High)	97,596 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-006	18/01/2022	03:28	MB	Butanona	3MM Whatman			1		537	0	pH (Low/Actual/High)	99,814 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-007	18/01/2022	03:59	MB	Butanona	3MM Whatman			10		502	0	pH (Low/Actual/High)	98,047 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-008	18/01/2022	04:04	MB	Butanona	3MM Whatman			5		1115	0	pH (Low/Actual/High)	99,554 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-009	18/01/2022	06:20	FN	Butanona	3MM Whatman			3		120	0	pH (Low/Actual/High)	97,561 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-010	18/01/2022	06:26	FN	Butanona	3MM Whatman			3		1138	0	pH (Low/Actual/High)	99,737 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-012	18/01/2022	07:03	FN	Butanona	3MM Whatman			4		1695	0	pH (Low/Actual/High)	99,765 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220118-013		18/01/2022 07:28	FN	Butanona		3MM Whatman		3		715	0		99,582 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-014		18/01/2022 07:39	FN	Butanona		3MM Whatman		5		1402	0		99,645 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-015		18/01/2022 08:00	FN	Butanona		3MM Whatman		3		933	0		99,679 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-016		18/01/2022 08:28	WG	Butanona		3MM Whatman		7		379	0		98,187 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-017		18/01/2022 09:06	FN	Butanona		3MM Whatman		4		551	0		99,279 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-018		18/01/2022 09:20	FN	Butanona		3MM Whatman		5		733	0		99,322 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-019		18/01/2022 09:29	FN	Butanona		3MM Whatman		3		287	0		98,966 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-020		18/01/2022 09:42	FN	Butanona		3MM Whatman		5		824	0		99,397 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-021		18/01/2022 09:46	FN	Butanona		3MM Whatman		3		742	0		99,597 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-023		18/01/2022 10:01	WG	Butanona		3MM Whatman		5		710	0		99,301 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-024		18/01/2022 10:20	WG	Butanona		3MM Whatman		6		387	0		98,473 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-025		18/01/2022 10:41	WG	Butanona		3MM Whatman		8		663	0		98,808 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220118-027		18/01/2022 11:34	WG	Butanona		3MM Whatman		12		439	0		97,339 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc Lot # K-20220118-036	18/01/2022	10:09	WG	Normal Saline	Sílica gel			130,9		1,4	0	98,094 %	Pass	
				Butanona	3MM Whatman			1,1		128,7	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20220118-037	18/01/2022	10:10	WG	Normal Saline	Sílica gel			148,9		4	0	94,529 %	Pass	
				Butanona	3MM Whatman			3,3		112,3	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20220118-038	18/01/2022	10:11	WG	Normal Saline	Sílica gel			134,8		4	0	97,024 %	Pass	
				Butanona	3MM Whatman			0,1		106,4	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20220118-039	18/01/2022	10:11	WG	Normal Saline	Sílica gel			101,8		1,3	0	98,308 %	Pass	
				Butanona	3MM Whatman			1		231	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20220118-040	18/01/2022	10:16	WG	Normal Saline	Sílica gel			101,4		3,5	0	96,068 %	Pass	
				Butanona	3MM Whatman			0,9		150,2	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20220118-041	18/01/2022	10:17	WG	Normal Saline	Sílica gel			125		4	0	95,532 %	Pass	
				Butanona	3MM Whatman			1,7		122,6	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20220118-042	18/01/2022	10:18	WG	Normal Saline	Sílica gel			76,4		3,4	0	93,92 %	Pass	
				Butanona	3MM Whatman			2		107,9	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
											Límpido/Incolor			