



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10  
 R: Maestro Cardim, 769 - São Paulo/SP  
 Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 19/01/2022 To 19/01/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220119-013		19/01/2022	04:04	MB	Butanona Normal Saline	3MM Whatman Sílica gel	166,5 13,2		1,1 195,8	0	pH (Low/Actual/High)	93,028 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220119-023		19/01/2022	07:32	BB	Butanona Normal Saline	3MM Whatman Sílica gel	354 18		3 219	0	pH (Low/Actual/High)	91,565 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220119-024		19/01/2022	07:33	FN	Butanona Normal Saline	3MM Whatman Sílica gel	254 12		1 148,4	0	pH (Low/Actual/High)	92,127 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220119-035		19/01/2022	10:24	VS	Butanona Normal Saline	3MM Whatman Sílica gel	328 4		2 263	0	pH (Low/Actual/High)	97,896 %	Pass
Límpido/Incolor													
DOTA-177Lu Lot # K-20220119-001		19/01/2022	00:59	BB	Citrato de Sódio 0,1M	Sílica gel	384		3	0	pH (Low/Actual/High)	99,225 %	Pass
Limpido													
QC Notes: HPLC: 99,48%													
DOTATOC-68Ga Lot # K-20220119-032		19/01/2022	09:53	VS	Citrato de Sódio 0,1M	Sílica gel	19,4		0,1	0	pH (Low/Actual/High)	99,487 %	Pass
Límpido e Incolor													
DTPA-99mTc Lot # K-20220119-011	RPH	19/01/2022	03:40	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	323 9		5 326	0	pH (Low/Actual/High)	95,789 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20220119-036	RPH	19/01/2022	10:34	VS	Acetona Normal Saline	3MM Whatman 3MM Whatman	959 2		7 1828	0	pH (Low/Actual/High)	99,166 %	Pass
Límpido/Incolor													
FITATO-99mTc Lot # K-20220119-010		19/01/2022	03:29	MB	Butanona	3MM Whatman	457		3	0	pH (Low/Actual/High)	99,348 %	Pass
Límpido/Incolor													
FITATO-99mTc Lot # K-20220119-018		19/01/2022	06:37	FN	Butanona	3MM Whatman	587		6	0	pH (Low/Actual/High)	98,988 %	Pass
Límpido/Incolor													
MAA-99mTc Lot # K-20220119-029		19/01/2022	09:29	VS	Butanona	3MM Whatman	127,1		2	0	pH (Low/Actual/High)	98,451 %	Pass
Turvo/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20220119-033		19/01/2022 09:59 VS	Butanona		3MM	Whatman		237		4	0	98,34 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20220119-040		19/01/2022 11:18 VS	Butanona		3MM	Whatman		304		3	0	99,023 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MDP-99mTc Lot # K-20220119-007		19/01/2022 02:42 MB	Acetona		3MM	Whatman		706		2	0	96,221 %	Pass	
			Normal Saline		3MM	Whatman		20		552	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220119-014		19/01/2022 04:08 MB	Acetona		3MM	Whatman		515		1	0	99,092 %	Pass	
			Normal Saline		3MM	Whatman		4		556	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220119-015		19/01/2022 04:16 MB	Acetona		3MM	Whatman		534		1	0	97,116 %	Pass	
			Normal Saline		3MM	Whatman		14		505	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220119-019		19/01/2022 06:48 FN	Acetona		3MM	Whatman		1068		3	0	98,576 %	Pass	
			Normal Saline		3MM	Whatman		10		864	pH (Low/Actual/High)	4,00 <= 7,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220119-021		19/01/2022 07:18 BB	Acetona		3MM	Whatman		797		3	0	96,281 %	Pass	
			Normal Saline		3MM	Whatman		21		607	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220119-026		19/01/2022 08:16 FN	Acetona		3MM	Whatman		318		2	0	98,921 %	Pass	
			Normal Saline		3MM	Whatman		2		439	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220119-027		19/01/2022 09:15 VS	Acetona		3MM	Whatman		433		5	0	97,435 %	Pass	
			Normal Saline		3MM	Whatman		4		277	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220119-028		19/01/2022 09:24 VS	Acetona		3MM	Whatman		584		2	0	98,259 %	Pass	
			Normal Saline		3MM	Whatman		7		493	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220119-034		19/01/2022 10:12 VS	Acetona		3MM	Whatman		1195		5	0	99,317 %	Pass	
			Normal Saline		3MM	Whatman		4		1496	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220119-037		19/01/2022 11:00 VS	Acetona		3MM	Whatman		1664		3	0	96,841 %	Pass	
			Normal Saline		3MM	Whatman		7		228	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220119-003		19/01/2022 01:58 MB	Normal Saline		Sílica gel			1441		18	0	98,334 %	Pass	
			Metanol		3MM	Whatman		8		1844	pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220119-004		19/01/2022 01:58	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1065 10		9 1914	0	pH (Low/Actual/High)	98,642 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220119-005		19/01/2022 02:33	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1793 14		23 1507	0	pH (Low/Actual/High)	97,813 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220119-006		19/01/2022 02:39	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1462 9		12 2086	0	pH (Low/Actual/High)	98,756 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220119-008		19/01/2022 03:21	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			492 3		7 517	0	pH (Low/Actual/High)	98,02 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220119-009		19/01/2022 03:22	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1738 54		16 1887	0	pH (Low/Actual/High)	96,306 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220119-012		19/01/2022 03:51	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			660 9		5 2098	0	pH (Low/Actual/High)	98,821 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220119-016		19/01/2022 06:29	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			2438 23		30 2580	0	pH (Low/Actual/High)	97,901 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220119-017		19/01/2022 06:33	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			2247 12		12 2951	0	pH (Low/Actual/High)	99,064 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220119-022		19/01/2022 07:30	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			1060 10		7 1173	0	pH (Low/Actual/High)	98,499 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220119-025		19/01/2022 08:00	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			847 4		10 954	0	pH (Low/Actual/High)	98,416 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220119-030		19/01/2022 09:49	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			1339 6		3 1626	0	pH (Low/Actual/High)	99,409 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220119-031		19/01/2022 09:51	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			236 8		2 243	0	pH (Low/Actual/High)	95,972 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220119-038		19/01/2022 11:11	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			354 4		2 1658	0	pH (Low/Actual/High)	99,198 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220119-039	19/01/2022	11:13 VS	Normal Saline Metanol		Silica gel 3MM Whatman			1422 5		2 1766	0 pH (Low/Actual/High)	99,577 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220119-041	19/01/2022	12:12 VS	Normal Saline Metanol		Silica gel 3MM Whatman			457 2		7 725	0 pH (Low/Actual/High)	98,216 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido/Incolor							
PSMA-177Lu Lot # K-20220119-002	19/01/2022	01:26 BB	Citrato de Sódio 0,1M		Silica gel			342		1	0 pH (Low/Actual/High)	99,708 % 4,00 <= 4,50 <= 5,00	Pass	
							Límpido							
QC Notes: HPLC: 95,94%														
PSMA-68Ga Lot # K-20220119-020	19/01/2022	06:51 FN	Acetato de amônio 1M:Metanol		Silica gel			2,7		76,48	0 pH (Low/Actual/High)	96,59 % 4,00 <= 6,00 <= 8,00	Pass	
							Límpido e Incolor							
PSMA-68Ga Lot # K-20220119-042	19/01/2022	12:55										%		
Tecnécio-99m Lot # E-20220119-001	19/01/2022	01:50 MB	Butanona		3MM Whatman			1		890	0 pH (Low/Actual/High)	99,888 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220119-002	19/01/2022	01:51 MB	Butanona		3MM Whatman			2		121	0 pH (Low/Actual/High)	98,374 % 5,00 <= 6,00 <= 6,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220119-003	19/01/2022	02:15 MB	Butanona		3MM Whatman			7		422	0 pH (Low/Actual/High)	98,368 % 5,00 <= 5,00 <= 6,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220119-004	19/01/2022	02:31 MB	Butanona		3MM Whatman			2		305	0 pH (Low/Actual/High)	99,349 % 5,00 <= 5,00 <= 6,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220119-005	19/01/2022	02:36 MB	Butanona		3MM Whatman			2		476	0 pH (Low/Actual/High)	99,582 % 5,00 <= 5,00 <= 6,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220119-006	19/01/2022	03:16 MB	Butanona		3MM Whatman			2		314	0 pH (Low/Actual/High)	99,367 % 5,00 <= 5,00 <= 6,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220119-007	19/01/2022	03:16 MB	Butanona		3MM Whatman			3		197	0 pH (Low/Actual/High)	98,50 % 5,00 <= 5,00 <= 6,00	Pass	
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220119-008	19/01/2022	03:35 MB	Butanona		3MM Whatman			92		2033	0 pH (Low/Actual/High)	95,671 % 5,00 <= 5,00 <= 6,00	Pass	
							Límpido e Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220119-009		19/01/2022 03:35	MB	Butanona		3MM Whatman		2		195	0	98,985 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
														Límpido e Incolor
Tecnécio-99m Lot # E-20220119-010		19/01/2022 03:48	MB	Butanona		3MM Whatman		6		858	0	99,306 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
														Límpido e Incolor
Tecnécio-99m Lot # E-20220119-011		19/01/2022 03:54	MB	Butanona		3MM Whatman		9		501	0	98,235 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
														Límpido e Incolor
Tecnécio-99m Lot # E-20220119-012		19/01/2022 04:05	MB	Butanona		3MM Whatman		1		131	0	99,242 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
														Límpido e Incolor
Tecnécio-99m Lot # E-20220119-013		19/01/2022 04:14	MB	Butanona		3MM Whatman		2		166	0	98,81 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
														Límpido e Incolor
Tecnécio-99m Lot # E-20220119-014		19/01/2022 06:26	FN	Butanona		3MM Whatman		0,3		151,7	0	99,803 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
														Límpido e Incolor
Tecnécio-99m Lot # E-20220119-015		19/01/2022 06:30	FN	Butanona		3MM Whatman		0,9		157	0	99,43 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
														Límpido e Incolor
Tecnécio-99m Lot # E-20220119-016		19/01/2022 06:43	FN	Butanona		3MM Whatman		3		501	0	99,405 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
														Límpido e Incolor
Tecnécio-99m Lot # E-20220119-018		19/01/2022 07:14	FN	Butanona		3MM Whatman		1		241	0	99,587 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
														Límpido e Incolor
Tecnécio-99m Lot # E-20220119-019		19/01/2022 07:23	FN	Butanona		3MM Whatman		5		711	0	99,302 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
														Límpido e Incolor
Tecnécio-99m Lot # E-20220119-020		19/01/2022 07:28	FN	Butanona		3MM Whatman		2		261	0	99,24 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
														Límpido e Incolor
Tecnécio-99m Lot # E-20220119-021		19/01/2022 07:58	FN	Butanona		3MM Whatman		4		515	0	99,229 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
														Límpido e Incolor
Tecnécio-99m Lot # E-20220119-022		19/01/2022 08:13	FN	Butanona		3MM Whatman		4		368	0	98,925 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220119-023		19/01/2022 09:12	MB	Butanona		3MM Whatman		1		185	0	99,462 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220119-024		19/01/2022 09:21	MB	Butanona		3MM Whatman		2		107	0	98,165 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220119-025		19/01/2022 09:41	VS	Butanona		3MM Whatman		6		1063	0	99,439 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220119-026		19/01/2022 09:46	VS	Butanona		3MM Whatman		3		907	0	99,67 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220119-028		19/01/2022 10:08	VS	Butanona		3MM Whatman		11		501	0	97,852 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220119-029		19/01/2022 10:21	VS	Butanona		3MM Whatman		3		629	0	99,525 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220119-030		19/01/2022 10:58	VS	Butanona		3MM Whatman		10		1881	0	99,471 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220119-031		19/01/2022 11:07	VS	Butanona		3MM Whatman		8		964	0	99,177 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220119-032		19/01/2022 11:07	VS	Butanona		3MM Whatman		5		748	0	99,336 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220119-033		19/01/2022 12:10	VS	Butanona		3MM Whatman		12		454	0	97,425 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			