



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10  
 R: Maestro Cardim, 769 - São Paulo/SP  
 Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 21/01/2022 To 21/01/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc		21/01/2022	07:40	GS	Butanona	3MM Whatman	97,5		1,7	0		92,436 %	Pass
Lot # K-20220121-022					Normal Saline	Silica gel	8,5		136,8	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DMSA-99mTc		21/01/2022	07:42	GS	Butanona	3MM Whatman	180,1		2,11	0		94,306 %	Pass
Lot # K-20220121-023					Normal Saline	Silica gel	8,3		174,7	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DMSA-99mTc		21/01/2022	07:44	GS	Butanona	3MM Whatman	203		6	0		96,901 %	Pass
Lot # K-20220121-024					Normal Saline	Silica gel	0,4		174,6	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DMSA-99mTc		21/01/2022	08:04	GS	Butanona	3MM Whatman	172,4		3,1	0		93,665 %	Pass
Lot # K-20220121-029					Normal Saline	Silica gel	8,1		169,2	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DMSA-99mTc		21/01/2022	08:07	GS	Butanona	3MM Whatman	203		3	0		92,936 %	Pass
Lot # K-20220121-030					Normal Saline	Silica gel	12		202	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DMSA-99mTc		21/01/2022	10:29	MB	Butanona	3MM Whatman	108,7		1,8	0		94,973 %	Pass
Lot # K-20220121-035					Normal Saline	Silica gel	2,8		79,6	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DMSA-99mTc		21/01/2022	10:31	MB	Butanona	3MM Whatman	155,4		0,7	0		96,597 %	Pass
Lot # K-20220121-036					Normal Saline	Silica gel	3,9		128,1	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DOTATOC-68Ga		21/01/2022	14:05										%
Lot # K-20220121-042													
DOTATOC-68Ga		21/01/2022	15:20										%
Lot # K-20220121-043													
DTPA-99mTc	RPH	21/01/2022	04:06	MB	Acetona	3MM Whatman	410		1	0		99,513 %	Pass
Lot # K-20220121-013					Normal Saline	3MM Whatman	1		409	pH (Low/Actual/High)		3,80 <= 5,00	<= 7,50
						Límpido/Incolor							
DTPA-99mTc	RPH	21/01/2022	06:33	GS	Acetona	3MM Whatman	433		1	0		94,744 %	Pass
Lot # K-20220121-015					Normal Saline	3MM Whatman	29		548	pH (Low/Actual/High)		3,80 <= 5,00	<= 7,50
						Límpido/Incolor							
DTPA-99mTc	RPH	21/01/2022	10:35	MB	Acetona	3MM Whatman	296		1	0		98,07 %	Pass
Lot # K-20220121-037					Normal Saline	3MM Whatman	8		494	pH (Low/Actual/High)		3,80 <= 5,00	<= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20220121-012		21/01/2022 04:01	MB	Butanona		3MM Whatman		370		2	0	99,462 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 7,00	
											Límpido/Incolor			
FITATO-99mTc Lot # K-20220121-027		21/01/2022 07:51	GS	Butanona		3MM Whatman		255		3	0	98,837 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00	
											Límpido/Incolor			
MAA-99mTc Lot # K-20220121-014		21/01/2022 04:09	MB	Butanona		3MM Whatman		168,7		1,4	0	99,177 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220121-025		21/01/2022 07:45	GS	Butanona		3MM Whatman		229		4	0	98,283 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220121-038		21/01/2022 10:49	MB	Butanona		3MM Whatman		177,5		4,7	0	97,42 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MDP-99mTc Lot # K-20220121-010		21/01/2022 03:55	MB	Acetona		3MM Whatman		291		3	0	98,21 %	Pass	
				Normal Saline		3MM Whatman		2		258	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220121-011		21/01/2022 03:57	MB	Acetona		3MM Whatman		1093		2	0	98,671 %	Pass	
				Normal Saline		3MM Whatman		14		1207	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220121-020		21/01/2022 07:05	BB	Acetona		3MM Whatman		355		10	0	96,976 %	Pass	
				Normal Saline		3MM Whatman		1		351	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220121-021		21/01/2022 07:08	GS	Acetona		3MM Whatman		157,3		0,2	0	99,366 %	Pass	
				Normal Saline		3MM Whatman		1		196,4	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220121-026		21/01/2022 07:48	GS	Acetona		3MM Whatman		108,1		0,3	0	97,249 %	Pass	
				Normal Saline		3MM Whatman		4,3		169,5	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220121-028		21/01/2022 07:55	GS	Acetona		3MM Whatman		814		2	0	98,162 %	Pass	
				Normal Saline		3MM Whatman		23		1421	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220121-033		21/01/2022 10:14	MB	Acetona		3MM Whatman		806		2	0	99,023 %	Pass	
				Normal Saline		3MM Whatman		5		680	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220121-034		21/01/2022 10:20	MB	Acetona		3MM Whatman		765		7	0	97,517 %	Pass	
				Normal Saline		3MM Whatman		11		687	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
											Límpido/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220121-040		21/01/2022 11:30 VS	Acetona Normal Saline		3MM Whatman 3MM Whatman			1378 3		7 1382	0 pH (Low/Actual/High)	99,278 %		Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220121-041		21/01/2022 11:58 VS	Acetona Normal Saline		3MM Whatman 3MM Whatman			1441 4		12 1427	0 pH (Low/Actual/High)	98,895 %		Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220121-001		21/01/2022 02:06 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1458 2		18 1632	0 pH (Low/Actual/High)	98,658 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220121-002		21/01/2022 02:09 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1788 5		17 1539	0 pH (Low/Actual/High)	98,734 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220121-003		21/01/2022 02:11 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1823 8		16 2271	0 pH (Low/Actual/High)	98,779 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220121-004		21/01/2022 02:38 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1468 21		20 1918	0 pH (Low/Actual/High)	97,573 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220121-005		21/01/2022 02:50 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			752 9		8 848	0 pH (Low/Actual/High)	97,897 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220121-006		21/01/2022 03:24 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			807 13		10 1071	0 pH (Low/Actual/High)	97,577 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220121-007		21/01/2022 03:25 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			942 4		12 976	0 pH (Low/Actual/High)	98,334 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220121-008		21/01/2022 03:46 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1163 30		19 1275	0 pH (Low/Actual/High)	96,094 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220121-009		21/01/2022 03:47 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			972 4		8 1536	0 pH (Low/Actual/High)	98,924 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220121-016		21/01/2022 06:39 GS	Normal Saline Metanol		Sílica gel 3MM Whatman			1722 4		14 262	0 pH (Low/Actual/High)	97,69 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220121-017		21/01/2022 06:44 GS	Normal Saline Metanol		Sílica gel 3MM Whatman			1169 3		16 966	0 pH (Low/Actual/High)	98,34 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220121-018	21/01/2022	06:53	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			569 3		4 487	0	pH (Low/Actual/High)	98,69 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220121-019	21/01/2022	06:57	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman			355 1		10 351	0	pH (Low/Actual/High)	96,976 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220121-032	21/01/2022	09:59	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1269 10		9 1308	0	pH (Low/Actual/High)	98,537 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220121-039	21/01/2022	11:21	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			761 4		7 209	0	pH (Low/Actual/High)	97,211 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20220121-031	21/01/2022	09:58	BB	Acetato de amônio 1M:Metanol	Sílica gel			0,3		41	0	pH (Low/Actual/High)	99,274 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220121-001	21/01/2022	02:01	BB	Butanona	3MM Whatman			12		1719	0	pH (Low/Actual/High)	99,307 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220121-002	21/01/2022	02:34	MB	Butanona	3MM Whatman			2		119	0	pH (Low/Actual/High)	98,347 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220121-003	21/01/2022	02:48	MB	Butanona	3MM Whatman			1		187	0	pH (Low/Actual/High)	99,468 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220121-005	21/01/2022	03:20	MB	Butanona	3MM Whatman			5		275	0	pH (Low/Actual/High)	98,214 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220121-004	21/01/2022	03:20	MB	Butanona	3MM Whatman			3		215	0	pH (Low/Actual/High)	98,624 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220121-007	21/01/2022	03:42	MB	Butanona	3MM Whatman			5		442	0	pH (Low/Actual/High)	98,881 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220121-006	21/01/2022	03:42	MB	Butanona	3MM Whatman			21		591	0	pH (Low/Actual/High)	96,569 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220121-008	21/01/2022	03:53	MB	Butanona	3MM Whatman			1		155	0	pH (Low/Actual/High)	99,359 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220121-009		21/01/2022 03:56	MB	Butanona		3MM Whatman		18		1516	0		98,827 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220121-010		21/01/2022 04:04	MB	Butanona		3MM Whatman		1		418	0		99,761 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220121-011		21/01/2022 06:30	GS	Butanona		3MM Whatman		2		564	0		99,647 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220121-012		21/01/2022 06:37	GS	Butanona		3MM Whatman		10		459	0		97,868 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220121-013		21/01/2022 06:50	GS	Butanona		3MM Whatman		4		310	0		98,726 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220121-014		21/01/2022 06:55	GS	Butanona		3MM Whatman		19		580	0		96,828 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220121-015		21/01/2022 07:03	GS	Butanona		3MM Whatman		9		174,3	0		95,09 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220121-016		21/01/2022 07:06	GS	Butanona		3MM Whatman		0,3		91,4	0		99,673 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220121-017		21/01/2022 07:36	GS	Butanona		3MM Whatman		3		501	0		99,405 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220121-018		21/01/2022 07:42	GS	Butanona		3MM Whatman		3		239	0		98,76 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220121-019		21/01/2022 07:42	GS	Butanona		3MM Whatman		3,3		157,3	0		97,945 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220121-020		21/01/2022 07:49	GS	Butanona		3MM Whatman		3		425	0		99,299 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220121-021		21/01/2022 07:49	GS	Butanona		3MM Whatman		7		338	0		97,971 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220121-022		21/01/2022 09:49	GS	Butanona		3MM Whatman		9		1530	0		99,415 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220121-024		21/01/2022 10:05	MB	Butanona		3MM Whatman		2,5		108,5	0		97,748 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220121-025		21/01/2022 10:17	GS	Butanona		3MM Whatman		3,2		79,8	0		96,145 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220121-026		21/01/2022 10:26	GS	Butanona		3MM Whatman		1		427	0		99,766 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220121-027		21/01/2022 10:44	MB	Butanona		3MM Whatman		4		448	0		99,115 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220121-028		21/01/2022 10:59	MB	Butanona		3MM Whatman		13		558	0		97,723 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220121-029		21/01/2022 11:12	MB	Butanona		3MM Whatman		3		585	0		99,49 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220121-030		21/01/2022 11:27	MB	Butanona		3MM Whatman		4		749	0		99,469 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			